



Animal Feed Science and Technology
(2002) 115–155

ANIMAL FEED
SCIENCE AND
TECHNOLOGY

www.elsevier.com/locate/anifeedsci

Author index

*Animal Feed Science and Technology, volumes 76–100,
1998–2002*



A

- Aarstad, K.G., see Skrede, A., 76 (1998) 103
- Abdalla, A.L., see Vitti, D.M.S.S., 79 (1999) 145
- Abdelgadir, I.E.O., see Mathis, C.P., 93 (2001) 31
- Abd-Elrazig, S.M. and Elzubeir, E.A., Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89
- Abdel-Wahhab, M.A., Nada, S.A. and Khalil, F.A., Physiological and toxicological responses in rats fed aflatoxin-contaminated diet with or without sorbent materials, 97 (2002) 209
- Abdullah, N., see Jetana, T., 84 (2000) 167
- Abdullah, N., see Pimpa, O., 92 (2001) 203
- Abdullahi, U.S., see Kallah, M.S., 84 (2000) 137
- Abdulrazak, S.A., Fujihara, T.S., Ondiek, J.K. and Ørskov, E.R., Nutritive evaluation of some Acacia tree leaves from Kenya, 85 (2000) 89
- Abel, H., Reply to "Letter to the Editor", 88 (2000) 133
- Abel, H., see Römer, A., 81 (1999) 193
- Abel, H., see Römer, A., 83 (2000) 325
- Abel, H.J., Immig, I. and Harman, E., Effect of adding caprylic and capric acid to grass on fermentation characteristics during ensiling and in the artificial rumen system RUSITEC, 99 (2002) 65
- Abou-El-Enin, O.H., Fadel, J.G. and Mackill, D.J., Differences in chemical composition and fibre digestion of rice straw with, and without, anhydrous ammonia from 53 rice varieties, 79 (1999) 129
- Abouheif, M.A., see Kraidees, M.S., 76 (1998) 149
- Abrams, S.M., see Weimer, P.J., 93 (2001) 115
- Abreu, J.M.F., see Bruno-Soares, A.M., 83 (2000) 75
- Abreu, M., see Salgado, P., 98 (2002) 187
- Abu, O.A., see Onifade, A.A., 77 (1999) 25
- Acamovic, T., see Mupangwa, J.F., 83 (2000) 139
- Acamovic, T., see Salawu, M.B., 77 (1999) 181
- Acamovic, T., see Salawu, M.B., 79 (1999) 289
- Acamovic, T., see Salawu, M.B., 82 (1999) 243
- Acosta, A., Grigera Naon, J.J., Acosta, G. and Deregibus, V.A., Digestion characteristics of dallis grass (*Paspalum dilatatum*, Poir) pastures during the grazing season, 93 (2001) 247
- Acosta, G., see Acosta, A., 93 (2001) 247
- Adejumo, D.O., see Onifade, A.A., 77 (1999) 25
- Adekunle, I.O., see Larbi, A., 77 (1999) 33
- Adesogan, A., see Wilman, D., 84 (2000) 33
- Adesogan, A.T., Salawu, M.B. and Deaville, E.R., The effect on voluntary feed intake, in vivo digestibility and nitrogen balance in sheep of feeding grass silage or pea-wheat intercrops differing in pea to wheat ratio and maturity, 96 (2002) 161
- Adesogan, A.T., see Adogla-Bessa, T., 82 (1999) 51
- Adesogan, A.T., see Salawu, M.B., 94 (2001) 77
- Adesogan, A.T., see Salawu, M.B., 96 (2002) 43
- Adogla-Bessa, T., Owen, E. and Adesogan, A.T., Ensiling of whole crop wheat with cellulase-hemicellulase based enzymes. 3. Comparing effects of urea or enzyme treatment on forage composition and stability, 82 (1999) 51
- Aello, M.S., see Di Marco, O.N., 99 (2002) 37
- Aganga, A.A. and Mosase, K.W., Tannin content, nutritive value and dry matter digestibility of *Lonchocarpus capassa*, *Zizyphus mucronata*, *Sclerocarya birrea*, *Kirkia acuminata* and *Rhus lancea* seeds, 91 (2001) 107
- Agarwal, N., see Sahoo, A., 80 (1999) 83
- Agbagla-Dohnani, A., Nozière, P., Clément, G. and Doreau, M., In sacco degradability, chemical and morphological composition of 15 varieties of European rice straw, 94 (2001) 15
- Agnew, R.E., see Brown, V.E., 98 (2002) 13
- Agnew, R.E., see Park, R.S., 78 (1999) 325
- Agrawal, D.K., see Ravi, U., 88 (2000) 121
- Agrawal, I.S., see Tripathi, M.K., 92 (2001) 73
- Agrawal, I.S., see Tripathi, M.K., 94 (2001) 137
- Aguilar, C., see Camacho, D., 80 (1999) 123
- Agunbiade, J.A., Wiseman, J. and Cole, D.J.A., Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165
- Ahmad, T., Rasool, S., Sarwar, M., Haq, A.-u. and Hasan, Z.-u., Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103
- Ahvenjärvi, S., see Choi, C.W., 96 (2002) 203
- Ake, C.L., see Lemke, S.L., 93 (2001) 17
- Akbar, M.A., Lebzien, P. and Flachowsky, G., Measurement of yield and in situ dry matter degradability of maize varieties harvested at two stages of maturity in sheep, 100 (2002) 53
- Alaviuhkola, T., see Laurinen, P., 83 (2000) 1
- Albin, D.M., Wubben, J.E. and Gabert, V.M., The influence of hydrochloric acid concentration and measurement method on the determination of amino acid levels in soya bean products, 87 (2000) 173
- Al-Dosari, M.N., see Belal, I.E., 81 (1999) 291
- Alexandre, G., see Archimède, H., 87 (2000) 153

- Alhadhrami, G.A., see Wanderley, R.C., 76 (1999) 207
- Ali, M.A., see Khatun, A., 81 (1999) 43
- Alimon, R., see Ivan, M., 92 (2001) 127
- Al-Jasser, M.S., see Belal, I.E., 81 (1999) 291
- Allison, R.D. and Garnsworthy, P.C., Increasing the digestible undegraded protein intake of lactating dairy cows by feeding fishmeal or a rumen protected vegetable protein blend, 96 (2002) 69
- Alomar, D., Fuchslocher, R. and Stockebrand, S., Effects of oven- or freeze-drying on chemical composition and NIR spectra of pasture silage, 80 (1999) 309
- Alomar, D., Montero, R. and Fuchslocher, R., Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57
- Alonso, R., Rubio, L.A., Muzquiz, M. and Marzo, F., The effect of extrusion cooking on mineral bioavailability in pea and kidney bean seed meals, 94 (2001) 1
- Al-Saiady, M.Y., see Kraidees, M.S., 76 (1998) 149
- Alton, K., see Madibela, O.R., 95 (2002) 159
- Alvarez, H.J., Santini, F.J., Rearte, D.H. and Elizalde, J.C., Milk production and ruminal digestion in lactating dairy cows grazing temperate pastures and supplemented with dry cracked corn or high moisture corn, 91 (2001) 183
- Alvir, M.R., see Cajarville, C., 87 (2000) 203
- Alzueta, C., Ortiz, L.T., Rebolé, A., Rodríguez, M.L., Centeno, C. and Treviño, J., Effects of removal of mucilage and enzyme or sepiolite supplement on the nutrient digestibility and metabolizable energy of a diet containing linseed in broiler chickens, 97 (2002) 169
- Alzueta, C., see Rebolé, A., 78 (1999) 153
- Alzueta, C., see Treviño, J., 84 (2000) 155
- Åman, P., see Bergh, M.O., 78 (1999) 215
- Ammerman, C.B., see Pott, E.B., 79 (1999) 93
- Ammerman, C.B., see Pott, E.B., 79 (1999) 107
- Ammerman, C.B., see van Ravenswaay, R.O., 90 (2001) 185
- Anang, D.M., see Donkoh, A., 81 (1999) 299
- Ando, S., see Islam, M.R., 92 (2001) 237
- Andrews, B.S., see James, B.W., 96 (2002) 135
- Andrighetto, I., see Cozzi, G., 99 (2002) 13
- Anil, L., Park, J. and Phipps, R.H., The potential of forage-maize intercrops in ruminant nutrition, 86 (2000) 157
- Ankrah, N.O., Campbell, G.L., Tyler, R.T., Rossnagel, B.G. and Sokhansanj, S.R.T., Hydrothermal and β -glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205
- Apori, S.O., Castro, F.B., Shand, W.J. and Ørskov, E.R., Chemical composition, in sacco degradation and in vitro gas production of some Ghanaian browse plants, 76 (1998) 129
- Apori, S.O., see Long, R.J., 80 (1999) 101
- Aquino-Ramos, J.L., see Wanderley, R.C., 76 (1999) 207
- Araba, A., Byers, F.M. and Guessous, F., Patterns of rumen fermentation in bulls fed barley/molasses diets, 97 (2002) 53
- Arakaki, L.C., Stahringer, R.C., Garrett, J.E. and Dehority, B.A., The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121
- Arakawa, M., see Islam, M.R., 92 (2001) 237
- Aranda, I.E., see Cabrera, E.J.I., 83 (2000) 49
- Archimède, H., Boval, M., Alexandre, G., Xandé, A., Aumont, G. and Poncet, C., Effect of regrowth age on intake and digestion of *Digitaria decumbens* consumed by Black-belly sheep, 87 (2000) 153
- Aregheore, E.M., Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — in vivo and in vitro digestibility, 85 (2000) 99
- Armstrong, D.G., see Ortega-Cerrilla, M.E., 77 (1999) 73
- Armstrong, D.G., see Ortega-Cerrilla, M.E., 77 (1999) 83
- Aroeira, L.J.M., Lopes, F.C.F., Deresz, F., Verneque, R.S., Dayrell, M.S., Matos, L.L.de, Maldonado-Vasquez, H. and Vittori, A., Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313
- Arosemena, A., see Fadel, J.G., 85 (2000) 121
- Ashbell, G., Kipnis, T., Titterton, M., Hen, Y., Azrieli, A. and Weinberg, Z.G., Examination of a technology for silage making in plastic bags, 91 (2001) 213
- Ashbell, G., see Filya, I., 88 (2000) 39
- Ashes, J.R., see Gulati, S.K., 79 (1999) 57
- Ashes, J.R., see Gulati, S.K., 86 (2000) 139
- Ashes, J.R., see Kitessa, S.M., 89 (2001) 189
- Ashes, J.R., see Kitessa, S.M., 89 (2001) 201
- Assefa, G. and Ledin, I., Effect of variety, soil type and fertiliser on the establishment, growth, forage yield, quality and voluntary intake by

- cattle of oats and vetches cultivated in pure stands and mixtures, 92 (2001) 95
- Atreja, P.P., see Gupta, H.K., 78 (1999) 159
- Atuahene, C.C., Donkoh, A. and Ntim, I., Blend of oil palm slurry and rice bran as feed ingredient for broiler chickens, 83 (2000) 185
- Atuahene, C.C., see Donkoh, A., 77 (1999) 163
- Atuahene, C.C., see Donkoh, A., 81 (1999) 299
- Atti, N., Kayouli, C., Mahouachi, M., Guesmi, A. and Doreau, M., Effect of a drastic and extended underfeeding on digestion in Barbary ewe, 100 (2002) 1
- Aufrère, J., Graviou, D., Melcion, J.P. and Demarquilly, C., Degradation in the rumen of lupin (*Lupinus albus* L.) and pea (*Pisum sativum* L.) seed proteins. Effect of heat treatment, 92 (2001) 215
- Aumaitre, A., Fernandez, J. and Wiseman, J., Introduction, 90 (2001) 1
- Aumaitre, A., see Freire, J.P.B., 87 (2000) 71
- Aumaitre, A., see Seabra, M., 89 (2001) 1
- Aumont, G., see Archimède, H., 87 (2000) 153
- Azrieli, A., see Ashbell, G., 91 (2001) 213

B

- Baah, J., Tait, R.M., Tuah, A.K., McAllister, T.A., Bae, H.D. and Cheng, K.-J., Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213
- Baba, A.S.H., Castro, F.B. and Ørskov, E.R., Partitioning of energy and degradability of browse plants in vitro and the implications of blocking the effects of tannin by the addition of polyethylene glycol, 95 (2002) 93
- Babatunde, G.M., see Onifade, A.A., 77 (1999) 25
- Bach Knudsen, K.E., The nutritional significance of "dietary fibre" analysis, 90 (2001) 3
- Bach, A. and Stern, M.D., Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23
- Bach, A., see Tapia, M.O., 97 (2002) 239
- Bachmann, H., see Cone, J.W., 96 (2002) 55
- Bachmann, H., see Cone, J.W., 99 (2002) 221
- Bae, H.D., see Baah, J., 77 (1999) 213
- Bailey, D.W. and Sims, P.L., Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95
- Baker, D.H., see Peter, C.M., 94 (2001) 199
- Baker, D.H., see Peter, C.M., 95 (2002) 63
- Baker, R.T.M., Pfeiffer, A.-M., Schöner, F.-J. and Smith-Lemmon, L., Pigmenting efficacy of astaxanthin and canthaxanthin in fresh-water reared Atlantic salmon, *Salmo salar*, 99 (2002) 97
- Bal, M.A., Shaver, R.D., Shinnors, K.J., Coors, J.G., Lauer, J.G., Straub, R.J. and Koegel, R.G., Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83
- Balcells, J., see Martín-Orue, S.M., 88 (2000) 59
- Balcells, J., see Martín-Orue, S.M., 88 (2000) 171
- Bale, J.O., see Kallah, M.S., 84 (2000) 137
- Ball, A.S., see Hill, J., 89 (2001) 83
- Ballard, C.S., Mandebvu, P., Sniffen, C.J., Emanuele, S.M. and Carter, M.P., Effect of feeding an energy supplement to dairy cows pre- and postpartum on intake, milk yield, and incidence of ketosis, 93 (2001) 55
- Ballard, C.S., see Mandebvu, P., 93 (2001) 43
- Ballard, C.S., see Uchida, K., 93 (2001) 193
- Balogun, R.O., Jones, R.J. and Holmes, J.H.G., Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77
- Bamikole, M.A. and Ezenwa, I., Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67
- Banfield, M.J., Kwakkel, R.P. and Forbes, J.M., Effects of wheat structure and viscosity on coccidiosis in broiler chickens, 98 (2002) 37
- Barber, D.G., see Komolong, M.K., 92 (2001) 59
- Bárcena, G.R., see Cabrera, E.J.I., 83 (2000) 49
- Barcena, J.R., see Cobos, M.A., 95 (2002) 179
- Barnes, R.J., see Park, R.S., 78 (1999) 325
- Barrios Urdaneta, A., see Nogueira Filho, J.C.M., 83 (2000) 145
- Barrios-Urdaneta, A., see Fondevila, M., 95 (2002) 1
- Barry, T.N., see Min, B.R., 92 (2001) 185
- Basson, H.M., see Meeske, R., 81 (1999) 237
- Batista, A.M., Mustafa, A.F., McKinnon, J.J. and Kermasha, S., In situ ruminal and intestinal nutrient digestibilities of mesquite (*Prosopis juliflora*) pods, 100 (2002) 107
- Baucells, F., see Medel, P., 95 (2002) 113
- Bauer, M.L., see Loe, E.R., 100 (2002) 43
- Bayourthe, C., see Enjalbert, F., 76 (1999) 195
- Beauchemin, K.A., see Nsereko, V.L., 88 (2000) 153
- Becerro, F., see García-Ciudad, A., 77 (1999) 91
- Bechaz, M., see Jones, R.J., 85 (2000) 269
- Becker, K., see Getachew, G., 92 (2001) 51

- Becker, K., see Hossain, M.A., 95 (2002) 49
- Beckers, Y., see Moujahed, N., 88 (2000) 219
- Bedford, M.R., Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1
- Bedford, M.R., see Svihus, B., 88 (2000) 1
- Beeckmans, S., see Van Nevel, C.J., 94 (2001) 147
- Belal, I.E., Al-Jasser, M.S., Mustafa, I.A. and Al-Dosari, M.N., Evaluation of date-feed ingredients mixes, 81 (1999) 291
- Belyea, R.L., see Ledoux, D.R., 76 (1999) 227
- Belyea, R.L., see Wallig, M.A., 99 (2002) 205
- Ben Salem, H., Nefzaoui, A. and Ben Salem, L., Supplementation of *Acacia cyanophylla* Lindl. foliage-based diets with barley or shrubs from arid areas (*Opuntia ficus-indica* f. *inermis* and *Atriplex nummularia* L.) on growth and digestibility in lambs, 96 (2002) 15
- Ben Salem, H., Nefzaoui, A., Ben Salem, L. and Tisserand, J.L., Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297-311
- Ben Salem, L., see Ben Salem, H., 78 (1999) 297
- Ben Salem, L., see Ben Salem, H., 96 (2002) 15
- Ben-Ghedalia, D. and Miron, J., Digestion by sheep of monosaccharide constituents of direct cut alfalfa silage made with SO₂-treated wheat straw, 92 (2001) 175
- Ben-Ghedalia, D., see Yosef, E., 80 (1999) 55
- Ben-Ghedalia, D., see Yosef, E., 83 (2000) 115
- Ben-Ghedalia, D., Solomon, R., Miron, J., Yosef, E., Zomberg, Z., Zukerman, E., Greenberg, A. and Kipnis, T., Effect of water salinity on the composition and in vitro digestibility of winter-annual ryegrass grown in the Arava desert, 91 (2001) 139
- Bento, O., see Salgado, P., 98 (2002) 187
- Berg, T., see Tolera, A., 79 (1999) 165
- Berge, G.M., see Skrede, A., 76 (1998) 103
- Bergh, M.O., Razdan, A. and Åman, P., Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215
- Berzaghi, P., see Cozzi, G., 99 (2002) 13
- Beynen, A.C., see Vissia, G.H.P., 85 (2000) 139
- Beynen, A.C., see Xu, C., 81 (1999) 161
- Bhatta, R., Krishnamoorthy, U. and Mohammed, F., Effect of feeding tamarind (*Tamarindus indica*) seed husk as a source of tannin on dry matter intake, digestibility of nutrients and production performance of crossbred dairy cows in mid-lactation, 83 (2000) 67
- Effect of tamarind (*Tamarindus indica*) seed husk tannins on in vitro rumen fermentation, 90 (2001) 143
- Bhatta, R., see Sankhyan, S.K., 82 (1999) 261
- Bister, J.L., see Derycke, G., 81 (1999) 81
- Bister, J.-L., see Mabon, N., 85 (2000) 111
- Bister, J.L., see Mandiki, S.N.M., 81 (1999) 93
- Bister, J.L., see Mandiki, S.N.M., 98 (2002) 25
- Blanchart, G., see Lambert, A., 82 (1999) 75
- Blas, E., Fernández-Carmona, J., Cervera, C. and Pascual, J.J., Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239
- Blas, E., see Pascual, J.J., 81 (1999) 105
- Blasi, D.A., see Reed, C., 88 (2000) 47
- Bodin, J.-C., see van Kempen, T., 76 (1998) 139
- Bogaert, C., see Bravo, D., 99 (2002) 73
- Bohnert, D.W., see Swanson, K.C., 86 (2000) 95
- Boitumelo, W.S., see Madibela, O.R., 84 (2000) 97
- Boitumelo, W.S., see Madibela, O.R., 95 (2002) 159
- Bonsi, M.L.K., see Mthiyane, D.M.N., 94 (2001) 171
- Boon-ek, L., see Yu, P., 93 (2001) 71
- Boon-ek, L., see Yu, P., 95 (2002) 33
- Boorman, K.N., see Short, F.J., 79 (1999) 195
- Boros, D., Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1999) 219
- Boss, D.L., see Bowman, J.G.P., 78 (1999) 273
- Böttcher, W., see Dänicke, S., 84 (2000) 279
- Boucqué, Ch.V., see De Campeneere, S., 90 (2001) 153
- Boudon, A. and Peyraud, J.-L., The release of intracellular constituents from fresh ryegrass (*Lolium perenne* L.) during ingestive mastication in dairy cows: effect of intracellular constituent, season and stage of maturity, 93 (2001) 229
- Boudon, A., Peyraud, J.-L. and Faverdin, P., The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83
- Boval, M., see Archimède, H., 87 (2000) 153
- Bowman, J.G.P., see Earley, A.V., 80 (1999) 281
- Bowman, J.G.P., see Taylor, N., 96 (2002) 193
- Bowman, J.G.P., Sowell, B.F., Boss, D.L. and Sherwood, H., Influence of liquid supplement delivery method on forage and supplement intake by grazing beef cows, 78 (1999) 273
- Bracht, J.P., see Kung, L., 84 (2000) 69
- Bravo, D., Meschy, F., Bogaert, C. and Sauvant, D., Effects of fungal phytase addition, formaldehyde

- treatment and dietary concentrate content on ruminal phosphorus availability, 99 (2002) 73
- Brooks, A.E., see Davies, Z.S., 83 (2000) 205
- Broudiscou, A., see Broudiscou, L.-P., 77 (1999) 149
- Broudiscou, A.F., see Broudiscou, L.-P., 79 (1999) 43
- Broudiscou, A.F., see Broudiscou, L.-P., 87 (2000) 263
- Broudiscou, L.-P., Papon, Y. and Broudiscou, A., Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149
- Broudiscou, L.-P., Papon, Y. and Broudiscou, A.F., Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43
- Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263
- Brown, V.E., Rymer, C., Agnew, R.E. and Givens, D.I., Relationship between in vitro gas production profiles of forages and in vivo rumen fermentation patterns in beef steers fed those forages, 98 (2002) 13
- Brufau, J., see Cosson, T., 77 (1999) 345
- Brufau, J., see Torrallardona, D., 99 (2002) 119
- Bruno-Soares, A.M., Abreu, J.M.F., Guedes, C.V.M. and Dias-da-Silva, A.A., Chemical composition, DM and NDF degradation kinetics in rumen of seven legume straws, 83 (2000) 75
- Bunch, R., see McSweeney, C.S., 82 (1999) 227
- Bunting, L.D., Yavuz, M., Fernandez, J.M. and Solaiman, S.G., Growth and metabolic responses of Holstein calves fed broiler litter-based diets supplemented with L-carnitine, 98 (2002) 61
- Buraczewska, L., see Pastuszewska, B., 86 (2000) 117
- Burato, G.M., see Cozzi, G., 99 (2002) 13
- Burnham, D.J., see Kidd, M.T., 94 (2001) 57
- Burns, J.C., see Merkel, R.C., 82 (1999) 91
- Burns, J.C., see Merkel, R.C., 82 (1999) 107
- Busboom, J., see Huerta, M., 95 (2002) 15
- Byers, E.B., see Gulati, S.K., 86 (2000) 139
- Byers, F.M., see Araba, A., 97 (2002) 53
- Byers, Y.G., see Gulati, S.K., 86 (2000) 139
- Cabral, F., see Salgado, P., 91 (2001) 197
- Cabral, F., see Seabra, M., 89 (2001) 1
- Cabrera, E.J.I., Mendoza, M.G.D., Aranda, I.E., Garcia-Bojalil, C., Bárcena, G.R. and Ramos, J.J.A., *Saccharomyces cerevisiae* and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49
- Cabrera, A.R.J., see Fonseca, A.J.M., 83 (2000) 173
- Caffrey, P.J., see Kavanagh, S., 89 (2001) 49
- Caffrey, P.J., see O'Mara, F.P., 81 (1999) 167
- Cajaville, C., González, J., Repetto, J.L., Alvir, M.R. and Rodríguez, C.A., Nutritional evaluation of cardoon (*Cynara cardunculus*) seed for ruminants, 87 (2000) 203
- Calhoun, M.C., see Robinson, P.H., 91 (2001) 149
- Camacho, D., Nahed, J., Ochoa, S., Jiménez, G., Soto, L., Grande, D., Pérez-Gil, F., Carmona, J. and Aguilar, C., Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123
- Campbell, Mathews, M. see Robinson, P.H., 80 (1999) 257
- Campbell, D.R., see White, C.E., 87 (2000) 105
- Campbell, G.L., see Ankrah, N.O., 81 (1999) 205
- Campbell, L.D., see Slominski, B.A., 78 (1999) 249
- Campbell, R.G., see King, R.H., 83 (2000) 17
- Canistro, J., see Fonty, G., 80 (1999) 297
- Cao, H., see Mavromichalis, I., 93 (2001) 127
- Carabaño, R., see Gutiérrez, I., 98 (2002) 175
- Carabaño, R., see Nicodemus, N., 80 (1999) 43
- Carabaño, R., see Xiccato, G., 77 (1999) 201
- Carazzolo, A., see Xiccato, G., 77 (1999) 201
- Caridi, A., see Scerra, V., 78 (1999) 169
- Carmona, J., see Camacho, D., 80 (1999) 123
- Carpino, S., see Licitra, G., 77 (1999) 99
- Carré, B., see Mohanna, C., 77 (1999) 255
- Carriquiry, M., see de J. Marichal, M., 88 (2000) 91
- Carro, M.D., López, S., Valdés, C. and Ovejero, F.J., Effect of DL-malate on mixed ruminal microorganism fermentation using the rumen simulation technique (RUSITEC), 79 (1999) 279
- Carro, M.D., see Tejido, M.L., 97 (2002) 41
- Carson, A.F., see Dawson, L.E.R., 82 (1999) 21
- Carter, M.P., see Ballard, C.S., 93 (2001) 55
- Carter, M.P., see Uchida, K., 93 (2001) 193
- Carvalho, F., see Salgado, P., 98 (2002) 187
- Carvalho, S., see Seabra, M., 89 (2001) 1
- Casler, M.D., Culvenor, R.A. and Combs, D.K., Divergent selection for two laboratory predictors of voluntary intake: relationships among the predictors and leaf morphology variables, 84 (2000) 107
- Castanon, J.I.R., see Ventura, M.R., 85 (2000) 279
- Castleman, G.H., see Yu, P., 92 (2001) 1
- Castrillo, C., see Martín-Orue, S.M., 88 (2000) 59
- Castro, F.B., see Apori, S.O., 76 (1998) 129

- Castro, F.B., see Baba, A.S.H., 95 (2002) 93
Castro, F.B., see Long, R.J., 80 (1999) 101
Castro, F.B., see Zahedifar, M., 95 (2002) 83
Caton, J., see Mathis, C.P., 93 (2001) 31
Caton, J.S., see Loe, E.R., 100 (2002) 43
Centeno, C., see Alzueta, C., 97 (2002) 169
Cerdeira, D.A., see Manterola, H.B., 92 (2001) 249
Cervera, C., see Blas, E., 88 (2000) 239
Cervera, C., see Pascual, J.J., 81 (1999) 105
Cervera, C., see Pascual, J.J., 86 (2000) 191
Chamberlain, D.G., see Oh, Y.-G., 78 (1999) 227
Chan, W.W. and Dehority, B.A., Production of *Ruminococcus flavefaciens* growth inhibitor(s) by *Ruminococcus albus*, 77 (1999) 61
Chanchai, S., see Dixon, R.M., 83 (2000) 261
Chandramoni, A.S., see Tiwari, C.M., 89 (2001) 119
Chandramoni, Jadhao, S.B., Tiwari, C.M. and Khan, M.Y., Energy metabolism with particular reference to methane production in Muzaffargari sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287
Changting, X., see Defa, L., 78 (1999) 179
Channa, K.S., see Mauricio, R.M., 79 (1999) 321
Chappelka, A.H., see Muntifering, R.B., 84 (2000) 243
Chaturvedi, O.H., see Mishra, A.S., 84 (2000) 257
Chaudhary, L.C., see Sahoo, A., 80 (1999) 83
Chaudhry, A.S., Rumen degradation in sacco in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313
Chavarot, M., see Fonty, G., 80 (1999) 297
Chen, C.R., see Chiou, P.W.S., 91 (2001) 171
Chen, C.-R., see Huang, H.-J., 77 (1999) 303
Chen, H.-L., see Xiao, R.-J., 79 (1999) 119
Chen, T.C., see Lu, G.W., 83 (2000) 159
Chen, X.B., see Liu, J.X., 76 (1999) 345
Chen, X.B., see Verbič, J., 82 (1999) 195
Chen, X.-J., see Xu, N.-Y., 98 (2002) 167
Cheng, K.-J., see Baah, J., 77 (1999) 213
Cheng, K.-J., see Hristov, A.N., 76 (1998) 161
Cheng, K.-J., see Lee, S.S., 88 (2000) 201
Cheng, K.-J., see Zaman, M.S., 99 (2002) 1
Chiang, J.-K. see Huang, H.-J., 77 (1999) 303
Chiang, S.-H., see Hsieh, H.-F., 95 (2002) 189
Chiang, S.-H., see Jean, K.B., 76 (1999) 241
Chicco, C.F., see Godoy, S., 94 (2001) 103
Chicoteau, P., see Enjalbert, F., 76 (1999) 195
Chihora, R.M., see Mandibaya, W., 78 (1999) 287
Chimonyo, M., see Ndindana, W., 97 (2002) 199
Chiou, P.W.S., Chiu, S.W. and Chen, C.R., Value of *Aspergillus niger* fermentation product as a dietary ingredient for broiler chickens, 91 (2001) 171
Chiou, P.W.-S., see Yu, B., 86 (2000) 39
Chirase, N.K. and Greene, L.W., Dietary zinc and manganese sources administered from the fetal stage onwards affect immune response of transit stressed and virus infected offspring steer calves, 93 (2001) 217
Chiu, S.W., see Chiou, P.W.S., 91 (2001) 171
Choi, C.W., Ahvenjärvi, S., Vanhatalo, A., Toivonen, V. and Huhtanen, P., Quantitation of the flow of soluble non-ammonia nitrogen entering the omasal canal of dairy cows fed grass silage based diets, 96 (2002) 203
Choung, J.-J., see Oh, Y.-G., 78 (1999) 227
Christensen, D.A., see Jones, R.A., 89 (2001) 97
Christensen, D.A., see Mustafa, A.F., 76 (1999) 265
Christensen, D.A., see Mustafa, A.F., 80 (1999) 247
Christensen, D.A., see Mustafa, A.F., 83 (2000) 301
Christensen, D.A., see Mustafa, A.F., 92 (2001) 33
Christensen, D.A., see Mustafa, A.F., 95 (2002) 123
Classen, H.L., see Irish, G.G., 76 (1999) 321
Classen, H.L., see Maenz, D.D., 76 (1999) 335
Classen, H.L., see Maenz, D.D., 81 (1999) 177
Classen, H.L., see Newkirk, R.W., 91 (2001) 115
Clauss, M., see Hatt, J.-M., 94 (2001) 65
Clément, G., see Agbagla-Dohnani, A., 94 (2001) 15
Coates, D.B., see Kennedy, P.M., 96 (2002) 175
Coblentz, W.K., Coffey, K.P., Turner, J.E., Scarbrough, D.A., Weyers, J.S., Harrison, K.F., Johnson, Z.B., Daniels, L.B., Rosenkrans Jr., C.F., Wayne Kellogg, D. and Hubbell III, D.S., Ruminant nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, 89 (2001) 17
Coblentz, W.K., see Scarbrough, D.A., 96 (2002) 119
Cobos, M.A., Garcia, L.E., González, S.S., Barceña, J.R., Hernández, D.S. and Pérez-Sato, M., The effect of shrimp shell waste on ruminal bacteria and performance of lambs, 95 (2002) 179
Cobos, P.M., see García, C.C.G., 83 (2000) 165
Cochran, R.C., see Mathis, C.P., 93 (2001) 31
Coffey, K.P., see Coblentz, W.K., 89 (2001) 17
Coffey, K.P., see Scarbrough, D.A., 96 (2002) 119
Cole, D.J.A., see Agunbiade, J.A., 80 (1999) 165
Combs, D.K., see Casler, M.D., 84 (2000) 107
Conde, R., see Torrallardona, D., 99 (2002) 119
Cone, J.W. and van Gelder, A.H., Influence of protein fermentation on gas production profiles, 76 (1999) 251

- Cone, J.W., Kamman, A.A., van Gelder, A.H. and Hindle, V.A., Rumen escape protein in concentrate ingredients determined with the nylon bag and enzymatic techniques, 97 (2002) 247
- Cone, J.W., van Gelder, A.H., Bachmann, H. and Hindle, V.A., Comparison of organic matter degradation in several feedstuffs in the rumen as determined with the nylon bag and gas production techniques, 96 (2002) 55
- Cone, J.W., van Gelder, A.H. and Bachmann, H., Influence of inoculum source on gas production profiles, 99 (2002) 221
- Conlan, L.L., see Kennedy, P.M., 86 (2000) 177
- Coors, J.G., see Bal, M.A., 86 (2000) 83
- Corley III, R.N., Woldeghebriel, A., Corley, M.M. and Murphy, M.R., Effect of ethanol concentration and application period of soyabean meal on the kinetics of ruminal digestion, 79 (1999) 247
- Corley, M.M., see Corley III, R.N., 79 (1999) 247
- Cosson, T., Pérez Vendrell, A.M., González Teresa, B., Reñé, D., Taillade, P. and Brufau, J., Enzymatic assays for xylanase and β -glucanase feed enzymes, 77 (1999) 345
- Cotte, J.P., see Morisse, J.P., 84 (2000) 129
- Coyle, J.E., see O'Mara, F.P., 81 (1999) 167
- Cozzi, G., Burato, G.M., Berzaghi, P. and Andrighetto, I., Evaluation of pellets from different industrial processing of dehydrated lucerne in dairy cattle feeding, 99 (2002) 13
- Cravener, T.L. and Roush, W.B., Prediction of amino acid profiles in feed ingredients: Genetic algorithm calibration of artificial neural networks, 90 (2001) 131
- Cronrath, J.D., see Huerta, M., 95 (2002) 15
- Crosby, D.D., see Muntifering, R.B., 84 (2000) 243
- Cruywagen, C.W., see Meeske, R., 81 (1999) 237
- Cruywagen, C.W., see Meeske, R., 97 (2002) 159
- Cuddeford, D., see Lowman, R.S., 80 (1999) 11
- Cuddeford, D., see Lowman, R.S., 97 (2002) 221
- Cuddeford, D., see McLean, B.M.L., 85 (2000) 79
- Cuddeford, D., see Moore-Colyer, M.J.S., 84 (2000) 183
- Cullis, B.R., see Nandra, K.S., 83 (2000) 273
- Culvenor, R.A., see Casler, M.D., 84 (2000) 107
- Cunha, L., see Seabra, M., 89 (2001) 1
- Cunha, L.F., see Freire, J.P.B., 87 (2000) 71
- energy determinations: an example using wheat data, 80 (1999) 29
- D'Mello, J.P.F., see Placinta, C.M., 78 (1999) 21
- Dahlman, T., Kiiskinen, T., Mäkelä, J., Niemelä, P., Syrjälä-Qvist, L., Valaja, J. and Jalava, T., Digestibility and nitrogen utilisation of diets containing protein at different levels and supplemented with DL-methionine, L-methionine and L-lysine in blue fox (*Alopex lagopus*), 98 (2002) 219
- Dana, N., Tegegne, A. and Shenkoru, T., Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239
- Dänicke, S., Jeroch, H., Böttcher, W. and Simon, O., Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279
- Daniels, L.B., see Coblenz, W.K., 89 (2001) 17
- Danielsen, V. and Vestergaard, E.M., Dietary fibre for pregnant sows: effect on performance and behaviour, 90 (2001) 71
- Das, A. and Singh, G.P., Effect of different levels of berseem (*Trifolium alexandrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133
- Dass, R.S., see Hosamani, S.V., 76 (1998) 117
- Dass, R.S., see Verma, A.K., 87 (2000) 253
- Davies, D.R., see Dewhurst, R.J., 85 (2000) 1
- Davies, D.R., see Mauricio, R.M., 89 (2001) 33
- Davies, Z.S., Mason, D., Brooks, A.E., Griffith, G.W., Merry, R.J. and Theodorou, M.K., An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205
- Davis, G.V., see Scarbrough, D.A., 96 (2002) 119
- Davidson, R.H., see White, C.L., 99 (2002) 45
- Dawson, K.A., see Strickling, J.A., 86 (2000) 205
- Dawson, L.E.R., Carson, A.F. and Kilpatrick, D.J., The effect of the digestible undegradable protein concentration of concentrates and protein source offered to ewes in late pregnancy on colostrum production and lamb performance, 82 (1999) 21
- Dawson, L.E.R., see Gordon, F.J., 79 (1999) 15
- Dayrell, M.S., see Aroeira, L.J.M., 78 (1999) 313
- de Blas, C., see Medel, P., 84 (2000) 13
- de Blas, C., see Medel, P., 95 (2002) 113
- de Blas, C., see Nicodemus, N., 80 (1999) 43
- De Blas, J.C., see Gutiérrez, I., 98 (2002) 175

D

- D'Alfonso, T.H., Manbeck, H.B. and Roush, W.B., Partitioning of variance in true metabolizable

- de Blas, J.C., see Medel, P., 82 (1999) 145
- De Campeneere, S., Fiems, L.O. and Boucqué, Ch.V., Energy and protein requirements of Belgian Blue double-muscled bulls, 90 (2001) 153
- Di Marco, O.N., Aello, M.S., Nomdedeu, M. and Van Houtte, S., Effect of maize crop maturity on silage chemical composition and digestibility (in vivo, in situ and in vitro), 99 (2002) 37
- de la Fuente, J.M., see Fernández, C., 86 (2000) 71
- de Monredon, F., see Maaroufi, C., 85 (2000) 61
- de J. Marichal, M., Carriquiry, M., Pereda, R. and San Martín, R., Protein degradability and intestinal digestibility of blood meals: comparison of two processing methods, 88 (2000) 91
- De Peters, E.J., see Robinson, P.H., 91 (2001) 149
- De Rycke, H., see Van Nevel, C.J., 94 (2001) 147
- De Smet, S., see Van Nevel, C., 83 (2000) 89
- De Wilde, R., see Van Nevel, C., 83 (2000) 89
- De Wilde, R., see Van Nevel, C.J., 94 (2001) 147
- Deville, E.R. and Givens, D.I., Use of the automated gas production technique to determine the fermentation kinetics of carbohydrate fractions in maize silage, 93 (2001) 205
- Deville, E.R., see Adesogan, A.T., 96 (2002) 161
- Deville, E.R., see Givens, D.I., 89 (2001) 69
- Deville, E.R., see Moss, A.R., 94 (2001) 187
- Defa, L., Changting, X., Shiyang, Q., Jinhui, Z., Johnson, E.W. and Thacker, P.A., Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179
- Dehority, B.A., see Arakaki, L.C., 84 (2000) 121
- Dehority, B.A., see Chan, W.W., 77 (1999) 61
- del Mastro, N.L., see Vitti, D.M.S.S., 79 (1999) 145
- Delaby, L., see Delagarde, R., 84 (2000) 49
- Delagarde, R., Peyraud, J.L., Delaby, L. and Faverdin, P., Vertical distribution of biomass, chemical composition and pepsin-cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49
- Delgado-Pertíñez, M., Gómez-Cabrera, A. and Garrido, A., Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187
- Demarquilly, C., see Aufrère, J., 92 (2001) 215
- den Hartog, L.A., see Scholten, R.H.J., 82 (1999) 1
- DePeters, E.J., see Fadel, J.G., 85 (2000) 121
- DePeters, E.J., see Getachew, G., 93 (2001) 1
- Deregibus, V.A., see Acosta, A., 93 (2001) 247
- Deresz, F., see Aroeira, L.J.M., 78 (1999) 313
- Derycke, G., Mabon, N., Mandiki, S.N.M., Bister, J.L., Wathélet, J.-P., Marlier, M. and Paquay, R., Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 1. Animal performance and thyroid histology, 81 (1999) 81
- Derycke, G., see Mabon, N., 85 (2000) 111
- Derycke, G., see Mandiki, S.N.M., 81 (1999) 93
- Derycke, G., see Mandiki, S.N.M., 98 (2002) 25
- Desai, A.D., see Watkins, S.E., 81 (1999) 35
- Dewhurst, R.J., Davies, D.R. and Merry, R.J., Microbial protein supply from the rumen, 85 (2000) 1
- Dhanoa, M.S., see Lister, S.J., 86 (2000) 221
- Dhanoa, M.S., see Lowman, R.S., 80 (1999) 11
- Dhanoa, M.S., see Mauricio, R.M., 79 (1999) 321
- Dhanoa, M.S., see Mauricio, R.M., 89 (2001) 33
- Dhiman, T.R., MacQueen, I.S. and Luchini, N.D., Milk yield response of dairy cows fed fat along with protein, 90 (2001) 169
- Dhuyvetter, D.V., see Taylor, N., 96 (2002) 193
- Dias-da-Silva, A.A., see Bruno-Soares, A.M., 83 (2000) 75
- Dias-da-Silva, A.A., see Rodrigues, M.A.M., 95 (2002) 133
- Di Marco, O.N., Aello, M.S., Nomdedeu, M. and Van Houtte, S., Effect of maize crop maturity on silage chemical composition and digestibility (in vivo, in situ and in vitro), 99 (2002) 37
- Dingle, J.G., see Khatun, A., 81 (1999) 43
- Dingle, J.G., see Wiryawan, K.G., 76 (1999) 185
- Dixon, R.M. and Chanchai, S., Colonization and source of N substrates used by microorganisms digesting forages incubated in synthetic fibre bags in the rumen, 83 (2000) 261
- Dixon, R.M., see Rafiq, M., 100 (2002) 93
- D'Mello, J.P.F., Placinta, C.M. and Macdonald, A.M.C., *Fusarium* mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183
- do Valle, C.B., see Herrero, M., 92 (2001) 149
- Dobos, R.C., see Nandra, K.S., 83 (2000) 273
- Dominguez-Bello, M.G., see Jones, R.J., 87 (2000) 287
- Dong, G.Z., see Moughan, P.J., 79 (1999) 309
- Dong, G.Z., see Pearson, G., 79 (1999) 301
- Donkoh, A., Atuahene, C.C., Anang, D.M. and Ofori, S.K., Chemical composition of solar-dried blood meal and its effect on performance of broiler chickens, 81 (1999) 299
- Donkoh, A., Atuahene, C.C., Poku-Prempeh, Y.B. and Twum, I.G., The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163

- Donkoh, A., see Atuahene, C.C., 83 (2000) 185
 Donzele, J.L., see Oliveira, R.F.M., 81 (1999) 319
 Doreau, M., see Agbagla-Dohnani, A., 94 (2001) 15
 Doreau, M., see Atti, N., 100 (2002) 1
 Drennan, M.J., see O'Mara, F.P., 81 (1999) 167
 Dritz, S.S., see Grinstead, G.S., 83 (2000) 237
 Dritz, S.S., see James, B.W., 96 (2002) 135
 Drogoul, C., Poncet, C. and Tisserand, J.L., Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in vivo digestibility and rate of passage of digesta, 87 (2000) 117
 Drogoul, C., Tisserand, J.L. and Poncet, C., Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131
 Drouillard, J.S., see Löest, C.A., 94 (2001) 115
 Drouillard, J.S., see Taylor, N., 96 (2002) 193
 Dube, J.S., Reed, J.D. and Ndlovu, L.R., Proanthocyanidins and other phenolics in Acacia leaves of Southern Africa, 91 (2001) 59
 Dung, D.D., see Larbi, A., 77 (1999) 33
 Dung, N.N.X. and Udén, P., Estimation of neutral detergent fibre degradation in pigs by an in vitro method, 95 (2002) 205
 Dunshea, F.R., see King, R.H., 83 (2000) 17
 Duvaux-Ponter, C., see Giger-Reverdin, S., 96 (2002) 83
 Dzama, K., see Ndindana, W., 97 (2002) 199

E

- Earley, A.V., Sowell, B.F. and Bowman, J.G.P., Liquid supplementation of grazing cows and calves, 80 (1999) 281
 Eason, P.J., see King, R.H., 83 (2000) 17
 Eastridge, M.L. and Firkins, J.L., Feeding tallow triglycerides of different saturation and particle size to lactating dairy cows, 83 (2000) 249
 Edvardsen, D.H., see Svihus, B., 88 (2000) 1
 Edwards, S.A., see Meunier-Salaün, M.C., 90 (2001) 53
 Edwards Jr., H.M., see Kasim, A.B., 86 (2000) 15
 Egan, A.R., see Yu, P., 92 (2001) 1
 Egan, A.R., see Yu, P., 93 (2001) 71
 Egan, A.R., see Yu, P., 94 (2001) 89
 Egan, A.R., see Yu, P., 95 (2002) 33
 Egan, A.R., see Yu, P., 99 (2002) 141
 Egan, A.R., see Rafiq, M., 100 (2002) 93
 Eik, L.O., see Shen, H.S., 80 (1999) 151

- El hassan, S.M., Lahlou Kassi, A., Newbold, C.J. and Wallace, R.J., Chemical composition and degradation characteristics of foliage of some African multipurpose trees, 86 (2000) 27
 El-Meadawy, A., see Zaman, M.S., 99 (2002) 1
 Elangovan, A.V., see Verma, S.V.S., 76 (1998) 169
 Elangovan, A.V., Verma, S.V.S., Sastry, V.R.B. and Singh, S.D., Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets, 88 (2000) 113
 Elizalde, J.C., see Alvarez, H.J., 91 (2001) 183
 Elwinger, K., see Wahlström, A., 77 (1999) 229
 Elzubeir, E.A., see Abd-Elrazig, S.M., 76 (1998) 89
 Emanuele, S.M., see Ballard, C.S., 93 (2001) 55
 Eng, E.R., see Shen, H.S., 80 (1999) 151
 Engele-Schaan, C.M., see Maenz, D.D., 81 (1999) 177
 Engels, F.M., see van Laar, H., 79 (1999) 179
 Enjalbert, F., Garrett, J.E., Moncoulon, R., Bayourthe, C. and Chicoteau, P., Effects of yeast culture (*Saccharomyces cerevisiae*) on ruminal digestion in non-lactating dairy cows, 76 (1999) 195
 Escribano, F., see Parisini, P., 79 (1999) 155
 Espinosa, A., see Gutiérrez, I., 98 (2002) 175
 Esposito, E., see Villas-Bôas, S.G., 98 (2002) 1
 Esteve-Garcia, E. and Mack, S., The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85
 Esteve-García, E., see Torrallardona, D., 99 (2002) 119
 Ezenwa, I., see Bamikole, M.A., 80 (1999) 67

F

- Fadel, J.G., Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255
 Fadel, J.G., DePeters, E.J. and Arosemena, A., Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121
 Fadel, J.G., see Abou-El-Enin, O.H., 79 (1999) 129
 Fadel, J.G., see Robinson, P.H., 80 (1999) 257
 Faftine, O., Muir, J.P. and Massaete, E., Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

- Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1999) 1
- Fairchild, F.J., see Reed, C., 88 (2000) 47
- Farag, M. Diaa El-Din H. and Mohamed, F.A., Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267
- Farrell, D.J., Jibril, H., Perez-Maldonado, R.A. and Mannion, P.F., A note on a comparison of the feeding value of sweet potato vines and lucerne meal for broiler chickens, 85 (2000) 145
- Farrell, D.J., Mannion, P.F. and Perez-Maldonado, R.A., A comparison of total and digestible amino acids in diets for broilers and layers, 82 (1999) 131
- Faulkner, D., see Mathis, C.P., 93 (2001) 31
- Faverdin, P., see Boudon, A., 97 (2002) 83
- Faverdin, P., see Delagarde, R., 84 (2000) 49
- Favier, R., see Fonty, G., 80 (1999) 297
- Fay, J.P., see Paggi, R.A., 78 (1999) 341
- Fay, J.P., see Paggi, R.A., 80 (1999) 163
- Fegeros, K., see Mountzouris, K.C., 77 (1999) 115
- Fegeros, K., see Zervas, G., 76 (1998) 65
- Fernández, H.M., see Paggi, R.A., 80 (1999) 163
- Fernández, C., López-Saez, A., Gallego, L. and de la Fuente, J.M., Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71
- Fernández, H.M., see Paggi, R.A., 78 (1999) 341
- Fernandez, J., see Aumaitre, A., 90 (2001) 1
- Fernández, J.A., see Jørgensen, H., 79 (1999) 79
- Fernandez, J.M., see Bunting, L.D., 98 (2002) 61
- Fernandez, J.M., see Min, B.R., 92 (2001) 185
- Fernández-Carmona, J., see Blas, E., 88 (2000) 239
- Fernández-Carmona, J., see Pascual, J.J., 81 (1999) 105
- Fernández-Carmona, J., see Pascual, J.J., 86 (2000) 191
- Ferreira, R., see Seabra, M., 89 (2001) 1
- Ferris, C.P., see Gordon, F.J., 79 (1999) 15
- Février, C., Lechevestrier, Y., Lebreton, Y. and Jaguelin-Peyraud, Y., Prediction of the standardized ileal true digestibility of amino acids from the chemical composition of oilseed meals in the growing pig, 90 (2001) 103
- Field, M. see Wilman, D., 88 (2000) 139
- Fiems, L.O., see De Campeneere, S., 90 (2001) 153
- Filya, I., Ashbell, G., Hen, Y. and Weinberg, Z.G., The effect of bacterial inoculants on the fermentation and aerobic stability of whole crop wheat silage, 88 (2000) 39
- Finlayson, H.J., see Ortega-Cerrilla, M.E., 77 (1999) 73
- Finlayson, H.J., see Ortega-Cerrilla, M.E., 77 (1999) 83
- Fiorentini, L., see Piva, G., 89 (2001) 59
- Fiorentini, L., see Rossi, F., 81 (1999) 309
- Firkins, J.L., see Eastridge, M.L., 83 (2000) 249
- Fisher, D.S., see Merkel, R.C., 82 (1999) 91
- Fisher, D.S., see Merkel, R.C., 82 (1999) 107
- Flachowsky, G., see Akbar, M.A., 100 (2002) 53
- Fleck, E., see Gulati, S.K., 86 (2000) 139
- Fleck, E., see Kitessa, S.M., 89 (2001) 189
- Fleck, E., see Kitessa, S.M., 89 (2001) 201
- Flores, M.P., see Ventura, M.R., 85 (2000) 279
- Fondevila, M., Nogueira-Filho, J.C.M. and Barrios-Urdaneta, A., In vitro microbial fermentation and protein utilisation of tropical forage legumes grown during the dry season, 95 (2002) 1
- Fondevila, M., see Martín-Orúe, S.M., 88 (2000) 171
- Fondevila, M., see Nogueira Filho, J.C.M., 83 (2000) 145
- Fonseca, A.J.M., Cabrita, A.R.J., Lage, A.M. and Gomes, E., Evaluation of the chemical composition and the particle size of maize silages produced in north-west of Portugal, 83 (2000) 173
- Fonseca, A.J.M., see Rodrigues, M.A.M., 95 (2002) 133
- Fonty, G., Chavarot, M., Lepetit, J., Canistro, J. and Favier, R., Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulytic microorganisms, 80 (1999) 297
- Forbes, J.M., see Banfield, M.J., 98 (2002) 37
- Forbes, J.M., see Valentin, S.F., 78 (1999) 81
- Foti, F., see Scerra, V., 78 (1999) 169
- Fox, D.G., see Ruiz, R., 89 (2001) 155
- France, J., see Mauricio, R.M., 89 (2001) 33
- Fraser, M.D., see Salawu, M.B., 96 (2002) 43
- Freire, J., see Seabra, M., 89 (2001) 1
- Freire, J.P.B., Guerreiro, A.J.G., Cunha, L.F. and Aumaitre, A., Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71
- Freire, J.P.B., see Salgado, P., 91 (2001) 197
- Freire, J.P.B., see Salgado, P., 98 (2002) 187
- Froetschel, M.A., see Mandebvu, P., 77 (1999) 317
- Frutos, P., Hervás, G., Ramos, G., Giráldez, F.J. and Mantecón, A.R., Condensed tannin content of several shrub species from a mountain area in northern Spain, and its relationship to various indicators of nutritive value, 95 (2002) 215
- Fuchslocher, R., see Alomar, D., 78 (1999) 57

- Fuchslocher, R., see Alomar, D., 80 (1999) 309
 Fujihara, T.S., see Abdulrazak, S.A., 85 (2000) 89
 Fulcheri, C., see Hassoun, P., 100 (2002) 31
 Furstoss, V., see Julier, B., 79 (1999) 239
 Fychan, R., see Salawu, M.B., 96 (2002) 43

G

- Gabert, V.M., see Albin, D.M., 87 (2000) 173
 Gabert, V.M., see Jørgensen, H., 79 (1999) 79
 Galbraith, H., see Mandebvu, P., 82 (1999) 37
 Gallego, L., see Fernández, C., 86 (2000) 71
 García, C.C.G., Mendoza, M.G.D., González, M.S., Cobos, P.M., Ortega, C.M.E. and Ramirez, L.R., Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165
 García, J., see Gutiérrez, I., 98 (2002) 175
 García, J., see Nicodemus, N., 80 (1999) 43
 García, M., see Medel, P., 84 (2000) 13
 García Amado, M.A. see Jones, R.J., 87 (2000) 287
 García-Bojalil, C., see Cabrera, E.J.I., 83 (2000) 49
 García-Ciudad, A., Ruano, A., Becerro, F., Zabalgozteazcoa, I., Vázquez de Aldana, B.R. and García-Criado, B., Assessment of the potential of NIR spectroscopy for the estimation of nitrogen content in grasses from semiarid grasslands, 77 (1999) 91
 García-Ciudad, A., see Ruano-Ramos, A., 77 (1999) 331
 García Ciudad, A., see Vázquez de Aldana, B.R., 93 (2001) 169
 García Criado, B., see Vázquez de Aldana, B.R., 93 (2001) 169
 García-Criado, B., see García-Ciudad, A., 77 (1999) 91
 García-Criado, B., see Ruano-Ramos, A., 77 (1999) 331
 García, L.E., see Cobos, M.A., 95 (2002) 179
 Garg, A.K., see Ravi, U., 88 (2000) 121
 Garnsworthy, P.C. and Wiseman, J., Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33
 Garnsworthy, P.C., see Allison, R.D., 96 (2002) 69
 Garrett, J.E., see Arakaki, L.C., 84 (2000) 121
 Garrett, J.E., see Enjalbert, F., 76 (1998) 195
 Garrett, J.E., see Enjalbert, F., 76 (1999) 195
 Garrido, A., see Delgado-Pertíñez, M., 87 (2000) 187
 Gasa, J., see Ouhida, I., 85 (2000) 183
 Gates, R.N., see Mandebvu, P., 77 (1999) 317
 Gaughan, J.B., see Granzin, B.C., 96 (2002) 147
 George, J. and McCracken, K.J., Effects of acid and alkali concentration on in vitro measurement of wheat viscosity, 98 (2002) 237
 Gerard, P.D., see Kidd, M.T., 94 (2001) 57
 Getachew, G., DePeters, E.J., Robinson, P.H. and Taylor, S.J., In vitro rumen fermentation and gas production: influence of yellow grease, tallow, corn oil and their potassium soaps, 93 (2001) 1
 Getachew, G., Makkar, H.P.S. and Becker, K., Method of polyethylene glycol application to tannin-containing browses to improve microbial fermentation and efficiency of microbial protein synthesis from tannin-containing browses, 92 (2001) 51
 Getachew, G., see Robinson, P.H., 91 (2001) 149
 Giboulot, B., see Maaroufi, C., 85 (2000) 61
 Gidenne, T., Jehl, N., Segura, M. and Michalet-Doreau, B., Microbial activity in the caecum of the rabbit around weaning: impact of a dietary fibre deficiency and of intake level, 99 (2002) 107
 Giger-Reverdin, S., Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53
 Giger-Reverdin, S., Duvaux-Ponter, C., Sauvant, D., Martin, O., Nunes do Prado, I. and Müller, R., Intrinsic buffering capacity of feedstuffs, 96 (2002) 83
 Gill, M., see Lister, S.J., 86 (2000) 221
 Gill, M., see Robinson, P.H., 97 (2002) 115
 Giráldez, F.J., see Frutos, P., 95 (2002) 215
 Giri, S.S., Sahoo, A. and Pathak, N.N., Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195
 Givens, D.I. and Deaville, E.R., Comparison of major carbohydrate fractions and cell wall digestibility in silages made from older and newer maize genotypes grown in the UK, 89 (2001) 69
 Givens, D.I., see Brown, V.E., 98 (2002) 13
 Givens, D.I., see Deaville, E.R., 93 (2001) 205
 Givens, D.I., see Moss, A.R., 94 (2001) 187
 Givens, D.I., see Moss, A.R., 97 (2002) 127
 Givens, D.I., see Rymer, C., 78 (1999) 199
 Givens, D.I., see Wilman, D., 88 (2000) 139
 Givens, I., see Mauricio, R.M., 89 (2001) 33
 Glen, E.F., see Kitcherside, M.A., 86 (2000) 125
 Godoy, S. and Chicco, C.F., Relative bio-availability of phosphorus from Venezuelan raw rock phosphates for poultry, 94 (2001) 103
 Goelema, J.O., see Yu, P., 86 (2000) 165

- Goelema, J.O., Smits, A., Vaessen, L.M. and Wemmers, A., Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109
- Goelema, J.O., Spreeuwenberg, M.A.M., Hof, G., van der Poel, A.F.B. and Tamminga, S., Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35
- Goelema, J.O., see Yu, P., 99 (2002) 141
- Gomes, E., see Fonseca, A.J.M., 83 (2000) 173
- Gómez-Cabrera, A., see Delgado-Pertíñez, M., 87 (2000) 187
- González Ronquillo, M., see Nogueira Filho, J.C.M., 83 (2000) 145
- González Teresa, B., see Cosson, T., 77 (1999) 345
- González, J., see Cajarville, C., 87 (2000) 203
- González, M.S., see García, C.C.G., 83 (2000) 165
- González, S.S., see Cobos, M.A., 95 (2002) 179
- Goodband, R.D., see Grinstead, G.S., 83 (2000) 237
- Goodband, R.D., see James, B.W., 96 (2002) 135
- Goonewardene, L.A., see Okine, E.K., 92 (2001) 87
- Goonewardene, L.A., see Ramsey, P.B., 94 (2001) 155
- Goonewardene, L.A., see Ramsey, P.B., 97 (2002) 145
- Gordon, F.J., Dawson, L.E.R., Ferris, C.P., Steen, R.W.J. and Kilpatrick, D.J., The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15
- Gordon, F.J., see Park, R.S., 78 (1999) 325
- Görgülü, M., see Kutlu, H.R., 90 (2001) 213
- Goulas, C., see Zervas, G., 76 (1998) 65
- Goulas, C., see Zervas, G., 76 (1999) 65
- Gowda, S.K., see Tiwari, C.M., 89 (2001) 119
- Gowda, S.K., see Verma, S.V.S., 76 (1998) 169
- Gracia, M.I., see Medel, P., 95 (2002) 113
- Grala, W., Verstegen, M.W.A., Jansman, A.J.M., Huisman, J. and van Leeuwen, P., Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231
- Grala, W., Verstegen, M.W.A., Jansman, A.J.M., Huisman, J., van Leeuwen, P. and Tamminga, S., Effects of ileal endogenous nitrogen losses and dietary amino acid supplementation on nitrogen retention in growing pigs, 80 (1999) 207
- Grande, D., see Camacho, D., 80 (1999) 123
- Grant, R.J., see Haddad, S.G., 86 (2000) 107
- Granzin, B.C. and Gaughan, J.B., The effect of sodium chloride supplementation on the milk production of grazing Holstein Friesian cows during summer and autumn in a humid subtropical environment, 96 (2002) 147
- Granli, T., see Knarreborg, A., 99 (2002) 131
- Graviou, D., see Aufrère, J., 92 (2001) 215
- Greenberg, A., see Ben-Ghedalia, D., 91 (2001) 139
- Greenhalgh, J.F.D., Guest editorial: Reflections on the publication of scientific research, 80 (1999) 77
- Greene, L.W., see Chirase, N.K., 93 (2001) 217
- Greyling, J.F., see Meeske, R., 97 (2002) 159
- Griffith, G.W., see Davies, Z.S., 83 (2000) 205
- Grigera Naon, J.J., see Acosta, A., 93 (2001) 247
- Grinstead, G.S., Tokach, M.D., Dritz, S.S., Goodband, R.D. and Nelssen, J.L., Effects of *Spirulina platensis* on growth performance of weanling pigs, 83 (2000) 237
- Gross, K.L., see Strickling, J.A., 86 (2000) 205
- Gruber, L., see Knaus, W., 81 (1999) 265
- Guada, J.A., see Martín-Orúe, S.M., 88 (2000) 171
- Guedes, C.V.M., see Bruno-Soares, A.M., 83 (2000) 75
- Guenter, W., see Slominski, B.A., 78 (1999) 249
- Guerreiro, A.J.G., see Freire, J.P.B., 87 (2000) 71
- Guesmi, A., see Atti, N., 100 (2002) 1
- Guessous, F., see Araba, A., 97 (2002) 53
- Gufler, H., see Knaus, W., 81 (1999) 265
- Guibert, D., see Maaroufi, C., 85 (2000) 61
- Gulati, S.K., Ashes, J.R. and Scott, T.W., Hydrogenation of eicosapentaenoic and docosahexaenoic acids and their incorporation into milk fat, 79 (1999) 57
- Gulati, S.K., Kitessa, S.M., Ashes, J.R., Fleck, E., Byers, E.B., Byers, Y.G. and Scott, T.W., Protection of conjugated linoleic acids from ruminal hydrogenation and their incorporation into milk fat, 86 (2000) 139
- Gulati, S.K., May, C., Wynn, P.C. and Scott, T.W., Milk fat enriched in *n*-3 fatty acids, 98 (2002) 143
- Gulati, S.K., see Kitessa, S.M., 89 (2001) 189
- Gulati, S.K., see Kitessa, S.M., 89 (2001) 201
- Gullord, M., see Svihus, B., 88 (2000) 1
- Guo, Y., Tang, Q., Yuan, J. and Jiang, Z., Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165
- Gupta, H.K. and Atreja, P.P., Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of

mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159

Gutiérrez, I., Espinosa, A., García, J., Carabaño, R. and De Blas, J.C., Effects of starch and protein sources, heat processing, and exogenous enzymes in starter diets for early weaned rabbits, 98 (2002) 175

H

Ha, J.K., see Lee, S.S., 88 (2000) 201

Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1998) 23

Haddad, S.G. and Grant, R.J., Influence of nonfiber carbohydrate concentration on forage fiber digestion in vitro, 86 (2000) 107

Haddad, S.G., Associative effects of supplementing barley straw diets with alfalfa hay on rumen environment and nutrient intake and digestibility for ewes, 87 (2000) 163

Hadjipanayiotou, M., Replacement of soybean meal and barley grain by chickpeas in lamb and kid fattening diets, 96 (2002) 103

Halgerson, J., see Mathis, C.P., 93 (2001) 31

Halim, R.A., see Jetana, T., 84 (2000) 167

Hamudikuwanda, H., see Mupangwa, J.F., 83 (2000) 139

Hanbury, C.D., White, C.L., Mullan, B.P. and Siddique, K.H.M., A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1

Hanbury, C.D., see White, C.L., 99 (2002) 45

Hancock, J.D., see Mavromichalis, I., 93 (2001) 127

Hansson, I.B., see Pauly, T.M., 78 (1999) 127

Haq, A.-u., see Ahmad, T., 83 (2000) 103

Harai, J., see Yahaya, M.S., 92 (2001) 141

Harman, E., see Abel, H.J., 99 (2002) 65

Harmon, D.L., see Strickling, J.A., 86 (2000) 205

Harmon, D.L., see Swanson, K.C., 86 (2000) 95

Harris, D., see White, C.L., 99 (2002) 45

Harrison, K.F., see Coblenz, W.K., 89 (2001) 17

Harstad, O.M. and Prestløkken, E., Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass[®]) determined in situ, 83 (2000) 31

Rumen degradability and intestinal indigestibility of individual amino acids in corn gluten meal,

canola meal and fish meal determined in situ, 94 (2001) 127

Harstad, O.M., see Ljøkjel, K., 84 (2000) 83

Harstad, O.M., see Prestløkken, E., 90 (2001) 227

Hasan, Z.-u., see Ahmad, T., 83 (2000) 103

Hassoun, P., Fulcheri, C. and Nabeneza, S., Feeding dairy heifers untreated or urea-treated fibrous sugarcane residues: effect on dry matter intake, growth, and metabolic parameters, 100 (2002) 31

Hatfield, P.G., see Taylor, N., 96 (2002) 193

Hatfield, R.D., see Mandevu, P., 77 (1999) 317

Hatt, J.-M., Mayes, R.W., Clauss, M. and Lechner-Doll, M., Use of artificially applied *n*-alkanes as markers for the estimation of digestibility, food selection and intake in pigeons (*Columba livia*), 94 (2001) 65

He, T., see Mustafa, A.F., 95 (2002) 123

Hedqvist, H., Mueller-Harvey, I., Reed, J.D., Krueger, C.G. and Murphy, M., Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

Heger, J., see Kidd, M.T., 94 (2001) 57

Heinonen, K., see Tesfa, A.T., 76 (1999) 275

Heldt, J.S., see Mathis, C.P., 93 (2001) 31

Hellwig, D.H., see Scarbrough, D.A., 96 (2002) 119

Hen, Y., see Ashbell, G., 91 (2001) 213

Hen, Y., see Filya, I., 88 (2000) 39

Henry, P.R., see Pott, E.B., 79 (1999) 93

Henry, P.R., see Pott, E.B., 79 (1999) 107

Henry, P.R., see van Ravenswaay, R.O., 90 (2001) 185

Herbein, J.H., see Loor, J.J., 97 (2002) 65

Hernández, D.S., see Cobos, M.A., 95 (2002) 179

Herrero, M., do Valle, C.B., Hughes, N.R.G., Sabatel, V. de O. and Jessop, N.S., Measurements of physical strength and their relationship to the chemical composition of four species of *Brachiaria*, 92 (2001) 149

Herrero, M., see Nagadi, S., 87 (2000) 231

Herrero, M., see Nagadi, S., 87 (2000) 241

Herstad, O., see Skrede, A., 76 (1998) 103

Hervás, G., see Frutos, P., 95 (2002) 215

Hill, G.M., see Mandevu, P., 77 (1999) 317

Hill, J. and Leaver, J.D., Effect of stage of growth at harvest and level of urea application on chemical changes during storage of whole-crop wheat, 77 (1999) 281

Energy and protein supplementation of lactating dairy cows offered urea treated whole-crop wheat as the sole forage, 82 (1999) 177

Hill, J., Xiao, G.Q. and Ball, A.S., Effect of inoculation of herbage prior to ensiling with

- Streptomyces achromogenes* ISP 5028 on chemical composition of silage, 89 (2001) 83
- Hinderberger Jr., E.J., see Pott, E.B., 79 (1999) 93
- Hinderberger Jr., E.J., see Pott, E.B., 79 (1999) 107
- Hindle, V.A., see Cone, J.W., 96 (2002) 55
- Hindle, V.A., see Cone, J.W., 97 (2002) 247
- Hindrichsen, I.K., Osuji, P.O., Odenyo, A.A., Madsen, J. and Hvelplund, T., Effects of supplementation of a basal diet of maize stover with different amounts of *Leucaena diversifolia* on intake, digestibility, nitrogen metabolism and rumen parameters in sheep, 98 (2002) 131
- Hines, R.H., see Mavromichalis, I., 93 (2001) 127
- Ho, Y.W., see Jetana, T., 84 (2000) 167
- Hodgkinson, S.M., see van Wijk, H.J., 76 (1998) 9
- Hof, G., see Goelema, J.O., 76 (1998) 35
- Hof, G., see Goelema, J.O., 76 (1999) 35
- Hogue, D.E., see Molina, D.O., 81 (1999) 69
- Höhler, D., see Pack, M., 88 (2000) 129
- Holck, A., see Skrede, G., 90 (2001) 199
- Hollands, T., see McLean, B.M.L., 85 (2000) 79
- Holmes, J.H.G., see Balogun, R.O., 76 (1998) 77
- Homolka, P., see Trínáctý, J., 79 (1999) 269
- Horn, G., see Mathis, C.P., 93 (2001) 31
- Hosamani, S.V., Mehra, U.R. and Dass, R.S., Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117
- Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1999) 117
- Hosking, B.J., see Rafiq, M., 100 (2002) 93
- Hossain, M.A. and Becker, K., In vitro rumen degradability of crude protein in seeds from four *Sesbania* spp. and the effects of treatments designed to reduce the levels of antinutrients in the seeds, 95 (2002) 49
- Hove, L., Topps, J.H., Sibanda, S. and Ndlovu, L.R., Nutrient intake and utilisation by goats fed dried leaves of the shrub legumes *Acacia angustissima*, *Calliandra calothyrsus* and *Leucaena leucocephala* as supplements to native pasture hay, 91 (2001) 95
- Hovell, F.D.D., see Shem, M.N., 81 (1999) 279
- Hristov, A.N., McAllister, T.A. and Cheng, K.-J., Stability of exogenous polysaccharide-degrading enzymes in the rumen, 76 (1998) 161
- Hristov, A.N., see Huhtanen, P., 94 (2001) 29
- Hristov, A.N., Ropp, J.K. and Hunt, C.W., Effect of barley and its amylopectin content on ruminal fermentation and bacterial utilization of ammonia-N in vitro, 99 (2002) 25
- Hristov, A.N., Fractionation of ammonia nitrogen isotopes by ruminal bacteria in vitro, 100 (2002) 71
- Hsieh, H.-F., Chiang, S.-H. and Lu, M.-Y., Effect of dietary monounsaturated/saturated fatty acid ratio on fatty acid composition and oxidative stability of tissues in broilers, 95 (2002) 189
- Huang, H.-J., Wen-Shyg Chiou, P., Chen, C.-R., Chiang, J.-K. and Yu, B., Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303
- Huang, R.-L., Tan, Z.-L., Xing, T.-X., Pan, Y.-F. and Li, T.-J., An in vitro method for the estimation of ileal crude protein and amino acids digestibility using the dialysis tubing for pig feedstuffs, 88 (2000) 79
- Huang, W.J., see Yu, B., 86 (2000) 39
- Hubbell III, D.S., see Coblenz, W.K., 89 (2001) 17
- Huber, J.T., see Wanderley, R.C., 76 (1999) 207
- Huerta, M., Kincaid, R.L., Cronrath, J.D., Busboom, J., Johnson, A.B. and Swenson, C.K., Interaction of dietary zinc and growth implants on weight gain, carcass traits and zinc in tissues of growing beef steers and heifers, 95 (2002) 15
- Hughes, N.R.G., see Herrero, M., 92 (2001) 149
- Huhtanen, P. and Hristov, A.N., Estimating passage kinetics using fibre-bound ^{15}N as an internal marker, 94 (2001) 29
- Huhtanen, P., see Choi, C.W., 96 (2002) 203
- Huhtanen, P., see Khalili, H., 98 (2002) 103
- Huhtanen, P., see Shingfield, K.J., 97 (2002) 1
- Huisman, J., see Grala, W., 80 (1999) 207
- Huisman, J., see Grala, W., 80 (1999) 231
- Huisman, E.A., see Ulloa Rojas, J.B., 99 (2002) 195
- Hunt, C.W., see Hristov, A.N., 99 (2002) 25
- Huntington, J.A., see Rymer, C., 78 (1999) 199
- Huonnic, D., see Morisse, J.P., 84 (2000) 129
- Hussein, A.S., The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171
- Huyghe, C., see Julier, B., 79 (1999) 239
- Huyler, M.T. and Kincaid, R.L., The relationship between intestinally available protein and detergent insoluble protein of feedstuffs, 78 (1999) 101
- Hvelplund, T., see Hindrichsen, I.K., 98 (2002) 131
- Hvelplund, T., see Salawu, M.B., 79 (1999) 289
- Hvelplund, T., see Salawu, M.B., 82 (1999) 243
- Hyslop, J.J., see Lowman, R.S., 80 (1999) 11
- Hyslop, J.J., see McLean, B.M.L., 85 (2000) 79
- Hyslop, J.J., see Moore-Colyer, M.J.S., 84 (2000) 183

I

- Iantcheva, N., Steingass, H., Todorov, N. and Pavlov, D., A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333
- Iji, P.A., Saki, A.A. and Tivey, D.R., Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175
- Immig, I., see Abel, H.J., 99 (2002) 65
- Irish, G.G., Maenz, D.D. and Classen, H.L., A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321
- Irish, G.G., see Maenz, D.D., 76 (1999) 335
- Ishida, M., see Islam, M.R., 92 (2001) 237
- Islam, M.R., Nishida, T., Ando, S., Ishida, M., Yoshida, N. and Arakawa, M., Effect of variety, stages of maturity and botanical fractions on phosphorous concentration and in situ degradability characteristics of phosphorous of whole crop rice silage, 92 (2001) 237
- Ivan, M., Neill, L., Alimon, R. and Jalaludin, S., Effects of bentonite on rumen fermentation and duodenal flow of dietary components in sheep fed palm kernel cake by-product, 92 (2001) 127

J

- Jaakkola, S., see Shingfield, K.J., 97 (2002) 1
- Jablecki, G., see Pastuszewska, B., 86 (2000) 117
- Jacques, K.A., see Swanson, K.C., 86 (2000) 95
- Jadhao, S.B., see Chandramoni, 83 (2000) 287
- Jadhao, S.B., see Tiwari, C.M., 89 (2001) 119
- Jaguelin-Peyraud, Y., see Février, C., 90 (2001) 103
- Jakhmola, R.C., see Mishra, A.S., 84 (2000) 257
- Jalaludin, S., see Ivan, M., 92 (2001) 127
- Jalaludin, S., see Jetana, T., 84 (2000) 167
- Jalava, T., see Dahlman, T., 98 (2002) 219
- Jalava, T., see Partanen, K., 93 (2001) 137
- Jalava, T., see Perttilä, S., 98 (2002) 203
- Jalava, T., see Pölönen, I., 99 (2002) 189
- Jalč, D., see Kišidayová, S., 91 (2001) 223
- Jalkanen, L., see Pölönen, I., 78 (1999) 39
- James, B.W., Goodband, R.D., Unruh, J.A., Tokach, M.D., Nelssen, J.L., Dritz, S.S., O'Quinn, P.R. and Andrews, B.S., Effect of creatine monohydrate on finishing pig growth performance, carcass characteristics and meat quality, 96 (2002) 135
- Jansen, P.P., see van Wijk, H.J., 76 (1998) 9
- Jensen, B.B., see Knarreborg, A., 99 (2002) 131
- Jansman, A.J.M., see Grala, W., 80 (1999) 207
- Jansman, A.J.M., see Grala, W., 80 (1999) 231
- Jansman, A.J.M., Smink, W., van Leeuwen, P. and Rademacher, M., Evaluation through literature data of the amount and amino acid composition of basal endogenous crude protein at the terminal ileum of pigs, 98 (2002) 49
- Jaurena, G. and Pichard, G., Contribution of storage and structural polysaccharides to the fermentation process and nutritive value of lucerne ensiled alone or mixed with cereal grains, 92 (2001) 159
- Jean, K.-B. and Chiang, S.-H., Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1999) 241
- Jehl, N., see Gidenne, T., 99 (2002) 107
- Jelan, Z.A., see Pimpa, O., 92 (2001) 203
- Jenkins, T.C., see Loor, J.J., 97 (2002) 65
- Jeroch, H., see Dänicke, S., 84 (2000) 279
- Jessop, N.S., see Herrero, M., 92 (2001) 149
- Jessop, N.S., see Nagadi, S., 87 (2000) 231
- Jessop, N.S., see Nagadi, S., 87 (2000) 241
- Jetana, T., Abdullah, N., Halim, R.A., Jalaludin, S. and Ho, Y.W., Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167
- Jiang, Z., see Guo, Y., 89 (2001) 165
- Jibril, H., see Farrell, D.J., 85 (2000) 145
- Jiménez, G., see Camacho, D., 80 (1999) 123
- Jinhui, Z., see Defa, L., 78 (1999) 179
- Johnson, A.B., see Huerta, M., 95 (2002) 15
- Johnson, D.E., see Mathis, C.P., 93 (2001) 31
- Johnson, E.W., see Defa, L., 78 (1999) 179
- Johnson, Z.B., see Coblenz, W.K., 89 (2001) 17
- Jones, A.W., see Nandra, K.S., 83 (2000) 273
- Jones, F.T., see Ha, S.D., 76 (1998) 23
- Jones, R., see Salawu, M.B., 96 (2002) 43
- Jones, R., see Wilkins, R.J., 85 (2000) 23
- Jones, R., see Winters, A.L., 99 (2002) 177
- Jones, R.A., Mustafa, A.F., Christensen, D.A. and McKinnon, J.J., Effects of untreated and heat-treated canola presscake on milk yield and composition of dairy cows, 89 (2001) 97
- Jones, R.J. and Palmer, B., In vitro digestion studies using ¹⁴C-labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub

- legumes and the grass *Panicum maximum*, 85 (2000) 215
- Jones, R.J., Garcia Amado, M.A. and Dominguez-Bello, M.G., Comparison of the digestive ability of crop fluid from the folivorous *Hoatzin* (*Opisthocomus hoazin*) and cow rumen fluid with seven tropical forages, 87 (2000) 287
- Jones, R.J., Meyer, J.H.F., Bechaz, M. and Stoltz, M.A., An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269
- Jones, R.J., see Balogun, R.O., 76 (1998) 77
- Jones, R.J., see Palmer, B., 85 (2000) 259
- Jones, R.J., see Palmer, B., 86 (2000) 149
- Jones, R.J., see Palmer, B., 87 (2000) 29
- Jørgensen, H., Gabert, V.M. and Fernández, J.A., Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79
- Julier, B., Lila, M., Furstoss, V., Travers, V. and Huyghe, C., Measurement of cell-wall digestibility in lucerne using the filter bag technique, 79 (1999) 239
- ## K
- Kailas, M.M., see Manjunatha, J.V., 87 (2000) 95
- Kailas, M.M., see Sreerangaraju, G., 85 (2000) 131
- Kallah, M.S., Bale, J.O., Abdullahi, U.S., Muhammad, I.R. and Lawal, R., Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137
- Kamman, A.A., see Cone, J.W., 97 (2002) 247
- Kamra, D.N., see Sahoo, A., 80 (1999) 83
- Kandil, F.E., see Smith, A.H., 91 (2001) 41
- Karhunen, J., see Laurinen, P., 83 (2000) 1
- Karim, S.A., see Sankhyā, S.K., 82 (1999) 261
- Karim, S.A., see Santra, A., 86 (2000) 251
- Kariuki, J.N., see Muia, J.M.K., 92 (2001) 113
- Kariuki, J.N., see Muia, J.M.K., 93 (2001) 177
- Kariluoto, S., see Pölönen, I., 99 (2002) 189
- Karn, J.F., Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133
- Karnozos, T.P., see Pollard, G.V., 98 (2002) 121
- Kasim, A.B. and Edwards Jr., H.M., Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15
- Kavanagh, S., Lynch, P.B., O'Mara, F. and Caffrey, P.J., A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49
- Kawai, M., see Yahaya, M.S., 92 (2001) 141
- Kayouli, C., see Moujahed, N., 88 (2000) 219
- Kayouli, C., see Atti, N., 100 (2002) 1
- Keady, T.W.J. and Mayne, C.S., The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57
- The effects of concentrate energy source on feed intake and rumen fermentation parameters of dairy cows offered a range of grass silages, 90 (2001) 117
- Kellogg, D.W., see Scarbrough, D.A., 96 (2002) 119
- Kemp, P.D., see Min, B.R., 92 (2001) 185
- Kennedy, P.M., Lowry, J.B., Coates, D.B. and Oerlemans, J., Utilisation of tropical dry season grass by ruminants is increased by feeding fallen leaf of siris (*Albizia lebbek*), 96 (2002) 175
- Kennedy, P.M., Lowry, J.B. and Conlan, L.L., Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177
- Kennelly, J.J., see Robinson, P.H., 97 (2002) 115
- Kenny, M.J., see Woods, V.B., 80 (1999) 135
- Kerr, B.J., see Kidd, M.T., 94 (2001) 57
- Kermasha, S., see Batista, A.M., 100 (2002) 107
- Kezar, W., see Moss, B.R., 94 (2001) 43
- Khali, A., see Mishra, A.S., 84 (2000) 257
- Khalil, F.A., see Abdel-Wahhab, M.A., 97 (2002) 209
- Khalili, H. and Sairanen, A., Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199
- Khalili, H., Kuusela, E., Suvitie, M. and Huhtanen, P., Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103
- Khalili, H., see Kuusela, E., 98 (2002) 87
- Khalili, H., see Virkajärvi, P., 97 (2002) 23
- Khan, M.-u.-N., see Sarwar, M., 82 (1999) 121
- Khan, M.Y., see Chandramoni, 83 (2000) 287
- Khan, M.Y., see Tiwari, C.M., 89 (2001) 119
- Khanal, R.C. and Subba, D.B., Nutritional evaluation of leaves from some major fodder trees cultivated in the hills of Nepal, 92 (2001) 17
- Khatun, A., Ali, M.A. and Dingle, J.G., Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid, 81 (1999) 43

- Kibon, A., see Yahaya, M.S., 79 (1999) 137
- Kidd, M.T., Gerard, P.D., Heger, J., Kerr, B.J., Rowe, D., Sistani, K. and Burnham, D.J., Threonine and crude protein responses in broiler chicks, 94 (2001) 57
- Kiiskinen, T., see Dahlman, T., 98 (2002) 219
- Kilpatrick, D.J., see Dawson, L.E.R., 82 (1999) 21
- Kilpatrick, D.J., see Gordon, F.J., 79 (1999) 15
- Kim, J.-H., see Oh, Y.-G., 78 (1999) 227
- Kim, K.H., see Oh, Y.-G., 78 (1999) 227
- Kimambo, A.E., see Shem, M.N., 81 (1999) 279
- Kimura, A., see Yahaya, M.S., 92 (2001) 141
- Kincaid, R.L., see Huerta, M., 95 (2002) 15
- Kincaid, R.L., see Huyler, M.T., 78 (1999) 101
- King, R.H., Dunshea, F.R., Morrish, L., Eason, P.J., van Barneveld, R.J., Mullan, B.P. and Campbell, R.G., The energy value of *Lupinus angustifolius* and *Lupinus albus* for growing pigs, 83 (2000) 17
- Kipnis, T., see Ashbell, G., 91 (2001) 213
- Kipnis, T., see Ben-Ghedalia, D., 91 (2001) 139
- Kišidayová, S., Sviatko, P., Siroka, P. and Jalč, D., Effect of elevated cobalt intake on fermentative parameters and protozoan population in RUSI-TEC, 91 (2001) 223
- Kitcherside, M.A., Glen, E.F. and Webster, A.J.F., FibreCap: an improved method for the rapid analysis of fibre in feeding stuffs, 86 (2000) 125
- Kitessa, S.M., Gulati, S.K., Ashes, J.R., Fleck, E., Scott, T.W. and Nichols, P.D., Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189
- Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201
- Kitessa, S.M., see Gulati, S.K., 86 (2000) 139
- Kivilahti, K., see Tesfa, A.T., 76 (1999) 275
- Klein, P., see Skřivanová, V., 77 (1999) 139
- Klingener, J.L., see Mandebvu, P., 93 (2001) 43
- Knaus, W., Luger, K., Zollitsch, W., Gufler, H., Gruber, L., Muraier, C. and Lettner, F., Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265
- Knarreborg, A., Miquel, N., Granli, T. and Jensen, B.B., Establishment and application of an in vitro methodology to study the effects of organic acids on coliform and lactic acid bacteria in the proximal part of the gastrointestinal tract of piglets, 99 (2002) 131
- Koegel, R.G., see Bal, M.A., 86 (2000) 83
- Kokkonen, T., Tuori, M. and Syrjälä-Qvist, L., Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 2. Rumen fermentation and digesta passage rate, 84 (2000) 229
- Kokkonen, T., Tuori, M., Leivonen, V. and Syrjälä-Qvist, L., Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213
- Komolong, M.K., Barber, D.G. and McNeill, D.M., Post-ruminal protein supply and N retention of weaner sheep fed on a basal diet of lucerne hay (*Medicago sativa*) with increasing levels of quebracho tannins, 92 (2001) 59
- Kondo, T., Ohshita, T., Kyuma, T., Touno, E. and Murai, M., Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321
- Konishi, C., Matsui, T., Park, W., Yano, H. and Yano, F., Heat treatment of soybean meal and rapeseed meal suppresses rumen degradation of phytate phosphorus in sheep, 80 (1999) 115
- Koreleski, J., see Żyła, K., 89 (2001) 113
- Korhonen, H., see Pölönen, I., 78 (1999) 39
- Korhonen, H., see Pölönen, I., 99 (2002) 189
- Koski, R.L., see Tapia, M.O., 97 (2002) 239
- Koytsotolis, K., see Zervas, G., 76 (1998) 65
- Kraidees, M.S., Abouheif, M.A., Al-Saiady, M.Y., Tag-Eldin, A. and Metwally, H., The effect of dietary inclusion of halophyte *Salicornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1998) 149
- The effect of dietary inclusion of halophyte *Salicornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1999) 149
- Kramer, S.R., see Mandebvu, P., 93 (2001) 43
- Krause, D.O., see McSweeney, C.S., 82 (1999) 227
- Krause, D.O., see McSweeney, C.S., 91 (2001) 83
- Kreuzer, M., see Machmüller, A., 85 (2000) 41
- Kreuzer, M., see Wettstein, H.-R., 85 (2000) 153
- Krishan, C.T., see Zerbini, E., 98 (2002) 73
- Krishnamoorthy, U., see Bhatta, R., 83 (2000) 67
- Krishnamoorthy, U., see Bhatta, R., 90 (2001) 143
- Krishnamoorthy, U., see Manjunatha, J.V., 87 (2000) 95
- Krishnamoorthy, U., see Sreerangaraju, G., 85 (2000) 131
- Krueger, C.G., see Hedqvist, H., 87 (2000) 41
- Kume, S., Toharmat, T., Nonaka, K., Oshita, T., Nakui, T. and Ternouth, J.H., Relationships between crude protein and mineral concentrations in alfalfa and value of alfalfa silage as a mineral source for periparturient cows, 93 (2001) 157

- Kung, L., Bracht, J.P. and Tavares, J.Y., Effects of various compounds on in vitro ruminal fermentation and production of sulfide, 84 (2000) 69
- Kutlu, H.R., Ünsal, I. and Görgülü, M., Effects of providing dietary wood (oak) charcoal to broiler chicks and laying hens, 90 (2001) 213
- Kuusela, E. and Khalili, H., Effect of grazing method and herbage allowance on the grazing efficiency of milk production in organic farming, 98 (2002) 87
- Kuusela, E., see Khalili, H., 98 (2002) 103
- Kwakkel, R.P., see Banfield, M.J., 98 (2002) 37
- Kwon, Y.M., see Ha, S.D., 76 (1998) 23
- Kyuma, T., see Kondo, T., 80 (1999) 321

L

- LaCoss, D.D., see Mandevu, P., 93 (2001) 43
- Lage, A.M., see Fonseca, A.J.M., 83 (2000) 173
- Lahlou Kassi, A., see El hassan, S.M., 86 (2000) 27
- Lallès, J.P., see Salgado, P., 91 (2001) 197
- Lallès, J.P., see Salgado, P., 98 (2002) 187
- Lambert, A., Lucas, F. and Blanchart, G., Dynamic study of the release and the utilisation of ^{15}N -labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75
- Lambert, B.D., see Löest, C.A., 94 (2001) 115
- Larbi, A., Dung, D.D., Olorunju, P.E., Smith, J.W., Tanko, R.J., Muhammad, I.R. and Adekunle, I.O., Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33
- Lardy, G.P., see Loe, E.R., 100 (2002) 43
- Larondelle, Y., see Lejeune, A., 84 (2000) 295
- Larson, B.T., see Swanson, K.C., 86 (2000) 95
- Lauer, J.G., see Bal, M.A., 86 (2000) 83
- Laurinen, P., Siljander-Rasi, H., Karhunen, J., Alaviuhkola, T., Näsi, M. and Tuppi, K., Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1
- Lawal, R., see Kallah, M., 84 (2000) 137
- Lázaro, R., see Medel, P., 84 (2000) 13
- Le Boulengé, E., see Lejeune, A., 84 (2000) 295
- Le Goff, G., see Noblet, J., 90 (2001) 35
- Le Guen, M.P., see Maaroufi, C., 85 (2000) 61
- Le Liboux, S. and Peyraud, J.L., Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1999) 297
- Leaver, J.D., see Hill, J., 77 (1999) 281
- Leaver, J.D., see Hill, J., 82 (1999) 177
- Lebreton, Y., see Février, C., 90 (2001) 103
- Lebreton, Y., see Mariscal-Landín, G., 97 (2002) 183
- Lebzien, P., Forage evaluation in ruminant nutrition. D.I. Givens, E. Owen, R.F.E. Axford, H.M. Omed (Eds.); CABI Publishing, Wallingford, UK, 2000, 496 pages, hardcover, ISBN 0-85199-344-3, £75.00 (US\$140.00), 86 (2000) 267
- Lebzien, P., see Akbar, M.A., 100 (2002) 53
- Nutrient Elements in Grassland: Soil-Plant-Animal Relationships. D.C. Whitehead (Ed.); CABI International, Wallingford, UK, 2000, p. 384, hardback, ISBN 0-85199-437-7, £ 60.00 (US\$ 110.00), 89 (2001) 209
- Lechevestrier, Y., see Février, C., 90 (2001) 103
- Lechner-Doll, M., see Hatt, J.-M., 94 (2001) 65
- Ledin, I., see Assefa, G., 92 (2001) 95
- Ledin, I., see Van, D.T.T., 100 (2002) 79
- Ledoux, D.R., Belyea, R.L., Wallig, M.A. and Tumbleson, M.E., Effects of feeding crambe meal upon intake, gain, health and meat quality of broiler chicks, 76 (1999) 227
- Ledoux, D.R., see Żyła, K., 89 (2001) 113
- Lee, S.S., Ha, J.K. and Cheng, K.-J., Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201
- Lees, B.M., see Stanford, K., 81 (1999) 249
- Leivonen, V., see Kokkonen, T., 84 (2000) 213
- Lejeune, A., Peng, J., Le Boulengé, E., Larondelle, Y. and Van Hove, C., Carotene content of *Azolla* and its variations during drying and storage treatments, 84 (2000) 295
- Lemke, S.L., Ottinger, S.E., Mayura, K., Ake, C.L., Pimpukdee, K., Wang, N. and Phillips, T.D., Development of a multi-tiered approach to the in vitro prescreening of clay-based enterosorbents, 93 (2001) 17
- Lepetit, J., see Fonty, G., 80 (1999) 297
- Letso, M., see Madibela, O.R., 84 (2000) 97
- Letso, M., see Madibela, O.R., 95 (2002) 159
- Lettner, F., see Knaus, W., 81 (1999) 265
- Leury, B.J., see Yu, P., 92 (2001) 1
- Leury, B.J., see Yu, P., 93 (2001) 71
- Leury, B.J., see Yu, P., 94 (2001) 89
- Leury, B.J., see Yu, P., 95 (2002) 33
- Leury, B.J., see Yu, P., 99 (2002) 141
- Li, T.-J., see Huang, R.-L., 88 (2000) 79
- Liang, J.B., see Pimpa, O., 92 (2001) 203

- Licitra, G., Van Soest, P.J., Schadt, I., Carpino, S. and Sniffen, C.J., Influence of the concentration of the protease from *Streptomyces griseus* relative to ruminal protein degradability, 77 (1999) 99
- Lila, M., see Julier, B., 79 (1999) 239
- Lin, J.C., see Moss, B.R., 94 (2001) 43
- Lindberg, J.E., see Nhu Phuc, B.H., 83 (2000) 223
- Lindberg, L.-A., see Tesfa, A.T., 76 (1999) 275
- Lindeberg, H., see Partanen, K., 93 (2001) 137
- Lister, S.J., Dhanoa, M.S., Stewart, J.L. and Gill, M., Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221
- Lister, S.J., see Wilman, D., 88 (2000) 139
- Liu, J.X. and Ørskov, E.R., Cellulase treatment of untreated and steam pre-treated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189
- Liu, J.X., Ørskov, E.R. and Chen, X.B., Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1999) 345
- Liu, J.-X., see Xu, N.-Y., 98 (2002) 167
- Liu, J.-X., Wang, X.-Q. and Shi, Z.-Q., Addition of rice straw or/and wheat bran on composition, ruminal degradability and voluntary intake of bamboo shoot shells silage fed to sheep, 91 (2001) 129
- Liu, M.F., see Okine, E.K., 92 (2001) 87
- Ljøkjel, K., Harstad, O.M. and Skrede, A., Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83
- Loe, E.R., Bauer, M.L., Lardy, G.P. and Caton, J.S., Effect of dietary inclusion of concentrated separator by-product and weaning management on performance of newly received feedlot steers, 100 (2002) 43
- Lloyd, J.D., see Winters, A.L., 99 (2002) 177
- Löest, C.A., Titgemeyer, E.C., Drouillard, J.S., Lambert, B.D. and Trater, A.M., Urea and biuret as nonprotein nitrogen sources in cooked molasses blocks for steers fed prairie hay, 94 (2001) 115
- Long, R.J., Apori, S.O., Castro, F.B. and Ørskov, E.R., Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101
- Longland, A.C., see McLean, B.M.L., 85 (2000) 79
- Longland, A.C., see Moore-Colyer, M.J.S., 84 (2000) 183
- Loor, J.J., Herbein, J.H. and Jenkins, T.C., Nutrient digestion, biohydrogenation, and fatty acid profiles in blood plasma and milk fat from lactating Holstein cows fed canola oil or canolamide, 97 (2002) 65
- Lopes, F.C.F., see Aroeira, L.J.M., 78 (1999) 313
- Lopez, S., McIntosh, F.M., Wallace, R.J. and Newbold, C.J., Effect of adding acetogenic bacteria on methane production by mixed rumen microorganisms, 78 (1999) 1
- López, S., see Carro, M.D., 79 (1999) 279
- Lopez-Bote, C.J., see Soares, M., 95 (2002) 169
- López-Saez, A., see Fernández, C., 86 (2000) 71
- Lowman, R.S., Theodorou, M.K. and Cuddeford, D., The effect of sample processing on gas production profiles obtained using the pressure transducer technique, 97 (2002) 221
- Lowman, R.S., Theodorou, M.K., Hyslop, J.J., Dhanoa, M.S. and Cuddeford, D., Evaluation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11
- Lowry, J.B., see Kennedy, P.M., 96 (2002) 175
- Lowry, J.B., see Kennedy, P.M., 86 (2000) 177
- Lu, G.W. and Chen, T.C., Quality characteristics of broiler blood meal as affected by yeast, glucose oxidase, and antioxidant treatments, 83 (2000) 159
- Lu, M.-Y., see Hsieh, H.-F., 95 (2002) 189
- Lucas, F., see Lambert, A., 82 (1999) 75
- Luchini, N.D., see Dhiman, T.R., 90 (2001) 169
- Luger, K., see Knaus, W., 81 (1999) 265
- Lynch, P.B., see Kavanagh, S., 89 (2001) 49

M

- Maaroufi, C., Melcion, J.-P., de Monredon, F., Giboulot, B., Guibert, D. and Le Guen, M.P., Fractionation of pea flour with pilot scale sieving. I. Physical and chemical characteristics of pea seed fractions, 85 (2000) 61
- Maasdorp, B.V., Muchenje, V. and Titterton, M., Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49
- Mabon, N., Mandiki, S.N.M., Derycke, G., Bister, J.-L., Wathélet, J.-P., Marlier, M. and Paquay, R., Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 3. Antinutritional factors in plasma and organs, 85 (2000) 111
- Mabon, N., see Derycke, G., 81 (1999) 81

- Mabon, N., see Mandiki, S.N.M., 81 (1999) 93
Mabon, N., see Mandiki, S.N.M., 98 (2002) 25
Macdonald, A.M.C., see D'Mello, J.P.F., 80 (1999) 183
Macdonald, A.M.C., see Placinta, C.M., 78 (1999) 21
Machmüller, A., Ossowski, D.A. and Kreuzer, M., Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41
Machmüller, A., see Wettstein, H.-R., 85 (2000) 153
Maciorowski, K.G., see Ha, S.D., 76 (1998) 23
Mack, S., see Esteve-Garcia, E., 87 (2000) 85
Mackie, R.I., see Smith, A.H., 91 (2001) 41
Mackill, D.J., see Abou-El-Enin, O.H., 79 (1999) 129
Macovsky, B., see Plavnik, I., 96 (2002) 229
MacQueen, I.S., see Dhiman, T.R., 90 (2001) 169
Madibela, O.R., Boitumelo, W.S. and Letso, M., Chemical composition and in vitro dry matter digestibility of four parasitic plants (*Tapinanthus lugardii*, *Erianthum ngamicum*, *Viscum rotundifolium* and *Viscum verrucosum*) in Botswana, 84 (2000) 97
Madibela, O.R., Letso, M., Boitumelo, W.S., Masedi, M. and Alton, K., Chemical composition of four parasitic plants harvested over a period of 6 months from two sites in Botswana, 95 (2002) 159
Madsen, J., see Hindrichsen, I.K., 98 (2002) 131
Maenz, D.D., Engele-Schaan, C.M., Newkirk, R.W. and Classen, H.L., The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177
Maenz, D.D., Irish, G.G. and Classen, H.L., Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335
Maenz, D.D., see Irish, G.G., 76 (1999) 321
Maertens, L., see Xiccato, G., 77 (1999) 201
Mafeni, J.M., see Ngwa, A.T., 88 (2000) 253
Mahouachi, M., see Atti, N., 100 (2002) 1
Mäkelä, J., see Dahlman, T., 98 (2002) 219
Mäkelä, J., see Pölönen, I., 78 (1999) 39
Makkar, H.P.S., see Getachew, G., 92 (2001) 51
Maldonado-Vasquez, H., see Aroeira, L.J.M., 78 (1999) 313
Manbeck, H.B., see D'Alfonso, T.H., 80 (1999) 29
Mandebvu, P. and Galbraith, H., Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs, 82 (1999) 37
Mandebvu, P., Klingener, J.L., LaCoss, D.D., Ballard, C.S., Sniffen, C.J. and Kramer, S.R., Effects of source and level of nitrogen, and changing buffer/ruminal fluid at 48 h on in vitro digestion of feedstuffs, 93 (2001) 43
Mandebvu, P., see Ballard, C.S., 93 (2001) 55
Mandebvu, P., see Uchida, K., 93 (2001) 193
Mandebvu, P., West, J.W., Froetschel, M.A., Hatfield, R.D., Gates, R.N. and Hill, G.M., Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317
Mandibaya, W. and Chihora, R.M., The nutritional value of *Piliostigma thonningii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287
Mandiki, S.N.M., Derycke, G., Bister, J.L., Mabon, N., Wathélet, J.P., Marlier, M. and Paquay, R., Chemical changes and influences of rapeseed antinutritional factors on gestating and lactating ewes. 1. Animal performances and plasma hormones and glucose, 98 (2002) 25
Mandiki, S.N.M., Mabon, N., Derycke, G., Bister, J.L., Wathélet, J.-P., Paquay, R. and Marlier, M., Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 2. Plasma substances and activity of the thyroid, 81 (1999) 93
Mandiki, S.N.M., see Derycke, G., 81 (1999) 81
Mandiki, S.N.M., see Mabon, N., 85 (2000) 111
Manjunatha, J.V., Krishnamoorthy, U., Kailas, M.M. and Singh, C.K., Effect of feeding undegraded intake protein at a level greater than National Research Council recommendation on the lactational performance of crossbred cows, 87 (2000) 95
Mannion, P.F., see Farrell, D.J., 82 (1999) 131
Mannion, P.F., see Farrell, D.J., 85 (2000) 145
Mantecón, A.R., see Frutos, P., 95 (2002) 215
Manterola, H.B., Cerda, D.A. and Mira, J.J., Protein degradability of soybean meal coated with different lipid substances and its effects on ruminal parameters when included in steer rations, 92 (2001) 249
Mantzios, A., see Zervas, G., 76 (1998) 65
Mariscal-Landín, G., Lebreton, Y. and Sève, B., Apparent and standardised true ileal digestibility of protein and amino acids from faba bean, lupin

- and pea, provided as whole seeds, dehulled or extruded in pig diets, 97 (2002) 183
- Marlier, M., see Derycke, G., 81 (1999) 81
- Marlier, M., see Mabon, N., 85 (2000) 111
- Marlier, M., see Mandiki, S.N.M., 81 (1999) 93
- Marlier, M., see Mandiki, S.N.M., 98 (2002) 25
- Marounek, M., see Skřivanová, V., 77 (1999) 139
- Marounek, M., Suchorska, O. and Savka, O., Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223
- Márquez, C., see Sharma, M., 93 (2001) 109
- Martelli, G., see Parisini, P., 79 (1999) 155
- Martelli, G., see Scipioni, R., 90 (2001) 81
- Martin, O., see Giger-Reverdin, S., 96 (2002) 83
- Martins, J.M., see Salgado, P., 98 (2002) 187
- Martín-Orúe, S.M., Balcells, J., Guada, J.A. and Fondevila, M., Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171
- Martín-Orue, S.M., Balcells, J., Vicente, F. and Castrillo, C., Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59
- Martrenchar, A., see Morisse, J.P., 84 (2000) 129
- Marzo, F., see Alonso, R., 94 (2001) 1
- Masedi, M., see Madibela, O.R., 95 (2002) 159
- Mask, P., see Moss, B.R., 94 (2001) 43
- Masoero, F., see Piva, G., 89 (2001) 59
- Masoero, F., see Rossi, F., 81 (1999) 309
- Mason, D., see Davies, Z.S., 83 (2000) 205
- Mass, R., see Mathis, C.P., 93 (2001) 31
- Massaete, E., see Faftine, O., 76 (1998) 1
- Maswaure, S.M., see Ndindana, W., 97 (2002) 199
- Mateos, G.G., see Medel, P., 82 (1999) 145
- Mateos, G.G., see Medel, P., 84 (2000) 13
- Mateos, G.G., see Medel, P., 95 (2002) 113
- Mathis, C.P., Cochran, R.C., Vanzant, E.S., Abdelgadir, I.E.O., Heldt, J.S., Olson, K.C., Johnson, D.E., Caton, J., Faulkner, D., Horn, G., Paisley, S., Mass, R., Moore, K. and Halgerson, J., A collaborative study comparing an in situ protocol with single time-point enzyme assays for estimating ruminal protein degradability of different forages, 93 (2001) 31
- Mathison, G.W., see Ramsey, P.B., 94 (2001) 155
- Mathison, G.W., see Ramsey, P.B., 97 (2002) 145
- Mathison, G.W., see Zaman, M.S., 99 (2002) 1
- Matos, L.L.de, see Aroeira, L.J.M., 78 (1999) 313
- Matsui, T., see Konishi, C., 80 (1999) 115
- Matsui, T., see Park, W.-Y., 88 (2000) 31
- Matsuoka, S., see Yahaya, M.S., 79 (1999) 137
- Matsuoka, S., see Yahaya, M.S., 92 (2001) 141
- Mauricio, R., see Vitti, D.M.S.S., 79 (1999) 145
- Mauricio, R.M., Mould, F.L., Dhanoa, M.S., Owen, E., Channa, K.S. and Theodorou, M.K., A semi-automated in vitro gas production technique for ruminant feedstuff evaluation, 79 (1999) 321
- Mauricio, R.M., Owen, E., Mould, F.L., Givens, I., Theodorou, M.K., France, J., Davies, D.R. and Dhanoa, M.S., Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33
- Mavimbela, D.T., see van Ryssen, J.B.J., 78 (1999) 263
- Mavromichalis, I., Hancock, J.D., Hines, R.H., Senne, B.W. and Cao, H., Lactose, sucrose, and molasses in simple and complex diets for nursery pigs, 93 (2001) 127
- May, C., see Gulati, S.K., 98 (2002) 143
- Mayes, R.W., see Hatt, J.-M., 94 (2001) 65
- Mayne, C.S., see Keady, T.W.J., 81 (1999) 57
- Mayne, C.S., see Keady, T.W.J., 90 (2001) 117
- Mayura, K., see Lemke, S.L., 93 (2001) 17
- Mbugua, D.M., see Schofield, P., 91 (2001) 21
- Mbugua, P.N., see Muia, J.M.K., 92 (2001) 113
- Mbugua, P.N., see Muia, J.M.K., 93 (2001) 177
- McAllister, T., A. see Hristov, A.N., 76 (1998) 161
- McAllister, T.A., see Baah, J., 77 (1999) 213
- McAllister, T.A., see Hristov, A.N., 76 (1998) 161
- McAllister, T.A., see Nsereko, V.L., 88 (2000) 153
- McAllister, T.A., see ZoBell, D.R., 96 (2002) 221
- McAllister, T.A., see Zaman, M.S., 99 (2002) 1
- McCracken, K.J., see George, J., 98 (2002) 237
- McDowell, L.R., see White, C.E., 87 (2000) 105
- McElhenney, W.H., see Moss, B.R., 94 (2001) 43
- McIntosh, F., see Teferedegne, B., 78 (1999) 11
- McIntosh, F.M., see Lopez, S., 78 (1999) 1
- McKinnon, J.J., see Jones, R.A., 89 (2001) 97
- McKinnon, J.J., see Mustafa, A.F., 76 (1999) 265
- McKinnon, J.J., see Mustafa, A.F., 80 (1999) 247
- McKinnon, J.J., see Mustafa, A.F., 83 (2000) 301
- McKinnon, J.J., see Mustafa, A.F., 92 (2001) 33
- McKinnon, J.J., see Mustafa, A.F., 95 (2002) 123
- McKinnon, J.J., see Batista, A.M., 100 (2002) 107
- McLean, B.M.L., Hyslop, J.J., Longland, A.C., Cuddeford, D. and Hollands, T., Physical processing of barley and its effects on intra-caecal fermentation parameters in ponies, 85 (2000) 79
- McNabb, W.C., see Min, B.R., 92 (2001) 185
- McNeill, D.M., see Komolong, M.K., 92 (2001) 59
- McNeill, D.M., see McSweeney, C.S., 91 (2001) 83

- McNiven, M.A., Prestløkken, E., Mydland, L.T. and Mitchell, A.W., Laboratory procedure to determine protein digestibility of heat-treated feed-stuffs for dairy cattle, 96 (2002) 1
- McSweeney, C.S., Palmer, B., Bunch, R. and Krause, D.O., In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227
- McSweeney, C.S., Palmer, B., McNeill, D.M. and Krause, D.O., Microbial interactions with tannins: nutritional consequences for ruminants, 91 (2001) 83
- Meagher, L.P., Smith, B.L. and Wilkins, A.L., Metabolism of diosgenin-derived saponins: implications for hepatogenous photosensitization diseases in ruminants, 91 (2001) 157
- Medel, P., Baucells, F., Gracia, M.I., de Blas, C. and Mateos, G.G., Processing of barley and enzyme supplementation in diets for young pigs, 95 (2002) 113
- Medel, P., García, M., Lázaro, R., de Blas, C. and Mateos, G.G., Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13
- Medel, P., Salado, S., de Blas, J.C. and Mateos, G.G., Processed cereals in diets for early-weaned piglets, 82 (1999) 145
- Meeske, R., Basson, H.M. and Cruywagen, C.W., The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237
- Meeske, R., van der Merwe, G.D., Greyling, J.F. and Cruywagen, C.W., The effect of adding an enzyme containing lactic acid bacterial inoculant to big round bale oat silage on intake, milk production and milk composition of Jersey cows, 97 (2002) 159
- Mehra, U.R., see Hosamani, S.V., 76 (1998) 117
- Mehra, U.R., see Verma, A.K., 87 (2000) 253
- Melcion, J.P., see Aufrère, J., 92 (2001) 215
- Melcion, J.-P., see Maaroufi, C., 85 (2000) 61
- Méndez, J., see Nicodemus, N., 80 (1999) 43
- Mendez, P., see Ventura, M.R., 85 (2000) 279
- Mendoza, M.G.D., see Cabrera, E.J.I., 83 (2000) 49
- Mendoza, M.G.D., see García, C.C.G., 83 (2000) 165
- Merkel, R.C., Pond, K.R., Burns, J.C. and Fisher, D.S., Intake, digestibility and nitrogen utilization of three tropical tree legumes. I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91
- Intake, digestibility and nitrogen utilization of three tropical tree legumes. II. As protein supplements, 82 (1999) 107
- Merry, R.J., see Davies, Z.S., 83 (2000) 205
- Merry, R.J., see Dewhurst, R.J., 85 (2000) 1
- Merry, R.J., see Winters, A.L., 99 (2002) 177
- Meschy, F., see Bravo, D., 99 (2002) 73
- Metwally, H., see Kraidees, M.S., 76 (1998) 149
- Metwally, H., see Kraidees, M.S., 76 (1999) 149
- Meunier-Salaün, M.C., Edwards, S.A. and Robert, S., Effect of dietary fibre on the behaviour and health of the restricted fed sow, 90 (2001) 53
- Meurens, M., see Xiccato, G., 77 (1999) 201
- Meyer, J.H.F., see Jones, R.J., 85 (2000) 269
- Milton, J.B., see White, C.L., 99 (2002) 45
- Min, B.R., Fernandez, J.M., Barry, T.N., McNabb, W.C. and Kemp, P.D., The effect of condensed tannins in *Lotus corniculatus* upon reproductive efficiency and wool production in ewes during autumn, 92 (2001) 185
- Min, D.H., Vough, L.R. and Reeves III, J.B., Dairy slurry effects on forage quality of orchardgrass, reed canarygrass and alfalfa-grass mixtures, 95 (2002) 143
- Mińkowski, K., Influence of dehulling of rape seeds on chemical composition of meal, 96 (2002) 237
- Mir, Z., see Okine, E.K., 92 (2001) 87
- Mir, Z., see Zaman, M.S., 99 (2002) 1
- Mir, P.S., see Zaman, M.S., 99 (2002) 1
- Mira, J.J., see Manterola, H.B., 92 (2001) 249
- Miron, J., see Ben-Ghedalia, D., 91 (2001) 139
- Miron, J., see Ben-Ghedalia, D., 92 (2001) 175
- Mishra, A.S., Chaturvedi, O.H., Khali, A., Prasad, R., Santra, A., Misra, A.K., Parthasarathy, S. and Jakhmola, R.C., Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257
- Mishra, D.P., see Tripathi, M.K., 92 (2001) 73
- Mishra, D.P., see Tripathi, M.K., 94 (2001) 137
- Misra, A.K., see Mishra, A.S., 84 (2000) 257
- Michalet-Doreau, B., see Gidenne, T., 99 (2002) 107
- Mitchell, A.W., see McNiven, M.A., 96 (2002) 1
- Mitchell, D.A., see Villas-Bôas, S.G., 98 (2002) 1
- Miquel, N., see Knarreborg, A., 99 (2002) 131
- M'ncene, W.B., Tuitoek, J.K. and Muiruri, H.K., Nitrogen utilization and performance of pigs given diets containing a dried or undried fermented blood/molasses mixture, 78 (1999) 239
- Mohamed, F.A., see Farag, M. Diaa El-Din H., 77 (1999) 267
- Mohammed, F., see Bhatta, R., 83 (2000) 67
- Mohammed, F., see Bhatta, R., 90 (2001) 143
- Mohanna, C. and Nys, Y., Changes in zinc and manganese availability in broiler chicks induced

- by vegetal and microbial phytases, 77 (1999) 241
- Mohanna, C., Carré, B. and Nys, Y., Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255
- Molina, D.O., Pell, A.N. and Hogue, D.E., Effects of ruminal inoculations with tannin-tolerant bacteria on fibre and nitrogen digestibility of lambs fed a high condensed tannin diet, 81 (1999) 69
- Moloney, A.P. and O'Kiely, P., Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221
- Moloney, A.P., see Woods, V.B., 80 (1999) 135
- Moloney, A.P., see Woods, V.B., 100 (2002) 15
- Moncoulon, R., see Enjalbert, F., 76 (1999) 195
- Monetti, P.G., see Rizzi, L., 97 (2002) 103
- Montero, R., see Alomar, D., 78 (1999) 57
- Moore, K., see Mathis, C.P., 93 (2001) 31
- Moore-Colyer, M.J.S., Hyslop, J.J., Longland, A.C. and Cuddeford, D., Intra-caecal fermentation parameters in ponies fed botanically diverse fibre-based diets, 84 (2000) 183
- Morel, P.C.H., see Pearson, G., 79 (1999) 301
- Morgavi, D.P., see Nsereko, V.L., 88 (2000) 153
- Morisse, J.P., Huonnic, D., Cotte, J.P. and Martenchar, A., The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129
- Morrish, L., see King, R.H., 83 (2000) 17
- Mosase, K.W., see Aganga, A.A., 91 (2001) 107
- Moschini, M., see Piva, G., 89 (2001) 59
- Moss, A.R. and Givens, D.I., The effect of supplementing grass silage with soya bean meal on digestibility, in sacco degradability, rumen fermentation and methane production in sheep, 97 (2002) 127
- Moss, A.R., Deaville, E.R. and Givens, D.I., The nutritive value for ruminants of lupin seeds from determinate and dwarf determinate plants, 94 (2001) 187
- Moss, B.R., Reeves, D.W., Lin, J.C., Torbert, H.A., McElhenney, W.H., Mask, P. and Kezar, W., Yield and quality of three corn hybrids as affected by broiler litter fertilization and crop maturity, 94 (2001) 43
- Moughan, P.J., Dong, G.Z., Pearson, G. and Wilkinson, B.H.P., Protein quality in blood meal. II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309
- Moughan, P.J., see Pearson, G., 79 (1999) 301
- Moughan, P.J., see van Wijk, H.J., 76 (1998) 9
- Moujahed, N., Kayouli, C., Thewis, A., Beckers, Y. and Rezgui, S., Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219
- Mould, F., see Vitti, D.M.S.S., 79 (1999) 145
- Mould, F.L., see Mauricio, R.M., 79 (1999) 321
- Mould, F.L., see Mauricio, R.M., 89 (2001) 33
- Mountzouris, K.C., Fegeros, K. and Papadopoulos, G., Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115
- Mourato, M., see Salgado, P., 91 (2001) 197
- Mourato, M., see Seabra, M., 89 (2001) 1
- Mthiyane, D.M.N., Nsahlai, I.V. and Bonsi, M.L.K., The nutritional composition, fermentation characteristics, in sacco degradation and fungal pathogen dynamics of sugarcane tops ensiled with broiler litter with or without water, 94 (2001) 171
- Muchenje, V., see Maasdorp, B.V., 77 (1999) 49
- Mueller-Harvey, I., Analysis of hydrolysable tannins, 91 (2001) 3
- Mueller-Harvey, I., see Hedqvist, H., 87 (2000) 41
- Muhammad, I.R., see Kallah, M., 84 (2000) 137
- Muhammad, I.R., see Larbi, A., 77 (1999) 33
- Mui, N.T., see Van, D.T.T., 100 (2002) 79
- Muia, J.M.K., Tamminga, S., Mbugua, P.N. and Kariuki, J.N., Effect of supplementing napier grass (*Pennisetum purpureum*) with poultry litter and sunflower meal based concentrates on feed intake and rumen fermentation in Friesian steers, 92 (2001) 113
- Rumen degradation and estimation of microbial protein yield and intestinal digestion of napier grass (*Pennisetum purpureum*) and various concentrates, 93 (2001) 177
- Muir, J.P., see Faftine, O., 76 (1998) 1
- Muiruri, H.K., see M'ncene, W.B., 78 (1999) 239
- Mullan, B.P., see Hanbury, C.D., 87 (2000) 1
- Mullan, B.P., see King, R.H., 83 (2000) 17
- Müller, R., see Giger-Reverdin, S., 96 (2002) 83
- Mulligan, F.J., see Woods, V.B., 80 (1999) 135
- Mündel, H.-H., see Stanford, K., 81 (1999) 249
- Muntifering, R.B., Crosby, D.D., Powell, M.C. and Chappelka, A.H., Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243
- Mupangwa, J.F., Acamovic, T., Topps, J.H., Ngononi, N.T. and Hamudikuwanda, H., Content of soluble and bound condensed tannins of three tropical herbaceous forage legumes, 83 (2000) 139
- Murai, M., see Kondo, T., 80 (1999) 321

- Murauer, C., see Knaus, W., 81 (1999) 265
- Murphy, J.J., The effects of increasing the proportion of molasses in the diet of milking dairy cows on milk production and composition, 78 (1999) 189
- Murphy, M., see Hedqvist, H., 87 (2000) 41
- Murphy, M.J., see Tapia, M.O., 97 (2002) 239
- Murphy, M.R., see Corley III, R.N., 79 (1999) 247
- Mustafa, A.F., McKinnon, J.J. and Christensen, D.A., Effect of moist heat treatment on in-vitro degradability and ruminal escape protein and amino acids of mustard meal, 76 (1999) 265
- Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247
- Chemical characterization and in situ nutrient degradability of wet distillers' grains derived from barley-based ethanol production, 83 (2000) 301
- Effects of feeding ensiled spearmint (*Mentha spicata*) byproduct on nutrient utilization and ruminal fermentation of steers, 92 (2001) 33
- Mustafa, A.F., McKinnon, J.J., Christensen, D.A. and He, T., Effects of micronization of flaxseed on nutrient disappearance in the gastrointestinal tract of steers, 95 (2002) 123
- Mustafa, A.F., see Jones, R.A., 89 (2001) 97
- Mustafa, A.F., see Batista, A.M., 100 (2002) 107
- Mustafa, I.A., see Belal, I.E., 81 (1999) 291
- Muzquiz, M., see Alonso, R., 94 (2001) 1
- Muzquiz, M., see Ventura, M.R., 85 (2000) 279
- Mydland, L.T., see McNiven, M.A., 96 (2002) 1
- N**
- Nabeneza, S., see Hassoun, P., 100 (2002) 31
- Nada, S.A., see Abdel-Wahhab, M.A., 97 (2002) 209
- Nagadi, S., Herrero, M. and Jessop, N.S., The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and in vitro gas production degradability parameters, 87 (2000) 231
- The effect of fermentable nitrogen availability on in vitro gas production and degradability of NDF, 87 (2000) 241
- Nahed, J., see Camacho, D., 80 (1999) 123
- Nakui, T., see Kume, S., 93 (2001) 157
- Nandra, K.S., Dobos, R.C., Orchard, B.A., Neutze, S.A., Oddy, V.H., Cullis, B.R. and Jones, A.W., The effect of animal species on in sacco degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273
- Näsi, M., Piironen, J. and Partanen, K., Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize-soybean meal or barley-soybean meal diets, 77 (1999) 125
- Näsi, M., see Laurinen, P., 83 (2000) 1
- Ndindana, W., Dzama, K., Ndiweni, P.N.B., Maswaure, S.M. and Chimonyo, M., Digestibility of high fibre diets and performance of growing Zimbabwean indigenous Mukota pigs and exotic Large White pigs fed maize based diets with graded levels of maize cobs, 97 (2002) 199
- Ndiweni, P.N.B., see Ndindana, W., 97 (2002) 199
- Ndlovu, L.R., see Dube, J.S., 91 (2001) 59
- Ndlovu, L.R., see Hove, L., 91 (2001) 95
- Nefzaoui, A., see Ben Salem, H., 78 (1999) 297
- Nefzaoui, A., see Ben Salem, H., 96 (2002) 15
- Negi, A.S., see Ramana, D.B.V., 88 (2000) 103
- Neill, L., see Ivan, M., 92 (2001) 127
- Nelssen, J.L., see Grinstead, G.S., 83 (2000) 237
- Nelssen, J.L., see James, B.W., 96 (2002) 135
- Neutze, S.A., see Nandra, K.S., 83 (2000) 273
- Newbold, C.J., see El hassan, S.M., 86 (2000) 27
- Newbold, C.J., see Lopez, S., 78 (1999) 1
- Newbold, C.J., see Nsereko, V.L., 76 (1998) 51
- Newbold, C.J., see Teferedege, B., 78 (1999) 11
- Newkirk, R.W. and Classen, H.L., The non-mineral nutritional impact of phytate in canola meal fed to broiler chicks, 91 (2001) 115
- Newkirk, R.W., see Maenz, D.D., 81 (1999) 177
- Ngongoni, N.T., see Mupangwa, J.F., 83 (2000) 139
- Nguyen, H.V., see Yahaya, M.S., 92 (2001) 141
- Ngwa, A.T., Pone, D.K. and Mafeni, J.M., Feed selection and dietary preferences of forage by small ruminants grazing natural pastures in the Sahelian zone of Cameroon, 88 (2000) 253
- Nhu Phuc, B.H., Ogle, B. and Lindberg, J.E., Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223
- Nianogo, A.J., see Savadogo, M., 84 (2000) 265
- Nianogo, A.J., see Savadogo, M., 87 (2000) 57
- Nichols, P.D., see Kitessa, S.M., 89 (2001) 189
- Nichols, P.D., see Kitessa, S.M., 89 (2001) 201
- Nicodemus, N., Carabaño, R., García, J., Méndez, J. and de Blas, C., Performance response of lactating and growing rabbits to dietary lignin content, 80 (1999) 43
- Niemelä, P., see Dahlman, T., 98 (2002) 219

- Niemelä, P., see Pölönen, I., 78 (1999) 39
 Nishida, T., see Islam, M.R., 92 (2001) 237
 Noblet, J. and Le Goff, G., Effect of dietary fibre on the energy value of feeds for pigs, 90 (2001) 35
 Nogueira Filho, J.C.M., Fondevila, M., Barrios Urdaneta, A. and González Ronquillo, M., In vitro microbial fermentation of tropical grasses at an advanced maturity stage, 83 (2000) 145
 Nogueira-Filho, J.C.M., see Fondevila, M., 95 (2002) 1
 Nolan, J., see Thomson, E., 91 (2001) 233
 Nomdedeu, M., see Di Marco, O.N., 99 (2002) 37
 Nonaka, K., see Kume, S., 93 (2001) 157
 Nousiainen, J.I., see Virkajärvi, P., 97 (2002) 23
 Nozière, P., see Agbagla-Dohnani, A., 94 (2001) 15
 Nsahlai, I.V., Osuji, P.O. and Umunna, N.N., Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223
 Nsahlai, I.V., see Mthiyane, D.M.N., 94 (2001) 171
 Nsereko, V.L., Morgavi, D.P., Rode, L.M., Beauchemin, K.A. and McAllister, T.A., Effects of fungal enzyme preparations on hydrolysis and subsequent degradation of alfalfa hay fiber by mixed rumen microorganisms in vitro, 88 (2000) 153
 Nsereko, V.L., Rooke, J.A., Newbold, C.J. and Wallace, R.J., Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51
 Ntim, I., see Atuahene, C.C., 83 (2000) 185
 Nunes do Prado, I., see Giger-Reverdin, S., 96 (2002) 83
 Nys, Y., see Mohanna, C., 77 (1999) 241
 Nys, Y., see Mohanna, C., 77 (1999) 255
- O**
- Obiyan, R.I., see Onifade, A.A., 77 (1999) 25
 Ochoa, S., see Camacho, D., 80 (1999) 123
 Ochtabińska, A., see Pastuszewska, B., 86 (2000) 117
 Oddy, V.H., see Nandra, K.S., 83 (2000) 273
 Odenyo, A., see Teferedegne, B., 78 (1999) 11
 Odenyo, A.A., see Hindrichsen, I.K., 98 (2002) 131
 Odenyo, A.A., see Smith, A.H., 91 (2001) 41
 Oerlemans, J., see Kennedy, P.M., 96 (2002) 175
 Ofori, S.K., see Donkoh, A., 81 (1999) 299
 Ogle, B., see Nhu Phuc, B.H., 83 (2000) 223
 Oh, Y.-G., Kim, K.H., Kim, J.-H., Choung, J.-J. and Chamberlain, D.G., The effect of the form of nitrogen in the diet on ruminal fermentation and the yield of microbial protein in sheep consuming diets of grass silage supplemented with starch or sucrose, 78 (1999) 227
 Ohshita, T., see Kondo, T., 80 (1999) 321
 O'Kiely, P., see Moloney, A.P., 81 (1999) 221
 Okine, E.K., Wang, Z., Goonewardene, L.A., Mir, Z. and Liu, M.F., Residual metabolizable feed consumption as a method of comparing feed efficiency in steers fed silage and silage-grain diets, 92 (2001) 87
 Oliveira, R.F.M. and Donzele, J.L., Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319
 Olorunju, P.E., see Larbi, A., 77 (1999) 33
 Olson, K.C., see Mathis, C.P., 93 (2001) 31
 Olson, K.C., see ZoBell, D.R., 87 (2000) 279
 Olson, K.C., see ZoBell, D.R., 96 (2002) 221
 O'Mara, F., see Kavanagh, S., 89 (2001) 49
 O'Mara, F.P., Coyle, J.E., Drennan, M.J., Young, P. and Caffrey, P.J., A comparison of digestibility of some concentrate feed ingredients in cattle and sheep, 81 (1999) 167
 O'Mara, F.P., see Woods, V.B., 80 (1999) 135
 O'Mara, F.P., see Woods, V.B., 100 (2002) 15
 Ondiek, J.K., see Abdulrazak, S.A., 85 (2000) 89
 Onifade, A.A., Obiyan, R.I., Onipede, E., Adejumo, D.O., Abu, O.A. and Babatunde, G.M., Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25
 Onipede, E., see Onifade, A.A., 77 (1999) 25
 O'Quinn, P.R., see James, B.W., 96 (2002) 135
 Orchard, B.A., see Nandra, K.S., 83 (2000) 273
 Orskov, E.R., see Liu, J.X., 76 (1999) 345
 Ørskov, E.R., see Abdulrazak, S.A., 85 (2000) 89
 Ørskov, E.R., see Apori, S.O., 76 (1998) 129
 Ørskov, E.R., see Baba, A.S.H., 95 (2002) 93
 Ørskov, E.R., see Liu, J.X., 88 (2000) 189
 Ørskov, E.R., see Long, R.J., 80 (1999) 101
 Ørskov, E.R., see Verbič, J., 82 (1999) 195
 Ørskov, E.R., see Zahedifar, M., 95 (2002) 83
 Ortega, C.M.E., see García, C.C.G., 83 (2000) 165
 Ortega-Cerrilla, M.E., Finlayson, H.J. and Armstrong, D.G., The effect of chemical treatment of barley on starch digestion in ruminants, 77 (1999) 73
 Protection of starch in barley against rumen degradation by glutaraldehyde and formaldehyde

- as assessed by the dacron bag technique, 77 (1999) 83
- Ortiz, L.T., see Alzueta, C., 97 (2002) 169
- Ortiz, L.T., see Rebolé, A., 78 (1999) 153
- Ortiz, L.T., see Treviño, J., 84 (2000) 155
- Oshita, T., see Kume, S., 93 (2001) 157
- Ossowski, D.A., see Machmüller, A., 85 (2000) 41
- Osuji, P.O., see Hindrichsen, I.K., 98 (2002) 131
- Osuji, P.O., see Nsahlai, I.V., 85 (2000) 223
- Osuji, P.O., see Smith, A.H., 91 (2001) 41
- Osuji, P.O., see Teferedegne, B., 78 (1999) 11
- Ottinger, S.E., see Lemke, S.L., 93 (2001) 17
- Ouhida, I., Pérez, J.F., Piedrafita, J. and Gasa, J., The effects of sepiolite in broiler chicken diets of high, medium and low viscosity. Productive performance and nutritive value, 85 (2000) 183
- Ovejero, F.J., see Carro, M.D., 79 (1999) 279
- Owen, E., see Adogla-Bessa, T., 82 (1999) 51
- Owen, E., see Mauricio, R.M., 79 (1999) 321
- Owen, E., see Mauricio, R.M., 89 (2001) 33
- Owen, E., see Vitti, D.M.S.S., 79 (1999) 145
- ## P
- Pack, M. and Höhler, D., Comments on "Effects of DL-methionine hydroxyanalogue (MHA) or DL-methionine (DL-Met) on N-retention in broiler chickens and pigs [A. Römer, H. Abel, Anim. Feed Sci. Technol. 81 (1999) 193-203]", 88 (2000) 129
- Paggi, R.A., Fay, J.P. and Fernández, H.M., Corrigendum to "Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid". [Anim. Feed Sci. Technol. 78 (1999) 341-347], 80 (1999) 163
- Paggi, R.A., Fay, J.P. and Fernández, H.M., Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341
- Paisley, S., see Mathis, C.P., 93 (2001) 31
- Palmer, B. and Jones, R.J., The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothyrsus* and *Leucaena leucocephala* leaf, 85 (2000) 259
- In vitro digestion studies using ¹⁴C-labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149
- Palmer, B., Jones, R.J., Wina, E. and Tangendjaja, B., The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*, 87 (2000) 29
- Palmer, B., see Jones, R.J., 85 (2000) 215
- Palmer, B., see McSweeney, C.S., 82 (1999) 227
- Palmer, B., see McSweeney, C.S., 91 (2001) 83
- Pan, Y.-F., see Huang, R.-L., 88 (2000) 79
- Papachristou, T.G., Platis, P.D., Papanastasis, V.P. and Tsiouvaras, C.N., Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267
- Papadopoulos, G., see Mountzouris, K.C., 77 (1999) 115
- Papanastasis, V.P., see Papachristou, T.G., 80 (1999) 267
- Papon, Y., see Broudiscou, L.-P., 77 (1999) 149
- Papon, Y., see Broudiscou, L.-P., 79 (1999) 43
- Papon, Y., see Broudiscou, L.-P., 87 (2000) 263
- Paquay, R., see Derycke, G., 81 (1999) 81
- Paquay, R., see Mabon, N., 85 (2000) 111
- Paquay, R., see Mandiki, S.N.M., 81 (1999) 93
- Paquay, R., see Mandiki, S.N.M., 98 (2002) 25
- Parisini, P., Martelli, G., Sardi, L. and Escribano, F., Protein and energy retention in pigs fed diets containing sepiolite, 79 (1999) 155
- Park, J., see Anil, L., 86 (2000) 157
- Park, R.S., Agnew, R.E., Gordon, F.J. and Barnes, R.J., The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325
- Park, W., see Konishi, C., 80 (1999) 115
- Park, W.-Y., Matsui, T., Yano, F. and Yano, H., Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31
- Parr, E.N., see Peter, C.M., 94 (2001) 199
- Parr, T.M., see Peter, C.M., 94 (2001) 199
- Partanen, K., Jalava, T., Valaja, J., Perttilä, S., Siljander-Rasi, H. and Lindeberg, H., Effect of dietary carbadox or formic acid and fibre level on ileal and faecal nutrient digestibility and microbial metabolite concentrations in ileal digesta of the pig, 93 (2001) 137
- Partanen, K., see Näsi, M., 77 (1999) 125
- Partanen, K., see Perttilä, S., 98 (2002) 203
- Parthasarathy, S., see Mishra, A.S., 84 (2000) 257
- Pascual, J.J., Cervera, C. and Fernández-Carmona, J., The effect of dietary fat on the performance and body composition of rabbits in their second lactation, 86 (2000) 191
- Pascual, J.J., see Blas, E., 88 (2000) 239

- Pascual, J.J., Tolosa, C., Cervera, C., Blas, E. and Fernández-Carmona, J., Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105
- Pastuszewska, B., Jabłeczki, G., Święch, E., Buraczewska, L. and Ochtabińska, A., Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117
- Pathak, N.N., see Giri, S.S., 83 (2000) 195
- Pathak, N.N., see Sahoo, A., 80 (1999) 83
- Paton, S.J., see Swanson, K.C., 86 (2000) 95
- Pauly, T.M., Hansson, I.B. and Tham, W.A., The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127
- Pavlov, D., see Iantcheva, N., 81 (1999) 333
- Pearson, G., Moughan, P.J., Dong, G.Z. and Morel, P.C.H., Protein quality in blood meal. I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301
- Pearson, G., see Moughan, P.J., 79 (1999) 309
- Pearson, G., see van Wijk, H.J., 76 (1998) 9
- Pell, A.N., see Molina, D.O., 81 (1999) 69
- Pell, A.N., see Schofield, P., 91 (2001) 21
- Peng, J., see Lejeune, A., 84 (2000) 295
- Pereda, R., see de J. Marichal, M., 88 (2000) 91
- Perevolotsky, A., see Silanikove, N., 91 (2001) 69
- Pérez Vendrell, A.M., see Cosson, T., 77 (1999) 345
- Pérez, J.F., see Ouhida, I., 85 (2000) 183
- Pérez-Gil, F., see Camacho, D., 80 (1999) 123
- Perez-Maldonado, R.A., see Farrell, D.J., 82 (1999) 131
- Perez-Maldonado, R.A., see Farrell, D.J., 85 (2000) 145
- Pérez-Sato, M., see Cobos, M.A., 95 (2002) 179
- Perttilä, S., see Partanen, K., 93 (2001) 137
- Perttilä, S., Valaja, J., Partanen, K., Jalava, T. and Venäläinen, E., Apparent ileal digestibility of amino acids in protein feedstuffs and diet formulation based on total vs digestible lysine for poultry, 98 (2002) 203
- Perttilä, S., see Pölönen, I., 99 (2002) 189
- Pessarakli, M., see Wanderley, R.C., 76 (1999) 207
- Peter, C.M. and Baker, D.H., Bioavailability of phosphorus in corn gluten feed derived from conventional and low-phytate maize, 95 (2002) 63
- Peter, C.M., Parr, T.M., Parr, E.N., Webel, D.M. and Baker, D.H., The effects of phytase on growth performance, carcass characteristics, and bone mineralization of late-finishing pigs fed maize-soyabean meal diets containing no supplemental phosphorus, zinc, copper and manganese, 94 (2001) 199
- Peters, J.P., see Watkins, S.E., 81 (1999) 35
- Pfeiffer, A.-M., see Baker, R.T.M., 99 (2002) 97
- Peyraud, J.-L., see Boudon, A., 93 (2001) 229
- Peyraud, J.-L., see Boudon, A., 97 (2002) 83
- Peyraud, J.L., see Delagarde, R., 84 (2000) 49
- Peyraud, J.L., see Le Liboux, S., 76 (1999) 297
- Phillips, N., see Rodehutsord, M., 82 (1999) 213
- Phillips, T.D., see Lemke, S.L., 93 (2001) 17
- Phillips, N., see White, C.L., 99 (2002) 45
- Phipps, R.H., see Anil, L., 86 (2000) 157
- Pichard, G., see Jaurena, G., 92 (2001) 159
- Piedrafita, J., see Ouhida, I., 85 (2000) 183
- Piironen, J., see Näsi, M., 77 (1999) 125
- Piironen, J., see Żyła, K., 89 (2001) 113
- Pimpa, O., Liang, J.B., Jelani, Z.A. and Abdullah, N., Urinary excretion of duodenal purine derivatives in Kedah-Kelantan cattle, 92 (2001) 203
- Pimpukdee, K., see Lemke, S.L., 93 (2001) 17
- Pisulewska, E. and Pisulewski, P.M., Trypsin inhibitor activity of legume seeds (peas, chickling vetch, lentils, and soya beans) as affected by the technique of harvest, 86 (2000) 261
- Pisulewski, P.M., see Pisulewska, E., 86 (2000) 261
- Piva, G., Moschini, M., Fiorentini, L. and Masoero, F., Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59
- Piva, G., see Rossi, F., 81 (1999) 309
- Placinta, C.M., D'Mello, J.P.F. and Macdonald, A.M.C., A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21
- Placinta, C.M., see D'Mello, J.P.F., 80 (1999) 183
- Platis, P.D., see Papachristou, T.G., 80 (1999) 267
- Plavnik, I., Macovsky, B. and Sklan, D., Effect of feeding whole wheat on performance of broiler chickens, 96 (2002) 229
- Poku-Prempeh, Y.B., see Donkoh, A., 77 (1999) 163
- Pollard, G.V., Richardson, C.R. and Karnezos, T.P., Effects of supplemental organic chromium on growth, feed efficiency and carcass characteristics of feedlot steers, 98 (2002) 121
- Pölönen, I., Niemelä, P., Xiao, Y., Jalkanen, L., Korhonen, H. and Mäkelä, J., Formic acid—sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39
- Pölönen, I., Valaja, J., Jalava, T., Perttilä, S., Kariluoto, S. and Korhonen, H., Effect of hepatic folic acid status on formic acid metabolism in blue foxes (*Alopex lagopus*), 99 (2002) 189
- Poncet, C., see Archimède, H., 87 (2000) 153

- Poncet, C., see Drogoul, C., 87 (2000) 117
 Poncet, C., see Drogoul, C., 87 (2000) 131
 Pond, K.R., see Merkel, R.C., 82 (1999) 91
 Pond, K.R., see Merkel, R.C., 82 (1999) 107
 Pone, D.K., see Ngwa, A.T., 88 (2000) 253
 Pösö, R., see Tesfa, A.T., 76 (1999) 275
 Pott, E.B., Henry, P.R., Zanetti, M.A., Rao, P.V., Hinderberger Jr., E.J. and Ammerman, C.B., Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93
 Pott, E.B., Henry, P.R., Rao, P.V., Hinderberger Jr., E.J. and Ammerman, C.B., Estimated relative bioavailability of supplemental inorganic molybdenum sources and their effect on tissue molybdenum and copper concentrations in lambs, 79 (1999) 107
 Powell, M.C., see Muntifering, R.B., 84 (2000) 243
 Prasad, R., see Mishra, A.S., 84 (2000) 257
 Prestløkken, E. and Harstad, O.M., Effects of expander-treating a barley-based concentrate on ruminal fermentation, bacterial N synthesis, escape of dietary N, and performance of dairy cows, 90 (2001) 227
 Prestløkken, E., In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1
 Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157
 Corrigendum to "In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs" [Anim. Feed Sci. Technol. 77 (1999) 1-23], 82 (1999) 271
 Prestløkken, E., see Harstad, O.M., 83 (2000) 31
 Prestløkken, E., see Harstad, O.M., 94 (2001) 127
 Prestløkken, E., see McNiven, M.A., 96 (2002) 1
 Provenza, F.D., see Silanikove, N., 91 (2001) 69
- R**
- Rademacher, M., see Jansman, A.J.M., 98 (2002) 49
 Rafiq, M., Dixon, R.M., Hosking, B.J. and Egan, A.R., Leaf content of straw diets influences supplementation responses by sheep, 100 (2002) 93
 Rakow, G., see Slominski, B.A., 78 (1999) 249
 Rama Rao, S.V., Ramasubba Reddy, V. and Ravindra Reddy, V., Non-phytin phosphorus requirements of commercial broilers and White Leghorn layers, 80 (1999) 1
 Rama Rao, S.V., Ravindra Reddy, V. and Ramasubba Reddy, V., Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211
 Ramana, D.B.V., Singh, S., Solanki, K.R. and Negi, A.S., Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103
 Ramasubba Reddy, V., see Rama Rao, S.V., 79 (1999) 211
 Ramasubba Reddy, V., see Rama Rao, S.V., 80 (1999) 1
 Ramirez, L.R., see García, C.C.G., 83 (2000) 165
 Ramos, G., see Frutos, P., 95 (2002) 215
 Ramos, J.J.A., see Cabrera, E.J.I., 83 (2000) 49
 Ramsey, P.B., Mathison, G.W. and Goonewardene, L.A., Relationships between ruminal dry matter and starch disappearance and apparent digestibility of barley grain, 94 (2001) 155
 Effect of rates and extent of ruminal barley grain dry matter and starch disappearance on bloat, liver abscesses, and performance of feedlot steers, 97 (2002) 145
 Ranilla, M.J., see Tejido, M.L., 97 (2002) 41
 Rao, P.V., see Pott, E.B., 79 (1999) 93
 Rao, P.V., see Pott, E.B., 79 (1999) 107
 Rasool, S., see Ahmad, T., 83 (2000) 103
 Rattunde, H.F.W., see Zerbini, E., 81 (1999) 17
 Ravi, U., Singh, P., Garg, A.K. and Agrawal, D.K., Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121
 Ravindra Reddy, V., see Rama Rao, S.V., 79 (1999) 211
 Ravindra Reddy, V., see Rama Rao, S.V., 80 (1999) 1
 Razdan, A., see Bergh, M.O., 78 (1999) 215
 Rearte, D.H., see Alvarez, H.J., 91 (2001) 183
 Rebolé, A., Rodríguez, M.L., Alzueta, C., Ortiz, L.T. and Treviño, J., A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153
 Rebolé, A., see Alzueta, C., 97 (2002) 169
 Rebolé, A., see Treviño, J., 84 (2000) 155
 Reed, C., Trigo-Stockli, D., Blasi, D.A. and Fairchild, F.J., Storage of pelleted wheat middlings in farm bins, 88 (2000) 47
 Reed, J.D., see Dube, J.S., 91 (2001) 59
 Reed, J.D., see Hedqvist, H., 87 (2000) 41
 Reeves, D.W., see Moss, B.R., 94 (2001) 43

- Reeves III, J.B., see Min, D.H., 95 (2002) 143
- Refstie, S., Svihus, B., Shearer, K.D. and Stroe-bakken, T., Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysaccharide content in different soyabean products, 79 (1999) 331
- Reñé, D., see Cosson, T., 77 (1999) 345
- Repetto, J.L., see Cajarville, C., 87 (2000) 203
- Rezgui, S., see Moujahed, N., 88 (2000) 219
- Richards, C.J., see Swanson, K.C., 86 (2000) 95
- Richardson, C.R., see Pollard, G.V., 98 (2002) 121
- Ricke, S.C., see Ha, S.D., 76 (1998) 23
- Rizzi, L., Simioli, M., Sardi, L. and Monetti, P.G., Carcass quality, meat chemical and fatty acid composition of lambs fed diets containing extruded soybeans and sunflower seeds, 97 (2002) 103
- Roberson, K.D., Estimation of the phosphorus requirement of weanling pigs fed supplemental phytase, 80 (1999) 91
- Robert, S., see Meunier-Salaün, M.C., 90 (2001) 53
- Robertson, J.B., see Ruiz, R., 89 (2001) 155
- Robinson, P.H., Getachew, G., De Peters, E.J. and Calhoun, M.C., Influence of variety and storage for up to 22 days on nutrient composition and gossypol level of Pima cottonseed (*Gossypium* spp.), 91 (2001) 149
- Robinson, P.H., Gill, M. and Kennelly, J.J., Influence of time of feeding a protein meal on diurnal patterns of amino acids in duodenal digesta protein of lactating dairy cows, 97 (2002) 115
- Robinson, P.H., Campbell Mathews, M. and Fadel, J.G., Influence of storage time and temperature on in vitro digestion of neutral detergent fibre at 48 h, and comparison to 48 h in sacco neutral detergent fibre digestion, 80 (1999) 257
- Robinson, P.H., see Getachew, G., 93 (2001) 1
- Rode, L.M., see Nsereko, V.L., 88 (2000) 153
- Rodehutsord, M., Young, P., Phillips, N. and White, C.L., Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213
- Rodríguez, C.A., see Cajarville, C., 87 (2000) 203
- Rodríguez, M.L., see Alzueta, C., 97 (2002) 169
- Rodríguez, M.L., see Rebolé, A., 78 (1999) 153
- Rodríguez, M.L., see Treviño, J., 84 (2000) 155
- Rodrigues, M.A.M., Fonseca, A.J.M., Sequeira, C.A. and Dias-da-Silva, A.A., Digestion kinetic parameters from an in vitro gas production method as predictors of voluntary intake of forage by mature ewes, 95 (2002) 133
- Ropp, J.K., see Hristov, A.N., 99 (2002) 25
- Römer, A. and Abel, H., Effects of DL-methionine hydroxyanalogue (MHA) or DL-methionine (DL-Met) on N-retention in broiler chickens and pigs, 81 (1999) 193
- Corrigendum to "Effects of DL-methionine hydroxyanalogue (MHA) or DL-methionine (DL-Met) on N-retention in broiler chickens and pigs" [Ani. Feed. Sci. Tech. 81 (1999) 193-203], 83 (2000) 325
- Rooke, J.A., see Nsereko, V.L., 76 (1998) 51
- Roothaert, R.L., Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1
- Roothaert, R.L., see Salawu, M.B., 77 (1999) 181
- Rosenkrans Jr., C.F., see Coblentz, W.K., 89 (2001) 17
- Rossi, F., Fiorentini, L., Masoero, F. and Piva, G., Effect of fat coating on rumen degradation and intestinal digestibility of soybean meal, 81 (1999) 309
- Rosnagel, B.G., see Ankrah, N.O., 81 (1999) 205
- Roush, W.B., see Cravener, T.L., 90 (2001) 131
- Roush, W.B., see D'Alfonso, T.H., 80 (1999) 29
- Rowe, D., see Kidd, M.T., 94 (2001) 57
- Ruano, A., see García-Ciudad, A., 77 (1999) 91
- Ruano-Ramos, A., García-Ciudad, A. and García-Criado, B., Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331
- Rubio, L.A., see Alonso, R., 94 (2001) 1
- Ruiz, R., Van Soest, P.J., Van Amburgh, M.E., Fox, D.G. and Robertson, J.B., Use of chromium mordanted neutral detergent residue as a predictor of fecal output to estimate intake in grazing high producing Holstein cows, 89 (2001) 155
- Rymer, C., Huntington, J.A. and Givens, D.I., Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199
- Rymer, C., see Brown, V.E., 98 (2002) 13

S

- Sabatel, V. de O., see Herrero, M., 92 (2001) 149
- Saeed, M.N., see Sarwar, M., 82 (1999) 121
- Sahlström, S., see Skrede, G., 90 (2001) 199
- Sahoo, A., Agarwal, N., Kamra, D.N., Chaudhary, L.C. and Pathak, N.N., Influence of the level of

- molasses in de-oiled rice bran-based concentrate mixture on rumen fermentation pattern in crossbred cattle calves, 80 (1999) 83
- Sahoo, A., see Giri, S.S., 83 (2000) 195
- Sairanen, A., see Khalili, H., 84 (2000) 199
- Sairanen, A., see Virkajärvi, P., 97 (2002) 23
- Saki, A.A., see Iji, P.A., 89 (2001) 175
- Salado, S., see Medel, P., 82 (1999) 145
- Salawu, M.B., Acamovic, T., Stewart, C.S. and Roothaert, R.L., Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181
- Salawu, M.B., Acamovic, T., Stewart, C.S., Hvelplund, T. and Weisbjerg, M.R., The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289
- The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243
- Salawu, M.B., Adesogan, A.T., Fraser, M.D., Fychan, R. and Jones, R., Assessment of the nutritive value of whole crop peas and intercropped pea-wheat bi-crop forages harvested at different maturity stages for ruminants, 96 (2002) 43
- Salawu, M.B., Adesogan, A.T., Weston, C.N. and Williams, S.P., Dry matter yield and nutritive value of pea/wheat bi-crops differing in maturity at harvest, pea to wheat ratio and pea variety, 94 (2001) 77
- Salawu, M.B., see Adesogan, A.T., 96 (2002) 161
- Salgado, P., Lallès, J.P., Toullec, R., Mourato, M., Cabral, F. and Freire, J.P.B., Nutrient digestibility of chickpea (*Cicer arietinum* L.) seeds and effects on the small intestine of weaned piglets, 91 (2001) 197
- Salgado, P., Martins, J.M., Carvalho, F., Abreu, M., Freire, J.P.B., Toullec, R., Lallès, J.P. and Bento, O., Component digestibility of lupin (*Lupinus angustifolius*) and pea (*Pisum sativum*) seeds and effects on the small intestine and body organs in anastomosed and intact growing pigs, 98 (2002) 187
- Saloniemi, H., see Tesfa, A.T., 76 (1999) 275
- San Martín, R., see de J. Marichal, M., 88 (2000) 91
- Sankhyan, S.K., Shinde, A.K., Bhatta, R. and Karim, S.A., Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261
- Santini, F.J., see Alvarez, H.J., 91 (2001) 183
- Santra, A. and Karim, S.A., Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251
- Santra, A., see Mishra, A.S., 84 (2000) 257
- Sardi, L., see Parisini, P., 79 (1999) 155
- Sardi, L., see Rizzi, L., 97 (2002) 103
- Sarwar, M., Khan, M.-u.-N. and Saeed, M.N., Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121
- Sarwar, M., see Ahmad, T., 83 (2000) 103
- Sass, D., see ZoBell, D.R., 96 (2002) 221
- Sastry, V.R.B., see Elangovan, A.V., 88 (2000) 113
- Saukko, T., see Tesfa, A.T., 76 (1999) 275
- Sauvant, D., see Giger-Reverdin, S., 96 (2002) 83
- Sauvant, D., see Valentin, S.F., 78 (1999) 81
- Sauvant, D., see Bravo, D., 99 (2002) 73
- Savadogo, M., Zammelink, G. and Nianogo, A.J., Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265
- Savadogo, M., Zammelink, G., Nianogo, A.J. and Van Keulen, H., Cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57
- Savka, O., see Marounek, M., 80 (1999) 223
- Scarborough, D.A., Coblenz, W.K., Coffey, K.P., Turner, J.E., Davis, G.V., Kellogg, D.W. and Hellwig, D.H., Effects of summer management and fall harvest date on ruminal in situ degradation of crude protein in stockpiled bermudagrass, 96 (2002) 119
- Scarborough, D.A., see Coblenz, W.K., 89 (2001) 17
- Scerra, V., Caridi, A., Foti, F. and Sinatra, M.C., Influence of dairy *Penicillium* spp. on nutrient content of citrus fruit peel, 78 (1999) 169
- Schadt, I., see Licitra, G., 77 (1999) 99
- Schofield, P., Mbugua, D.M. and Pell, A.N., Analysis of condensed tannins: a review, 91 (2001) 21
- Scholten, R.H.J., van der Peet-Schwering, C.M.C., Verstegen, M.W.A., den Hartog, L.A., Schrama, J.W. and Vesseur, P.C., Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1
- Schöner, F.-J., see Baker, R.T.M., 99 (2002) 97
- Schrama, J.W., see Scholten, R.H.J., 82 (1999) 1

- Scipioni, R. and Martelli, G., Consequences of the use of ensiled sugar beet-pulp in the diet of heavy pigs on performances, carcass characteristics and nitrogen balance: a review, 90 (2001) 81
- Scott, T.W., see Gulati, S.K., 79 (1999) 57
- Scott, T.W., see Gulati, S.K., 86 (2000) 139
- Scott, T.W., see Gulati, S.K., 98 (2002) 143
- Scott, T.W., see Kitessa, S.M., 89 (2001) 189
- Scott, T.W., see Kitessa, S.M., 89 (2001) 201
- Seabra, M., Carvalho, S., Freire, J., Ferreira, R., Mourato, M., Cunha, L., Cabral, F., Teixeira, A. and Aumaitre, A., *Lupinus luteus*, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1
- Siddique, K.H.M., see White, C.L., 99 (2002) 45
- Segura, M., see Gidenne, T., 99 (2002) 107
- Seigler, D.S., see Smith, A.H., 91 (2001) 41
- Senne, B.W., see Mavromichalis, I., 93 (2001) 127
- Sequeira, C.A., see Rodrigues, M.A.M., 95 (2002) 133
- Sève, B., see Mariscal-Landín, G., 97 (2002) 183
- Seynaeve, M., see Van Nevel, C., 83 (2000) 89
- Shand, W.J., see Apori, S.O., 76 (1998) 129
- Shannak, S., Südekum, K.-H. and Susenbeth, A., Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195
- Corrigendum to "Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures". [Anim. Feed Sci. Technol. 85 (2000) 195-214], 86 (2000) 269
- Sharma, A., see Zerbini, E., 81 (1999) 17
- Sharma, A., see Zerbini, E., 98 (2002) 73
- Sharma, M. and Márquez, C., Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109
- Sharma, S.D., see Tripathi, M.K., 92 (2001) 73
- Sharma, S.D., see Tripathi, M.K., 94 (2001) 137
- Shaver, R.D., see Bal, M.A., 86 (2000) 83
- Shayo, C.M. and Udén, P., Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141
- Nutritional uniformity of neutral detergent solubles in some tropical browse leaf and pod diets, 82 (1999) 63
- Shearer, K.D., see Refstie, S., 79 (1999) 331
- Shem, M.N., Hovell, F.D.D. and Kimambo, A.E., Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279
- Shen, H.S., Sundstøl, F., Eng, E.R. and Eik, L.O., Studies on untreated and urea-treated rice straw from three cultivation seasons: 3. Histological investigations by light and scanning electron microscopy, 80 (1999) 151
- Shenkoru, T., see Dana, N., 86 (2000) 239
- Sherwood, H., see Bowman, J.G.P., 78 (1999) 273
- Shi, Z.-Q., see Liu, J.-X., 91 (2001) 129
- Shinde, A.K., see Sankhyan, S.K., 82 (1999) 261
- Shingfield, K.J., Jaakkola, S. and Huhtanen, P., Effect of forage conservation method, concentrate level and propylene glycol on diet digestibility, rumen fermentation, blood metabolite concentrations and nutrient utilisation of dairy cows, 97 (2002) 1
- Shinners, K.J., see Bal, M.A., 86 (2000) 83
- Shinners, K.J., see ZoBell, D.R., 96 (2002) 221
- Shiyan, Q., see Defa, L., 78 (1999) 179
- Short, F.J., Wiseman, J. and Boorman, K.N., Application of a method to determine ileal digestibility in broilers of amino acids in wheat, 79 (1999) 195
- Sibanda, S., see Hove, L., 91 (2001) 95
- Siddique, K.H.M., see Hanbury, C.D., 87 (2000) 1
- Siddique, K.H.M., see White, C.L., 99 (2002) 45
- Silanikove, N., Perevolotsky, A. and Provenza, F.D., Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants, 91 (2001) 69
- Siljander-Rasi, H., see Laurinen, P., 83 (2000) 1
- Siljander-Rasi, H., see Partanen, K., 93 (2001) 137
- Silva Filho, J.C., see Vitti, D.M.S.S., 79 (1999) 145
- Simbaya, J., see Slominski, B.A., 78 (1999) 249
- Šimek, M., see Třináctý, J., 79 (1999) 269
- Simioli, M., see Rizzi, L., 97 (2002) 103
- Simon, O., see Dänicke, S., 84 (2000) 279
- Sims, P.L., see Bailey, D.W., 76 (1998) 95
- Sinatra, M.C., see Scerra, V., 78 (1999) 169
- Sinclair, F.L., see Thorne, P.J., 81 (1999) 119
- Singh, C.K., see Manjunatha, J.V., 87 (2000) 95
- Singh, G.P., see Das, A., 81 (1999) 133
- Singh, P., see Ravi, U., 88 (2000) 121
- Singh, S., see Ramana, D.B.V., 88 (2000) 103
- Singh, S.D., see Elangovan, A.V., 88 (2000) 113
- Siroka, P., see Kišidayová, S., 91 (2001) 223
- Siroka, P., see Váradyová, Z., 83 (2000) 127
- Sistani, K., see Kidd, M.T., 94 (2001) 57
- Sklan, D., see Plavnik, I., 96 (2002) 229
- Skrede, A., Berge, G.M., Storebakken, T., Herstad, O., Aarstad, K.G. and Sundstøl, F., Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103

- Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1999) 103
- Skrede, A., see Ljøkjel, K., 84 (2000) 83
- Skrede, A., see Skrede, G., 90 (2001) 199
- Skrede, G., Sahlstrøm, S., Skrede, A., Holck, A. and Slinde, E., Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199
- Skřivanová, V., Marounek, M. and Klein, P., Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139
- Slinde, E., see Skrede, G., 90 (2001) 199
- Slominski, B.A., Simbaya, J., Campbell, L.D., Rakow, G. and Guenter, W., Nutritive value for broilers of meals derived from newly developed varieties of yellow-seeded canola, 78 (1999) 249
- Smink, W., see Jansman, A.J.M., 98 (2002) 49
- Smith, A.H., Odenyo, A.A., Osuji, P.O., Wallig, M.A., Kandil, F.E., Seigler, D.S. and Mackie, R.I., Evaluation of toxicity of *Acacia angustissima* in a rat bioassay, 91 (2001) 41
- Smith, B.L., see Meagher, L.P., 91 (2001) 157
- Smith, J.W., see Larbi, A., 77 (1999) 33
- Smits, A., see Goelema, J.O., 78 (1999) 109
- Smith-Lemmon, L., see Baker, R.T.M., 99 (2002) 97
- Sniffen, C.J., see Ballard, C.S., 93 (2001) 55
- Sniffen, C.J., see Licitra, G., 77 (1999) 99
- Sniffen, C.J., see Mandevu, P., 93 (2001) 43
- Sniffen, C.J., see Uchida, K., 93 (2001) 193
- Soares, M. and Lopez-Bote, C.J., Effects of dietary lecithin and fat unsaturation on nutrient utilisation in weaned piglets, 95 (2002) 169
- Soevik, T., Relationship between analysed and theoretical content of diethylether extractable fat in standardised commercial feed mixtures for farm animals, 79 (1999) 65
- Sokhansanj, S.R.T., see Ankrah, N.O., 81 (1999) 205
- Solaiman, S.G., see Bunting, L.D., 98 (2002) 61
- Solanki, K.R., see Ramana, D.B.V., 88 (2000) 103
- Solomon, R., see Ben-Ghedalia, D., 91 (2001) 139
- Soto, L., see Camacho, D., 80 (1999) 123
- Souffrant, W.B., Effect of dietary fibre on ileal digestibility and endogenous nitrogen losses in the pig, 90 (2001) 93
- Sowell, B.F., see Bowman, J.G.P., 78 (1999) 273
- Sowell, B.F., see Earley, A.V., 80 (1999) 281
- Sowell, B.F., see Taylor, N., 96 (2002) 193
- Spanghero, M. and Volpelli, L.A., A comparison of the predictions of digestible energy content of compound feeds for pigs by chemical or in vitro analysis, 81 (1999) 151
- Spanghero, M., Urinary pH and mineral excretion of cows fed four different forages supplemented with increasing levels of an anionic compound feed, 98 (2002) 153
- Spanghero, M., see Susmel, P., 79 (1999) 223
- Sprague, M., see Yu, P., 92 (2001) 1
- Sprague, M., see Yu, P., 94 (2001) 89
- Spreeuwenberg, M.A.M., see Goelema, J.O., 76 (1998) 35
- Sreerangaraju, G., Krishnamoorthy, U. and Kailas, M.M., Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131
- Stahringer, R.C., see Arakaki, L.C., 84 (2000) 121
- Stanford, K., Wallins, G.L., Lees, B.M. and Mündel, H.-H., Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249
- Steen, R.W.J., see Gordon, F.J., 79 (1999) 15
- Stefanon, B., see Susmel, P., 79 (1999) 223
- Steingass, H., see Iantcheva, N., 81 (1999) 333
- Stern, M.D., see Bach, A., 84 (2000) 23
- Stern, M.D., see Tapia, M.O., 97 (2002) 239
- Stewart, C.S., see Salawu, M.B., 77 (1999) 181
- Stewart, C.S., see Salawu, M.B., 79 (1999) 289
- Stewart, C.S., see Salawu, M.B., 82 (1999) 243
- Stewart, J.L., see Lister, S.J., 86 (2000) 221
- Stockebrand, S., see Alomar, D., 80 (1999) 309
- Stoltz, M.A., see Jones, R.J., 85 (2000) 269
- Storebakken, T., see Refstie, S., 79 (1999) 331
- Storebakken, T., see Skrede, A., 76 (1998) 103
- Straub, R.J., see Bal, M.A., 86 (2000) 83
- Strickling, J.A., Harmon, D.L., Dawson, K.A. and Gross, K.L., Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205
- Subba, D.B., see Khanal, R.C., 92 (2001) 17
- Subba, D.B., see Thorne, P.J., 81 (1999) 119
- Suchorska, O., see Marounek, M., 80 (1999) 223
- Südekum, K.-H., see Shannak, S., 85 (2000) 195
- Südekum, K.-H., see Shannak, S., 86 (2000) 269
- Sundstøl, F., see Shen, H.S., 80 (1999) 151
- Sundstøl, F., see Skrede, A., 76 (1998) 103
- Sundstøl, F., see Tolera, A., 79 (1999) 165
- Sundstøl, F., see Tolera, A., 81 (1999) 1
- Sundstøl, F., see Tolera, A., 85 (2000) 239
- Sundstøl, F., see Tolera, A., 87 (2000) 215
- Susenbeth, A., see Shannak, S., 85 (2000) 195
- Susenbeth, A., see Shannak, S., 86 (2000) 269
- Susmel, P., Spanghero, M. and Stefanon, B., Interpretation of rumen degradability of concen-

- trate feeds with a Gompertz model, 79 (1999) 223
 - Suvitie, M., see Khalili, H., 98 (2002) 103
 - Sviatko, P., see Kišidayová, S., 91 (2001) 223
 - Svihus, B., see Refstie, S., 79 (1999) 331
 - Svihus, B., Research note: a consistent low starch digestibility observed in pelleted broiler chicken diets containing high levels of different wheat varieties, 92 (2001) 45
 - Svihus, B., Edvardsen, D.H., Bedford, M.R. and Gullord, M., Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1
 - Swanson, K.C., Harmon, D.L., Jacques, K.A., Larson, B.T., Richards, C.J., Bohnert, D.W. and Paton, S.J., Efficacy of chromium-yeast supplementation for growing beef steers, 86 (2000) 95
 - Swenson, C.K., see Huerta, M., 95 (2002) 15
 - Świątkiewicz, S., see Żyła, K., 89 (2001) 113
 - Świąch, E., see Pastuszewska, B., 86 (2000) 117
 - Syrjälä-Qvist, L., see Dahlman, T., 98 (2002) 219
 - Syrjälä-Qvist, L., see Kokkonen, T., 84 (2000) 213
 - Syrjälä-Qvist, L., see Kokkonen, T., 84 (2000) 229
 - Syrjälä-Qvist, L., see Tesfa, A.T., 76 (1999) 275
- # T
- Tag-Eldin, A., see Kraidees, M.S., 76 (1998) 149
 - Tag-Eldin, A., see Kraidees, M.S., 76 (1999) 149
 - Taillade, P., see Cosson, T., 77 (1999) 345
 - Tait, R.M., see Baah, J., 77 (1999) 213
 - Takahashi, J., see Yahaya, M.S., 79 (1999) 137
 - Takahashi, J., see Yahaya, M.S., 92 (2001) 141
 - Tamminga, S., see Goelema, J.O., 76 (1998) 35
 - Tamminga, S., see Grala, W., 80 (1999) 207
 - Tamminga, S., see Muia, J.M.K., 92 (2001) 113
 - Tamminga, S., see Muia, J.M.K., 93 (2001) 177
 - Tamminga, S., see van Laar, H., 79 (1999) 179
 - Tamminga, S., see van Laar, H., 88 (2000) 13
 - Tamminga, S., see Yu, P., 86 (2000) 165
 - Tamminga, S., see Yu, P., 99 (2002) 141
 - Tan, Z.-L., see Huang, R.-L., 88 (2000) 79
 - Tang, Q., see Guo, Y., 89 (2001) 165
 - Tangendjaja, B., see Palmer, B., 87 (2000) 29
 - Tanko, R.J., see Larbi, A., 77 (1999) 33
 - Tapia, M.O., Stern, M.D., Koski, R.L., Bach, A. and Murphy, M.J., Effects of patulin on rumen microbial fermentation in continuous culture fermenters, 97 (2002) 239
 - Tavares, J.Y., see Kung, L., 84 (2000) 69
 - Taylor, N., Hatfield, P.G., Sowell, B.F., Bowman, J.G.P., Drouillard, J.S. and Dhuyvetter, D.V., Pellet and block supplements for grazing ewes, 96 (2002) 193
 - Taylor, S.J., see Getachew, G., 93 (2001) 1
 - Teferedegne, B., McIntosh, F., Osuji, P.O., Odenyo, A., Wallace, R.J. and Newbold, C.J., Influence of foliage from different accessions of the sub-tropical leguminous tree, *Sesbania sesban*, on ruminal protozoa in Ethiopian and Scottish sheep, 78 (1999) 11
 - Tegegne, A., see Dana, N., 86 (2000) 239
 - Teixeira, A., see Seabra, M., 89 (2001) 1
 - Tejido, M.L., Ranilla, M.J. and Carro, M.D., In vitro digestibility of forages as influenced by source of inoculum (sheep rumen versus Rusitec fermenters) and diet of the donor sheep, 97 (2002) 41
 - Ternouth, J.H., see Kume, S., 93 (2001) 157
 - Tesfa, A.T., Tuori, M., Syrjälä-Qvist, L., Pösö, R., Saloniemi, H., Heinonen, K., Kivilahti, K., Saukko, T. and Lindberg, L.-A., The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275
 - Thacker, P.A., Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hullless barley, 79 (1999) 29
 - Thacker, P.A., see Defa, L., 78 (1999) 179
 - Tham, W.A., see Pauly, T.M., 78 (1999) 127
 - Thapa, B., see Thorne, P.J., 81 (1999) 119
 - Theodorou, M.K., see Davies, Z.S., 83 (2000) 205
 - Theodorou, M.K., see Lowman, R.S., 80 (1999) 11
 - Theodorou, M.K., see Lowman, R.S., 97 (2002) 221
 - Theodorou, M.K., see Mauricio, R.M., 79 (1999) 321
 - Theodorou, M.K., see Mauricio, R.M., 89 (2001) 33
 - Thewis, A., see Moujahed, N., 88 (2000) 219
 - Thomke, S., see Wahlström, A., 77 (1999) 229
 - Thomson, E. and Nolan, J., UNEForm: a powerful feed formulation spreadsheet suitable for teaching or on-farm formulation, 91 (2001) 233
 - Thorne, P.J., Subba, D.B., Walker, D.H., Thapa, B., Wood, C.D. and Sinclair, F.L., The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119
 - Tisserand, J.L., see Ben Salem, H., 78 (1999) 297
 - Tisserand, J.L., see Drogoul, C., 87 (2000) 117
 - Tisserand, J.L., see Drogoul, C., 87 (2000) 131
 - Titgemeyer, E.C., see Löest, C.A., 94 (2001) 115
 - Titterton, M., see Ashbell, G., 91 (2001) 213
 - Titterton, M., see Maasdorp, B.V., 77 (1999) 49
 - Tivey, D.R., see Iji, P.A., 89 (2001) 175

- Tiwari, C.M., Chandramoni, A.S., Jadhao, S.B., Gowda, S.K. and Khan, M.Y., Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119
- Tiwari, C.M., see Chandramoni, 83 (2000) 287
- 't Mannetje, L., see Zemelink, G., 96 (2002) 31
- Todorov, N., see Iantcheva, N., 81 (1999) 333
- Toharmat, T., see Kume, S., 93 (2001) 157
- Toivonen, V., see Choi, C.W., 96 (2002) 203
- Tokach, M.D., see Grinstead, G.S., 83 (2000) 237
- Tokach, M.D., see James, B.W., 96 (2002) 135
- Tolera, A. and Sundstøl, F., Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1
- Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239
- Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215
- Tolera, A., Berg, T. and Sundstøl, F., The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165
- Tolosa, C., see Pascual, J.J., 81 (1999) 105
- Topps, J.H., see Hove, L., 91 (2001) 95
- Topps, J.H., see Mupangwa, J.F., 83 (2000) 139
- Torbert, H.A., see Moss, B.R., 94 (2001) 43
- Torrallardona, D., Conde, R., Esteve-García, E. and Brufau, J., Use of spray dried animal plasma as an alternative to antimicrobial medication in weanling pigs, 99 (2002) 119
- Toullec, R., see Salgado, P., 91 (2001) 197
- Toullec, R., see Salgado, P., 98 (2002) 187
- Touno, E., see Kondo, T., 80 (1999) 321
- Trater, A.M., see Löest, C.A., 94 (2001) 115
- Travers, V., see Julier, B., 79 (1999) 239
- Treacher, R., see ZoBell, D.R., 87 (2000) 279
- Treviño, J., Rodríguez, M.L., Ortiz, L.T., Rebolé, A. and Alzueta, C., Protein quality of linseed for growing broiler chicks, 84 (2000) 155
- Treviño, J., see Alzueta, C., 97 (2002) 169
- Treviño, J., see Rebolé, A., 78 (1999) 153
- Trigo-Stockli, D., see Reed, C., 88 (2000) 47
- Třináctý, J., Šimek, M. and Homolka, P., Nylon capsule method and alfalfa hay crude protein digestibility evaluation, 79 (1999) 269
- Tripathi, M.K., Agrawal, I.S., Sharma, S.D. and Mishra, D.P., Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization, liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73
- Effect of substitution of soybean meal with treated or untreated high glucosinolate mustard (*Brassica juncea*) meal on intake, digestibility, growth performance and body composition of calves, 94 (2001) 137
- Trocino, A., see Xiccato, G., 77 (1999) 201
- Tsiouvaras, C.N., see Papachristou, T.G., 80 (1999) 267
- Tuah, A.K., see Baah, J., 77 (1999) 213
- Tuitoek, J.K., see M'ncene, W.B., 78 (1999) 239
- Tumbleson, M.E., see Ledoux, D.R., 76 (1999) 227
- Tumbleson, M.E., see Wallig, M.A., 99 (2002) 205
- Tuori, M., see Kokkonen, T., 84 (2000) 213
- Tuori, M., see Kokkonen, T., 84 (2000) 229
- Tuori, M., see Tesfa, A.T., 76 (1999) 275
- Tuppi, K., see Laurinen, P., 83 (2000) 1
- Turner, J.E., see Coblenz, W.K., 89 (2001) 17
- Turner, J.E., see Scarbrough, D.A., 96 (2002) 119
- Twum, I.G., see Donkoh, A., 77 (1999) 163
- Tyagi, A.K., Influence of water soaking of mustard cake on glucosinolate hydrolysis, 99 (2002) 215
- Tyler, R.T., see Ankrah, N.O., 81 (1999) 205

U

- Uchida, K., Mandebvu, P., Ballard, C.S., Sniffen, C.J. and Carter, M.P., Effect of feeding a combination of zinc, manganese and copper amino acid complexes, and cobalt glucoheptanate on performance of early lactation high producing dairy cows, 93 (2001) 193
- Udén, P., see Dung, N.N.X., 95 (2002) 205
- Udén, P., see Shayo, C.M., 78 (1999) 141
- Udén, P., see Shayo, C.M., 82 (1999) 63
- Ulloa Rojas, J.B., Verreth, J.A.J., van Weerd, J.H. and Huisman, E.A., Effect of different chemical treatments on nutritional and antinutritional properties of coffee pulp, 99 (2002) 195
- Umunna, N.N., see Nsahla, I.V., 85 (2000) 223
- Unruh, J.A., see James, B.W., 96 (2002) 135
- Ünsal, I., see Kutlu, H.R., 90 (2001) 213

V

- Vadiveloo, J., Nutritional properties of the leaf and stem of rice straw, 83 (2000) 57
- Vaessen, L.M., see Goelema, J.O., 78 (1999) 109
- Valaja, J., see Dahlman, T., 98 (2002) 219
- Valaja, J., see Partanen, K., 93 (2001) 137
- Valaja, J., see Perttilä, S., 98 (2002) 203
- Valaja, J., see Pölönen, I., 99 (2002) 189
- Valdés, C., see Carro, M.D., 79 (1999) 279
- Valentin, S.F., Williams, P.E.V., Forbes, J.M. and Sauvante, D., Comparison of the in vitro gas production technique and the nylon bag degradability technique to measure short- and long-term processes of degradation of maize silage in dairy cows, 78 (1999) 81
- Van Amburgh, M.E., see Ruiz, R., 89 (2001) 155
- van Barneveld, R.J., see King, R.H., 83 (2000) 17
- Van De Voorde, G., see Van Nevel, C., 83 (2000) 89
- van der Merwe, G.D., see Meeske, R., 97 (2002) 159
- van der Peet-Schwering, C.M.C., see Scholten, R.H.J., 82 (1999) 1
- van der Poel, A.F.B., see Goelema, J.O., 76 (1998) 35
- van der Poel, A.F.B., see Goelema, J.O., 76 (1999) 35
- Van Driessche, E., see Van Nevel, C., 83 (2000) 89
- Van Driessche, E., see Van Nevel, C.J., 94 (2001) 147
- Van, D.T.T., Ledin, I. and Mui, N.T., Feed intake and behaviour of kids and lambs fed sugar cane as the sole roughage with or without concentrate, 100 (2002) 79
- van Gelder, A.H., see Cone, J.W., 76 (1999) 251
- van Gelder, A.H., see Cone, J.W., 96 (2002) 55
- van Gelder, A.H., see Cone, J.W., 97 (2002) 247
- van Gelder, A.H., see Cone, J.W., 99 (2002) 221
- Van Hove, C., see Lejeune, A., 84 (2000) 295
- Van Houtte, S., see Di Marco, O.N., 99 (2002) 37
- van Kempen, T. and Bodin, J.-C., Near-infrared reflectance spectroscopy (NIRS) appears to be superior to nitrogen-based regression as a rapid tool in predicting the poultry digestible amino acid content of commonly used feedstuffs, 76 (1998) 139
- Van Keulen, H., see Savadogo, M., 87 (2000) 57
- van Laar, H., Tamminga, S., Williams, B.A. and Verstegen, M.W.A., Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13
- van Laar, H., Tamminga, S., Williams, B.A., Verstegen, M.W.A. and Engels, F.M., Fermentation characteristics of cell-wall sugars from soya bean meal, and from separated endosperm and hulls of soya beans, 79 (1999) 179
- van Leeuwen, P., see Grala, W., 80 (1999) 207
- van Leeuwen, P., see Grala, W., 80 (1999) 231
- van Leeuwen, P., see Jansman, A.J.M., 98 (2002) 49
- Van Nevel, C., Seynaeve, M., Van De Voorde, G., De Smet, S., Van Driessche, E. and De Wilde, R., Effects of increasing amounts of *Lupinus albus* seeds without or with whole egg powder in the diet of growing pigs on performance, 83 (2000) 89
- Van Nevel, C.J., De Rycke, H., Beeckmans, S., De Wilde, R. and Van Driessche, E., Binding of biotinylated legume seed lectins with glycoproteins in blotted receptor-analogs: influence of incubation pH, 94 (2001) 147
- van Ravenswaay, R.O., Henry, P.R. and Ammerman, C.B., Effects of time and dietary iron on tissue iron concentration as an estimate of relative bioavailability of supplemental iron sources for ruminants, 90 (2001) 185
- van Ryssen, J.B.J. and Mavimbela, D.T., Broiler litter as a source of selenium for sheep, 78 (1999) 263
- Van Soest, P.J., see Licitra, G., 77 (1999) 99
- Van Soest, P.J., see Ruiz, R., 89 (2001) 155
- van Weerd, J.H., see Ulloa Rojas, J.B., 99 (2002) 195
- van Wijk, H.J., Moughan, P.J., Hodgkinson, S.M., Jansen, P.P. and Pearson, G., Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9
- Vanhatalo, A., see Choi, C.W., 96 (2002) 203
- Vanzant, E.S., see Mathis, C.P., 93 (2001) 31
- Váradyová, Z., Zelenák, I. and Siroka, P., In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127
- Vázquez de Aldana, B.R., García Ciudad, A., Zabalgogezcoa, I. and García Criado, B., Ergovaline levels in cultivars of *Festuca arundinacea*, 93 (2001) 169
- Vázquez de Aldana, B.R., see García-Ciudad, A., 77 (1999) 91
- Verreth, J.A.J., see Ulloa Rojas, J.B., 99 (2002) 195
- Venäläinen, E., see Perttilä, S., 98 (2002) 203
- Ventura, M.R., Castanon, J.I.R., Muzquiz, M., Mendez, P. and Flores, M.P., Influence of

- alkaloid content on intake of subspecies of *Chamaecytisus proliferus*, 85 (2000) 279
- Verbič, J., Ørskov, E.R., Žgajnar, J., Chen, X.B. and Žnidaršič-Pongrac, V., The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195
- Verma, A.K., Dass, R.S. and Mehra, U.R., Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253
- Verma, S.V.S., Gowda, S.K. and Elangovan, A.V., Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169
- Verma, S.V.S., see Elangovan, A.V., 88 (2000) 113
- Verneque, R.S., see Aroeira, L.J.M., 78 (1999) 313
- Verstegen, M.W.A., see van Laar, H., 79 (1999) 179
- Verstegen, M.W.A., see van Laar, H., 88 (2000) 13
- Verstegen, M.W.A., see Grala, W., 80 (1999) 207
- Verstegen, M.W.A., see Grala, W., 80 (1999) 231
- Verstegen, M.W.A., see Scholten, R.H.J., 82 (1999) 1
- Verreth, J.A.J., see Ulloa Rojas, J.B., 99 (2002) 195
- Vesseur, P.C., see Scholten, R.H.J., 82 (1999) 1
- Vestergaard, E.M., see Danielsen, V., 90 (2001) 71
- Vicente, F., see Martín-Orue, S.M., 88 (2000) 59
- Victor, X.V.A., see Zerbini, E., 98 (2002) 73
- Villas-Bôas, S.G., Esposito, E. and Mitchell, D.A., Microbial conversion of lignocellulosic residues for production of animal feeds, 98 (2002) 1
- Virkajärvi, P., Sairanen, A., Nousiainen, J.I. and Khalili, H., Effect of herbage allowance on pasture utilization, regrowth and milk yield of dairy cows in early, mid and late season, 97 (2002) 23
- Vissia, G.H.P. and Beynen, A.C., Inhibitory effect of dietary carboxymethylcellulose on fat digestibility in rats fed diets containing either starch or glucose, 85 (2000) 139
- Vitti, D.M.S.S., Abdalla, A.L., Silva Filho, J.C., del Mastro, N.L., Mauricio, R., Owen, E. and Mould, F., Misleading relationships between in situ rumen dry matter disappearance, chemical analyses and in vitro gas production and digestibility, of sugarcane bagasse treated with varying levels of electron irradiation and ammonia, 79 (1999) 145
- Vittori, A., see Aroeira, L.J.M., 78 (1999) 313
- Volpelli, L.A., see Spanghero, M., 81 (1999) 151
- Vough, L.R., see Min, D.H., 95 (2002) 143
- W**
- Wahlström, A., Elwinger, K. and Thomke, S., Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229
- Waldroup, P.W., see Watkins, S.E., 81 (1999) 35
- Walker, D.H., see Thorne, P.J., 81 (1999) 119
- Wallace, R.J., see El hassan, S.M., 86 (2000) 27
- Wallace, R.J., see Lopez, S., 78 (1999) 1
- Wallace, R.J., see Nsereko, V.L., 76 (1998) 51
- Wallace, R.J., see Teferedegne, B., 78 (1999) 11
- Wallig, M.A., see Ledoux, D.R., 76 (1999) 227
- Wallig, M.A., see Smith, A.H., 91 (2001) 41
- Wallig, M.A., Belyea, R.L. and Tumbleson, M.E., Effect of pelleting on glucosinolate content of Crambe meal, 99 (2002) 205
- Wallins, G.L., see Stanford, K., 81 (1999) 249
- Wanderley, R.C., Alhadhrami, G.A., Pessarakli, M., Aquino-Ramos, J.L. and Huber, J.T., An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207
- Wang, N., see Lemke, S.L., 93 (2001) 17
- Wang, X.-Q., see Liu, J.-X., 91 (2001) 129
- Wang, Z., see Okine, E.K., 92 (2001) 87
- Wathelet, J.-P., see Derycke, G., 81 (1999) 81
- Wathelet, J.-P., see Mabon, N., 85 (2000) 111
- Wathelet, J.-P., see Mandiki, S.N.M., 81 (1999) 93
- Wathelet, J.P., see Mandiki, S.N.M., 98 (2002) 25
- Watkins, S.E., Waldroup, P.W., Peters, J.P. and Desai, A.D., Stability of bacitracin methylene disalicylate and chlortetracycline in combination in a pelleted pig feed, 81 (1999) 35
- Wayne Kellogg, D., see Coblentz, W.K., 89 (2001) 17
- Webel, D.M., see Peter, C.M., 94 (2001) 199
- Webster, A.J.F., see Kitcherside, M.A., 86 (2000) 125
- Weimer, P.J. and Abrams, S.M., In vitro fermentation of polydextrose by bovine ruminal microorganisms, 93 (2001) 115
- Weinberg, Z.G., see Ashbell, G., 91 (2001) 213
- Weinberg, Z.G., see Filya, I., 88 (2000) 39
- Weisbjerg, M.R., see Salawu, M.B., 79 (1999) 289
- Weisbjerg, M.R., see Salawu, M.B., 82 (1999) 243
- Wemmers, A., see Goelema, J.O., 78 (1999) 109
- Wenk, C., The role of dietary fibre in the digestive physiology of the pig, 90 (2001) 21
- Wen-Shyg Chiou, P., see Huang, H.-J., 77 (1999) 303

- Wen-Shyg Chiou, P., Yu, B. and Wu, S.-S., Protein sub-fractions and amino acid profiles of rumen-undegradable protein in dairy cows from soybean, cottonseed and fish meals, 78 (1999) 65
- Wensing, T., see Xu, C., 81 (1999) 161
- West, J.W., see Mandebvu, P., 77 (1999) 317
- Weston, C.N., see Salawu, M.B., 94 (2001) 77
- Wettstein, H.-R., Machmüller, A. and Kreuzer, M., Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153
- Weyers, J.S., see Coblenz, W.K., 89 (2001) 17
- White, C.E., Campbell, D.R. and McDowell, L.R., Effects of dry matter content on trypsin inhibitors and urease activity in heat treated soya beans fed to weaned piglets, 87 (2000) 105
- White, C.L., see Hanbury, C.D., 87 (2000) 1
- White, C.L., see Rodehutsord, M., 82 (1999) 213
- White, C.L., Hanbury, C.D., Young, P., Phillips, N., Wiese, S.C., Milton, J.B., Davidson, R.H., Siddique, K.H.M. and Harris, D., The nutritional value of *Lathyrus cicera* and *Lupinus angustifolius* grain for sheep, 99 (2002) 45
- Wiedmeier, R.D., see ZoBell, D.R., 87 (2000) 279
- Wiedmeier, R.D., see ZoBell, D.R., 96 (2002) 221
- Wiese, S.C., see White, C.L., 99 (2002) 45
- Wilkins, A.L., see Meagher, L.P., 91 (2001) 157
- Wilkins, R.J. and Jones, R., Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23
- Wilkinson, B.H.P., see Moughan, P.J., 79 (1999) 309
- Williams, B.A., see van Laar, H., 79 (1999) 179
- Williams, B.A., see van Laar, H., 88 (2000) 13
- Williams, P.E.V., see Valentin, S.F., 78 (1999) 81
- Williams, S.P., see Salawu, M.B., 94 (2001) 77
- Wilman, D. and Adesogan, A., A comparison of filter bag methods with conventional tube methods of determining the in vitro digestibility of forages, 84 (2000) 33
- Wilman, D., Field, M., Lister, S.J. and Givens, D.I., The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139
- Wina, E., see Palmer, B., 87 (2000) 29
- Winters, A.L., Lloyd, J.D., Jones, R. and Merry, R.J., Evaluation of a rapid method for estimating free amino acids in silages, 99 (2002) 177
- Wiryawan, K.G. and Dingle, J.G., Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185
- Wiseman, J., Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1
- Wiseman, J., see Agunbiade, J.A., 80 (1999) 165
- Wiseman, J., see Aumaitre, A., 90 (2001) 1
- Wiseman, J., see Garnsworthy, P.C., 85 (2000) 33
- Wiseman, J., see Short, F.J., 79 (1999) 195
- Wiseman, J., see Zarkadas, L.N., 93 (2001) 93
- Wiseman, J., see Zarkadas, L.N., 95 (2002) 73
- Woldeghebriel, A., see Corley III, R.N., 79 (1999) 247
- Wood, C.D., see Thorne, P.J., 81 (1999) 119
- Woods, V.B., Moloney, A.P., Mulligan, F.J., Kenny, M.J. and O'Mara, F.P., The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135
- Woods, V.B., O'Mara, F.P. and Moloney, A.P., The in situ ruminal degradability of concentrate feedstuffs in steers as affected by level of feed consumption and ratio of grass silage to concentrate, 100 (2002) 15
- Wu, S.-S., see Wen-Shyg Chiou, P., 78 (1999) 65
- Wu, Y.-M., see Xu, N.-Y., 98 (2002) 167
- Wubben, J.E., see Albin, D.M., 87 (2000) 173
- Wynn, P.C., see Gulati, S.K., 98 (2002) 143

X

- Xandé, A., see Archimède, H., 87 (2000) 153
- Xiao, G.Q., see Hill, J., 89 (2001) 83
- Xiao, R.-J., Xu, Z.-R. and Chen, H.-L., Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119
- Xiao, Y., see Pölönen, I., 78 (1999) 39
- Xiccato, G., Trocino, A., Carazzolo, A., Meurens, M., Maertens, L. and Carabaño, R., Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201
- Xing, T.-X., see Huang, R.-L., 88 (2000) 79
- Xu, C., Wensing, T. and Beynen, A.C., Fat digestion and faecal bile acid excretion in veal calves fed milk replacers containing either coconut fat or tallow, 81 (1999) 161
- Xu, N.-Y., Wu, Y.-M., Chen, X.-J. and Liu, J.-X., Investigation on requirement of crude protein for maintenance in Shaoxing ducks, 98 (2002) 167
- Xu, Z.-R., see Xiao, R.J., 79 (1999) 119

Y

- Yahaya, M.S., Kimura, A., Harai, J., Nguyen, H.V., Kawai, M., Takahashi, J. and Matsuoka, S., Effect of length of ensiling on silo degradation and digestibility of structural carbohydrates of lucerne and orchardgrass, 92 (2001) 141
- Yahaya, M.S., Takahashi, J., Matsuoka, S. and Kibon, A., Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137
- Yano, F., see Konishi, C., 80 (1999) 115
- Yano, F., see Park, W.-Y., 88 (2000) 31
- Yano, H., see Konishi, C., 80 (1999) 115
- Yano, H., see Park, W.-Y., 88 (2000) 31
- Yavuz, M., see Bunting, L.D., 98 (2002) 61
- Yosef, E. and Ben-Ghedalia, D., Changes in thioacidolysis products of lignin in wheat straw as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 80 (1999) 55
- Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 83 (2000) 115
- Yosef, E., see Ben-Ghedalia, D., 91 (2001) 139
- Yoshida, N., see Islam, M.R., 92 (2001) 237
- Young, P., see O'Mara, F.P., 81 (1999) 167
- Young, P., see Rodehutsord, M., 82 (1999) 213
- Young, P., see White, C.L., 99 (2002) 45
- Yu, B., Huang, W.J. and Chiou, P.W.S., Bioavailability of iron from amino acid complex in weanling pigs, 86 (2000) 39
- Yu, B., see Huang, H.-J., 77 (1999) 303
- Yu, B., see Wen-Shyg Chiou, P., 78 (1999) 65
- Yu, P., Boon-ek, L., Leury, B.J. and Egan, A.R., Effect of dietary protein variation in terms of net truly digested intestinal protein (DVE) and rumen degraded protein balance (OEB) on the concentrations and excretion of urinary creatinine, purine derivatives and microbial N supply in sheep: comparison with the prediction from the DVE/OEB model, 93 (2001) 71
- Yu, P., Egan, A.R., Boon-ek, L. and Leury, B.J., Purine derivative excretion and ruminal microbial yield in growing lambs fed raw and dry roasted legume seeds as protein supplements, 95 (2002) 33
- Yu, P., Goelema, J.O. and Tamminga, S., Using the DVE/OEB model to determine optimal condi-

tions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

Yu, P., Leury, B.J., Sprague, M. and Egan, A.R., Effect of the DVE and OEB value changes of grain legumes (lupin and faba beans) after roasting on the performance of lambs fed a roughage-based diet, 94 (2001) 89

Yu, P., Sprague, M., Egan, A.R., Castleman, G.H. and Leury, B.J., Comparison of raw and roasted narbon beans (*Vicia narbonensis*) on performance and meat sensory attributes of lambs fed a roughage-based diet, 92 (2001) 1

Yu, P., Goelema, J.O., Leury, B.J., Tamminga, S. and Egan, A.R., An analysis of the nutritive value of heat processed legume seeds for animal production using the DVE/OEB model: a review, 99 (2002) 141

Yuan, J., see Guo, Y., 89 (2001) 165

Z

Zabalgogezcoa, I., see García-Ciudad, A., 77 (1999) 91

Zabalgogezcoa, I., see Vázquez de Aldana, B.R., 93 (2001) 169

Zahedifar, M., Castro, F.B. and Ørskov, E.R., Effect of hydrolytic lignin on formation of protein-lignin complexes and protein degradation by rumen microbes, 95 (2002) 83

Zaman, M.S., Mir, Z., Mir, P.S., El-Meadawy, A., McAllister, T.A., Cheng, K.-J., ZoBell, D. and Mathison, G.W., Performance and carcass characteristics of beef cattle fed diets containing silage from intercropped barley and annual ryegrass, 99 (2002) 1

Zanetti, M.A., see Pott, E.B., 79 (1999) 93

Zarkadas, L.N. and Wiseman, J., Influence of processing variables during micronization of wheat on starch structure and subsequent performance and digestibility in weaned piglets fed wheat-based diets, 93 (2001) 93

Influence of micronization temperature and pre-conditioning on performance and digestibility in piglets fed barley-based diets, 95 (2002) 73

Zeleňák, I., see Váradyová, Z., 83 (2000) 127

Zemmelink, G. and 't Mannetje, L., Value for animal production (VAP): a new criterion for tropical forage evaluation, 96 (2002) 31

Zemmelink, G., see Savadogo, M., 84 (2000) 265

Zemmelink, G., see Savadogo, M., 87 (2000) 57

- Zerbini, E., Krishan, C.T., Victor, X.V.A. and Sharma, A., Composition and in vitro gas production of whole stems and cell walls of different genotypes of pearl millet and sorghum, 98 (2002) 73
- Zerbini, E., Sharma, A. and Rattunde, H.F.W., Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17
- Zervas, G., Fegeros, K., Koytsotolis, K., Goulas, C. and Mantzios, A., Soy hulls as a replacement for maize in lactating dairy ewe diets with or without dietary fat supplements, 76 (1998) 65
- Žgajnar, J., see Verbič, J., 82 (1999) 195
- Žnidaršič-Pongrac, V., see Verbič, J., 82 (1999) 195
- ZoBell, D.R., Olson, K.C., Wiedmeier, R.D., Sass, D., Shinnors, K.J. and McAllister, T.A., Effects of processed corn silage on its digestibility and production of growing beef replacement heifers, 96 (2002) 221
- ZoBell, D.R., Wiedmeier, R.D., Olson, K.C. and Treacher, R., The effect of an exogenous enzyme treatment on production and carcass characteristics of growing and finishing steers, 87 (2000) 279
- ZoBell, D., see Zaman, M.S., 99 (2002) 1
- Zollitsch, W., see Knaus, W., 81 (1999) 265
- Zomberg, Z., see Ben-Ghedalia, D., 91 (2001) 139
- Zukerman, E., see Ben-Ghedalia, D., 91 (2001) 139
- Żyła, K., Koreleski, J., Świątkiewicz, S., Ledoux, D.R. and Piironen, J., Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113





ELSEVIER


Animal Feed Science and Technology
(2002) 157–264

ANIMAL FEED
SCIENCE AND
TECHNOLOGY

www.elsevier.com/locate/anifeedsci

Subject index

*Animal Feed Science and Technology, volumes 76–100,
1998–2002*



A

Abomasum

Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189

Acacia

Nutritive evaluation of some Acacia tree leaves from Kenya, 85 (2000) 89

Proanthocyanidins and other phenolics in Acacia leaves of Southern Africa, 91 (2001) 59

Acacia angustissima

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Evaluation of toxicity of *Acacia angustissima* in a rat bioassay, 91 (2001) 41

Acacia boliviana

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Acacia cyanophylla

Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297

Supplementation of *Acacia cyanophylla* Lindl. foliage-based diets with barley or shrubs from arid areas (*Opuntia ficus-indica* f. *inermis* and *Atriplex nummularia* L.) on growth and digestibility in lambs, 96 (2002) 15

Acacia cyanophylla Lindl.

Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

Acetogenic bacteria

Effect of adding acetogenic bacteria on methane production by mixed rumen microorganisms, 78 (1999) 1

Acetyl bromide lignin

Changes in thioacidolysis products of lignin in wheat straw as affected by SO₂ treatment and

passage through the gastro-intestine of sheep, 80 (1999) 55

Acid concentration

The influence of hydrochloric acid concentration and measurement method on the determination of amino acid levels in soya bean products, 87 (2000) 173

Acid phosphatase

Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize-soybean meal or barley-soybean meal diets, 77 (1999) 125

Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113

Acid-insoluble ash

A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49

Actinomyces

Effect of inoculation of herbage prior to ensiling with *Streptomyces achromogenes* ISP 5028 on chemical composition of silage, 89 (2001) 83

Additive

The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15

ADF

Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77

Effects of processed corn silage on its digestibility and production of growing beef replacement heifers, 96 (2002) 221

ADL

Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77

Aerobic stability

Ensiling of whole crop wheat with cellulase-hemicellulase based enzymes. 3. Comparing effects of urea or enzyme treatment on forage composition and stability, 82 (1999) 51

- The effect of bacterial inoculants on the fermentation and aerobic stability of whole crop wheat silage, 88 (2000) 39
- Effect of adding caprylic and capric acid to grass on fermentation characteristics during ensiling and in the artificial rumen system RUSITEC, 99 (2002) 65
- Affinity purified**
- Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335
- Aflatoxicol**
- Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109
- Aflatoxicosis**
- Physiological and toxicological responses in rats fed aflatoxin-contaminated diet with or without sorbent materials, 97 (2002) 209
- Aflatoxin B₁**
- Development of a multi-tiered approach to the in vitro prescreening of clay-based enterosorbents, 93 (2001) 17
- Aflatoxins**
- Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109
- Physiological and toxicological responses in rats fed aflatoxin-contaminated diet with or without sorbent materials, 97 (2002) 209
- Agglutination**
- A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321
- Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335
- Air pollution**
- Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243
- Albizia lebbeck**
- Utilisation of tropical dry season grass by ruminants is increased by feeding fallen leaf of siris (*Albizia lebbeck*), 96 (2002) 175
- Alfalfa**
- Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321
- Associative effects of supplementing barley straw diets with alfalfa hay on rumen environment and nutrient intake and digestibility for ewes, 87 (2000) 163
- Effects of fungal enzyme preparations on hydrolysis and subsequent degradation of alfalfa hay fiber by mixed rumen microorganisms in vitro, 88 (2000) 153
- Residual metabolizable feed consumption as a method of comparing feed efficiency in steers fed silage and silage-grain diets, 92 (2001) 87
- Relationships between crude protein and mineral concentrations in alfalfa and value of alfalfa silage as a mineral source for periparturient cows, 93 (2001) 157
- Alfalfa hay**
- Nylon capsule method and alfalfa hay crude protein digestibility evaluation, 79 (1999) 269
- Alfalfa silage**
- Digestion by sheep of monosaccharide constituents of direct cut alfalfa silage made with SO₂-treated wheat straw, 92 (2001) 175
- Algae**
- Effects of *Spirulina platensis* on growth performance of weanling pigs, 83 (2000) 237
- Alkali treatment**
- Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169
- Alkaline treatment**
- Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59
- Alkaloids**
- Influence of alkaloid content on intake of subspecies of *Chamaecytisus proliferus*, 85 (2000) 279
- n-Alkane**
- Use of artificially applied n-alkanes as markers for the estimation of digestibility, food selection and intake in pigeons (*Columba livia*), 94 (2001) 65
- Allantoin**
- Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279

Allantoin excretion

Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Alysicarpus glumaceus

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

AME

A note on a comparison of the feeding value of sweet potato vines and lucerne meal for broiler chickens, 85 (2000) 145

Effects of acid and alkali concentration on in vitro measurement of wheat viscosity, 98 (2002) 237

AME values

A comparison of total and digestible amino acids in diets for broilers and layers, 82 (1999) 131

Amelioration

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

AME_n

The non-mineral nutritional impact of phytate in canola meal fed to broiler chicks, 91 (2001) 115

Amino acid

Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9

Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103

Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267

Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79

Application of a method to determine ileal digestibility in broilers of amino acids in wheat, 79 (1999) 195

Protein quality in blood meal. I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301

Effects of expander-treating a barley-based concentrate on ruminal fermentation, bacterial N synthesis, escape of dietary N, and performance of dairy cows, 90 (2001) 227

The non-mineral nutritional impact of phytate in canola meal fed to broiler chicks, 91 (2001) 115

Amino acid composition

Evaluation through literature data of the amount and amino acid composition of basal endogenous crude protein at the terminal ileum of pigs, 98 (2002) 49

Amino acid profile

Protein sub-fractions and amino acid profiles of rumen-undegradable protein in dairy cows from soybean, cottonseed and fish meals, 78 (1999) 65

Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass[®]) determined in situ, 83 (2000) 31

Rumen degradability and intestinal indigestibility of individual amino acids in corn gluten meal, canola meal and fish meal determined in situ, 94 (2001) 127

Amino acid retention

Protein quality of linseed for growing broiler chicks, 84 (2000) 155

Amino acids

Near-infrared reflectance spectroscopy (NIRS) appears to be superior to nitrogen-based regression as a rapid tool in predicting the poultry digestible amino acid content of commonly used feed-stuffs, 76 (1998) 139

The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289

Effect of fat coating on rumen degradation and intestinal digestibility of soybean meal, 81 (1999) 309

Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157

Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83

The influence of hydrochloric acid concentration and measurement method on the determination of amino acid levels in soya bean products, 87 (2000) 173

An in vitro method for the estimation of ileal crude protein and amino acids digestibility using the dialysis tubing for pig feedstuffs, 88 (2000) 79

Prediction of the standardized ileal true digestibility of amino acids from the chemical composition of oilseed meals in the growing pig, 90 (2001) 103

Prediction of amino acid profiles in feed ingredients: Genetic algorithm calibration of artificial neural networks, 90 (2001) 131

Influence of time of feeding a protein meal on diurnal patterns of amino acids in duodenal digesta protein of lactating dairy cows, 97 (2002) 115

Apparent and standardised true ileal digestibility of protein and amino acids from faba bean, lupin and pea, provided as whole seeds, dehulled or extruded in pig diets, 97 (2002) 183

Digestibility and nitrogen utilisation of diets containing protein at different levels and supplemented with DL-methionine, L-methionine and L-lysine in blue fox (*Alopex lagopus*), 98 (2002) 219

Ammonia treatment

Differences in chemical composition and fibre digestion of rice straw with, and without, anhydrous ammonia from 53 rice varieties, 79 (1999) 129

Ammonia utilization

Effect of barley and its amylopectin content on ruminal fermentation and bacterial utilization of ammonia-N in vitro, 99 (2002) 25

Ammoniated straw

Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119

Ammonia-treated barley straw

Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149

Amylase

Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

Anaerobic fungal cultures

Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201

Anaerobic fungi

Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297

Analysis

FibreCap: an improved method for the rapid analysis of fibre in feeding stuffs, 86 (2000) 125

Animal agriculture

Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267

Animal fat

Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115

Animal performance

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 1. Animal performance and thyroid histology, 81 (1999) 81

Animal physiology

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 2. Plasma substances and activity of the thyroid, 81 (1999) 93

Animal waste

Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267
Broiler litter as a source of selenium for sheep, 78 (1999) 263

Anionic diet

Urinary pH and mineral excretion of cows fed four different forages supplemented with increasing levels of an anionic compound feed, 98 (2002) 153

Antibiotics

Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223
Stability of bacitracin methylene disalicylate and chlortetracycline in combination in a pelleted pig feed, 81 (1999) 35
Effect of dietary carbadox or formic acid and fibre level on ileal and faecal nutrient digestibility and microbial metabolite concentrations in ileal digesta of the pig, 93 (2001) 137

Antigenic proteins

Lupinus luteus, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1

Antimicrobial additives

Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139

Antimicrobial agents

Use of spray dried animal plasma as an alternative to antimicrobial medication in weanling pigs, 99 (2002) 119

Antimicrobials

Effects of various compounds on in vitro ruminal fermentation and production of sulfide, 84 (2000) 69

Antinutrients

In vitro rumen degradability of crude protein in seeds from four *Sesbania* spp. and the effects of treatments designed to reduce the levels of antinutrients in the seeds, 95 (2002) 49

Antinutritional compounds

Effects of increasing amounts of *Lupinus albus* seeds without or with whole egg powder in the diet of growing pigs on performance, 83 (2000) 89

Antinutritional factors

A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1

The effect of extrusion cooking on mineral bioavailability in pea and kidney bean seed meals, 94 (2001) 1

Effect of different chemical treatments on nutritional and antinutritional properties of coffee pulp, 99 (2002) 195

Apparent ileal digestibility

Apparent ileal digestibility of amino acids in protein feedstuffs and diet formulation based on total vs digestible lysine for poultry, 98 (2002) 203

Arabinoxylans

Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1999) 219

Artificial neural networks

Prediction of amino acid profiles in feed ingredients: Genetic algorithm calibration of artificial neural networks, 90 (2001) 131

Artificial rumen

Effect of elevated cobalt intake on fermentative parameters and protozoan population in RUSITEC, 91 (2001) 223

In vitro digestibility of forages as influenced by source of inoculum (sheep rumen versus Rusitec fermenters) and diet of the donor sheep, 97 (2002) 41

A. rugosus

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Aspergillus niger

Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103

Value of *Aspergillus niger* fermentation product as a dietary ingredient for broiler chickens, 91 (2001) 171

Assay

A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321

Enzymatic assays for xylanase and β -glucanase feed enzymes, 77 (1999) 345

Analysis of condensed tannins: a review, 91 (2001) 21

Associative effects

Associative effects of supplementing barley straw diets with alfalfa hay on rumen environment and nutrient intake and digestibility for ewes, 87 (2000) 163

Utilisation of tropical dry season grass by ruminants is increased by feeding fallen leaf of siris (*Albizia lebbbeck*), 96 (2002) 175

Astaxanthin

Pigmenting efficacy of astaxanthin and canthaxanthin in fresh-water reared Atlantic salmon, *Salmo salar*, 99 (2002) 97

Asystasia intrusa

Intake, digestibility and nitrogen utilization of three tropical tree legumes. I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91

Atlantic salmon

Pigmenting efficacy of astaxanthin and canthaxanthin in fresh-water reared Atlantic salmon, *Salmo salar*, 99 (2002) 97

Atriplex nummularia

Supplementation of *Acacia cyanophylla* Lindl. foliage-based diets with barley or shrubs from arid areas (*Opuntia ficus-indica* f. *inermis* and *Atriplex nummularia* L.) on growth and digestibility in lambs, 96 (2002) 15

Autumn

The effect of sodium chloride supplementation on the milk production of grazing Holstein Friesian cows during summer and autumn in a humid sub-tropical environment, 96 (2002) 147

Availability

Effects of fungal phytase addition, formaldehyde treatment and dietary concentrate content on ruminal phosphorus availability, 99 (2002) 73

Available phosphorus

Bioavailability of phosphorus in corn gluten feed derived from conventional and low-phytate maize, 95 (2002) 63

Azolla

Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid, 81 (1999) 43

Carotene content of *Azolla* and its variations during drying and storage treatments, 84 (2000) 295

B**Bacteria**

Production of *Ruminococcus flavefaciens* growth inhibitor(s) by *Ruminococcus albus*, 77 (1999) 61

Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205

Bacterial adhesion

In vitro microbial fermentation of tropical grasses at an advanced maturity stage, 83 (2000) 145

Bacterial inoculants

The effect of bacterial inoculants on the fermentation and aerobic stability of whole crop wheat silage, 88 (2000) 39

Bacterial protein meal

Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103

B. decumbens

Measurements of physical strength and their relationship to the chemical composition of four species of *Brachiaria*, 92 (2001) 149

Bagasse

Misleading relationships between in situ rumen dry matter disappearance, chemical analyses and in vitro gas production and digestibility, of sugar-cane bagasse treated with varying levels of electron irradiation and ammonia, 79 (1999) 145

Bahiagrass

Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243

Bamboo shoot shells

Addition of rice straw or/and wheat bran on composition, ruminal degradability and voluntary intake of bamboo shoot shells silage fed to sheep, 91 (2001) 129

Barley

Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9

The effect of chemical treatment of barley on starch digestion in ruminants, 77 (1999) 73

Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hullless barley, 79 (1999) 29

Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247

Processed cereals in diets for early-weaned piglets, 82 (1999) 145

Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

Chemical characterization and in situ nutrient degradability of wet distillers' grains derived

- from barley-based ethanol production, 83 (2000) 301
- Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13
- Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199
- Physical processing of barley and its effects on intra-caecal fermentation parameters in ponies, 85 (2000) 79
- Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1
- Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59
- Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199
- Effects of expander-treating a barley-based concentrate on ruminal fermentation, bacterial N synthesis, escape of dietary N, and performance of dairy cows, 90 (2001) 227
- Research note: a consistent low starch digestibility observed in pelleted broiler chicken diets containing high levels of different wheat varieties, 92 (2001) 45
- Relationships between ruminal dry matter and starch disappearance and apparent digestibility of barley grain, 94 (2001) 155
- Influence of micronization temperature and pre-conditioning on performance and digestibility in piglets fed barley-based diets, 95 (2002) 73
- Processing of barley and enzyme supplementation in diets for young pigs, 95 (2002) 113
- Supplementation of *Acacia cyanophylla* Lindl. foliage-based diets with barley or shrubs from arid areas (*Opuntia ficus-indica* f. *inermis* and *Atriplex nummularia* L.) on growth and digestibility in lambs, 96 (2002) 15
- Patterns of rumen fermentation in bulls fed barley/molasses diets, 97 (2002) 53
- Effect of barley and its amylopectin content on ruminal fermentation and bacterial utilization of ammonia-N in vitro, 99 (2002) 25

Barley cultivars

- Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215

Barley grain

- Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs, 82 (1999) 37
- Effect of rates and extent of ruminal barley grain dry matter and starch disappearance on bloat, liver abscesses, and performance of feedlot steers, 97 (2002) 145

Barley silage

- Performance and carcass characteristics of beef cattle fed diets containing silage from intercropped barley and annual ryegrass, 99 (2002) 1

Barley variety

- Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79

B. ruziziensis

- Measurements of physical strength and their relationship to the chemical composition of four species of *Brachiaria*, 92 (2001) 149

Basal endogenous protein

- Evaluation through literature data of the amount and amino acid composition of basal endogenous crude protein at the terminal ileum of pigs, 98 (2002) 49

Beef cattle

- Efficacy of chromium-yeast supplementation for growing beef steers, 86 (2000) 95
- Performance and carcass characteristics of beef cattle fed diets containing silage from intercropped barley and annual ryegrass, 99 (2002) 1
- The in situ ruminal degradability of concentrate feedstuffs in steers as affected by level of feed consumption and ratio of grass silage to concentrate, 100 (2002) 15

Beef cows

- Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133

Beef heifer

- Effects of processed corn silage on its digestibility and production of growing beef replacement heifers, 96 (2002) 221

Beet pulp

Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121

Behaviour

Influence of liquid supplement delivery method on forage and supplement intake by grazing beef cows, 78 (1999) 273

The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129

Effect of dietary fibre on the behaviour and health of the restricted fed sow, 90 (2001) 53

Dietary fibre for pregnant sows: effect on performance and behaviour, 90 (2001) 71

Bengal gram husk

Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131

Bentonite

Effects of bentonite on rumen fermentation and duodenal flow of dietary components in sheep fed palm kernel cake by-product, 92 (2001) 127

Benzoic acid

Formic acid-sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39

Bermudagrass

Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317

Berseem supplementation

Effect of different levels of berseem (*Trifolium alexandrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133

Betaine

Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71

The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85

Betaine bypass

Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71

Bile acids

Fat digestion and faecal bile acid excretion in veal calves fed milk replacers containing either coconut fat or tallow, 81 (1999) 161

Bioavailability

Estimated relative bioavailability of supplemental inorganic molybdenum sources and their effect on tissue molybdenum and copper concentrations in lambs, 79 (1999) 107

Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103

Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23

Bioavailability of iron from amino acid complex in weanling pigs, 86 (2000) 39

Effects of time and dietary iron on tissue iron concentration as an estimate of relative bioavailability of supplemental iron sources for ruminants, 90 (2001) 185

Relative bio-availability of phosphorus from Venezuelan raw rock phosphates for poultry, 94 (2001) 103

Bioconversion

Microbial conversion of lignocellulosic residues for production of animal feeds, 98 (2002) 1

Birds

Use of artificially applied *n*-alkanes as markers for the estimation of digestibility, food selection and intake in pigeons (*Columba livia*), 94 (2001) 65

Birdsfoot trefoil

Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

Biuret

Urea and biuret as nonprotein nitrogen sources in cooked molasses blocks for steers fed prairie hay, 94 (2001) 115

Bloat

Effect of rates and extent of ruminal barley grain dry matter and starch disappearance on bloat, liver abscesses, and performance of feedlot steers, 97 (2002) 145

Blood

Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization, liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73

Blood analytes

Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

Blood biochemistry

Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119

Blood composition

Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25

Blood meal

Protein quality in blood meal. I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301

Protein quality in blood meal. II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309

Quality characteristics of broiler blood meal as affected by yeast, glucose oxidase, and antioxidant treatments, 83 (2000) 159

Protein degradability and intestinal digestibility of blood meals: comparison of two processing methods, 88 (2000) 91

Blood metabolites

Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221

Blood parameters

The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163

Blue fox

Effect of hepatic folic acid status on formic acid metabolism in blue foxes (*Alopex lagopus*), 99 (2002) 189

Blue fox (*Alopex lagopus*)

Digestibility and nitrogen utilisation of diets containing protein at different levels and supplemented with DL-methionine, L-methionine and L-lysine in blue fox (*Alopex lagopus*), 98 (2002) 219

Body composition

Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1999) 241

The effect of dietary fat on the performance and body composition of rabbits in their second lactation, 86 (2000) 191

Effect of substitution of soybean meal with treated or untreated high glucosinolate mustard (*Brassica juncea*) meal on intake, digestibility, growth performance and body composition of calves, 94 (2001) 137

Body growth

Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175

Body weight gain

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239

Bone mineralization

Relative bio-availability of phosphorus from Venezuelan raw rock phosphates for poultry, 94 (2001) 103

Botanical fractions

Effect of variety, soil type and fertiliser on the establishment, growth, forage yield, quality and voluntary intake by cattle of oats and vetches cultivated in pure stands and mixtures, 92 (2001) 95

Effect of variety, stages of maturity and botanical fractions on phosphorous concentration and in situ degradability characteristics of phosphorous of whole crop rice silage, 92 (2001) 237

Bound tannins

Content of soluble and bound condensed tannins of three tropical herbaceous forage legumes, 83 (2000) 139

Brachiaria brizantha

Measurements of physical strength and their relationship to the chemical composition of four species of *Brachiaria*, 92 (2001) 149

Broiler

Effects of feeding crambe meal upon intake, gain, health and meat quality of broiler chicks, 76 (1999) 227

The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163

Non-phytin phosphorus requirements of commercial broilers and White Leghorn layers, 80 (1999) 1

Chemical composition of solar-dried blood meal and its effect on performance of broiler chickens, 81 (1999) 299

Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103

Quality characteristics of broiler blood meal as affected by yeast, glucose oxidase, and antioxidant treatments, 83 (2000) 159

Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279

The effects of sepiolite in broiler chicken diets of high, medium and low viscosity. Productive performance and nutritive value, 85 (2000) 183

Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113

Effects of providing dietary wood (oak) charcoal to broiler chicks and laying hens, 90 (2001) 213

The non-mineral nutritional impact of phytate in canola meal fed to broiler chicks, 91 (2001) 115

Value of *Aspergillus niger* fermentation product as a dietary ingredient for broiler chickens, 91 (2001) 171

Research note: a consistent low starch digestibility observed in pelleted broiler chicken diets containing high levels of different wheat varieties, 92 (2001) 45

Threonine and crude protein responses in broiler chicks, 94 (2001) 57

Effect of dietary monounsaturated/saturated fatty acid ratio on fatty acid composition and oxidative stability of tissues in broilers, 95 (2002) 189

Effects of removal of mucilage and enzyme or sepiolite supplement on the nutrient digestibility and metabolizable energy of a diet containing linseed in broiler chickens, 97 (2002) 169

Apparent ileal digestibility of amino acids in protein feedstuffs and diet formulation based on total vs digestible lysine for poultry, 98 (2002) 203

Broiler chick

Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267

Protein quality of linseed for growing broiler chicks, 84 (2000) 155

Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Broiler chickens

The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85

Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175

Effects of wheat structure and viscosity on coccidiosis in broiler chickens, 98 (2002) 37

Broiler litter

Broiler litter as a source of selenium for sheep, 78 (1999) 263

Yield and quality of three corn hybrids as affected by broiler litter fertilization and crop maturity, 94 (2001) 43

The nutritional composition, fermentation characteristics, in sacco degradation and fungal pathogen dynamics of sugarcane tops ensiled with broiler litter with or without water, 94 (2001) 171

Growth and metabolic responses of Holstein calves fed broiler litter-based diets supplemented with L-carnitine, 98 (2002) 61

Browse

Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181

Method of polyethylene glycol application to tannin-containing browes to improve microbial fermentation and efficiency of microbial protein synthesis from tannin-containing browes, 92 (2001) 51

Browse intake

Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267

Browse plants

Chemical composition, in sacco degradation and in vitro gas production of some Ghanaian browse plants, 76 (1998) 129

Browse seeds

Tannin content, nutritive value and dry matter digestibility of *Lonchocarpus capassa*, *Zizyphus mucronata*, *Sclerocarya birrea*, *Kirkia acuminata* and *Rhus lancea* seeds, 91 (2001) 107

Browse species

Condensed tannin content of several shrub species from a mountain area in northern Spain, and its relationship to various indicators of nutritive value, 95 (2002) 215

Brush border membrane

A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321

Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335

Buddleia

Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Buffalo

Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117

Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121

Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253

Buffer

Effects of source and level of nitrogen, and changing buffer/ruminal fluid at 48 h on in vitro digestion of feedstuffs, 93 (2001) 43

Buffering capacity

Intrinsic buffering capacity of feedstuffs, 96 (2002) 83

Bushel weight

Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1

By-pass protein

Effect of fat coating on rumen degradation and intestinal digestibility of soybean meal, 81 (1999) 309

By-product feedstuffs

Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255

Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — in vivo and in vitro digestibility, 85 (2000) 99

C

C. goreensis

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Ca: P ratio

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Caecal microbial activity

Microbial activity in the caecum of the rabbit around weaning: impact of a dietary fibre deficiency and of intake level, 99 (2002) 107

Caecum

Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223

Calcium

Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103

Calcium oxide

Rumen degradation in sacco in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313

Calibration transfer

The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325

Calliandra calothyrsus

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289

Intake, digestibility and nitrogen utilization of three tropical tree legumes. II. As protein supplements, 82 (1999) 107

The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*, 87 (2000) 29

***Calliandra* sp.**

Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181

Calves

Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization, liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73

Effect of substitution of soybean meal with treated or untreated high glucosinolate mustard (*Brassica juncea*) meal on intake, digestibility, growth performance and body composition of calves, 94 (2001) 137

Growth and metabolic responses of Holstein calves fed broiler litter-based diets supplemented with L-carnitine, 98 (2002) 61

Camels' and cows' nutrition

An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207

Canine

Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205

Canola

The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177

Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

Canola meal

The non-mineral nutritional impact of phytate in canola meal fed to broiler chicks, 91 (2001) 115

Canola presscake

Effects of untreated and heat-treated canola presscake on milk yield and composition of dairy cows, 89 (2001) 97

Canthaxanthin

Pigmenting efficacy of astaxanthin and canthaxanthin in fresh-water reared Atlantic salmon, *Salmo salar*, 99 (2002) 97

Carbohydrazase

Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

Carbohydrate fractions

Comparison of major carbohydrate fractions and cell wall digestibility in silages made from older and newer maize genotypes grown in the UK, 89 (2001) 69

Use of the automated gas production technique to determine the fermentation kinetics of carbohydrate fractions in maize silage, 93 (2001) 205

Carbohydrate substrates

Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223

Carbohydrate supplements

The effect of the form of nitrogen in the diet on ruminal fermentation and the yield of microbial protein in sheep consuming diets of grass silage

supplemented with starch or sucrose, 78 (1999) 227

Carboxymethylcellulose

Inhibitory effect of dietary carboxymethylcellulose on fat digestibility in rats fed diets containing either starch or glucose, 85 (2000) 139

Carcass

Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs, 82 (1999) 37

Carcass characteristics

Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119

Effect of creatine monohydrate on finishing pig growth performance, carcass characteristics and meat quality, 96 (2002) 135

Effect of feeding whole wheat on performance of broiler chickens, 96 (2002) 229

Effects of supplemental organic chromium on growth, feed efficiency and carcass characteristics of feedlot steers, 98 (2002) 121

Carcass performance

Carcass quality, meat chemical and fatty acid composition of lambs fed diets containing extruded soybeans and sunflower seeds, 97 (2002) 103

Carcass traits

Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71

Carcass yield

The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85

Carotene

Carotene content of *Azolla* and its variations during drying and storage treatments, 84 (2000) 295

Cassava leaf meal

Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223

Cassava peels

Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213

Cassia mimosoides and Ipomea eriocarpa

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Cat

Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109

Cattle

The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57

Effect of different levels of berseem (*Trifolium alexandrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133

A comparison of digestibility of some concentrate feed ingredients in cattle and sheep, 81 (1999) 167

Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221

Patterns of rumen fermentation in bulls fed barley/molasses diets, 97 (2002) 53

The effect of adding an enzyme containing lactic acid bacterial inoculant to big round bale oat silage on intake, milk production and milk composition of Jersey cows, 97 (2002) 159

Cattle beef

The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135

Cattle-beef supplement

Influence of liquid supplement delivery method on forage and supplement intake by grazing beef cows, 78 (1999) 273

Cattle-communal

The nutritional value of *Piliostigma thonningii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287

Cattle-dairy

Protein sub-fractions and amino acid profiles of rumen-undegradable protein in dairy cows from soybean, cottonseed and fish meals, 78 (1999) 65

Cell contents

The release of intracellular constituents from fresh ryegrass (*Lolium perenne* L.) during ingestive mastication in dairy cows: effect of intracellular constituent, season and stage of maturity, 93 (2001) 229

The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83

Cell wall components

In sacco degradability, chemical and morphological composition of 15 varieties of European rice straw, 94 (2001) 15

Cell wall digestibility

Comparison of major carbohydrate fractions and cell wall digestibility in silages made from older and newer maize genotypes grown in the UK, 89 (2001) 69

Cell walls

Fermentation characteristics of cell-wall sugars from soya bean meal, and from separated endosperm and hulls of soya beans, 79 (1999) 179

Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13

Cellulolytic bacteria

Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic micro-organisms, 80 (1999) 297

Cellulose

Contribution of storage and structural polysaccharides to the fermentation process and nutritive value of lucerne ensiled alone or mixed with cereal grains, 92 (2001) 159

Cell-wall

Measurement of cell-wall digestibility in lucerne using the filter bag technique, 79 (1999) 239

Cell-wall degradation

The use of near-infrared spectroscopy to estimate the extent of cell-wall degradation, 95 (2001) 17

Cell-wall digest

Measurement of cell-wall digestibility using the filter bag technique, 95 (2001) 17

Central highland

Effect of variety and establishment on voluntary intake of cattle cultivated in paddy fields, 95 (2001) 17

Cereal grain for

Ruminal nitrogen utilization in cattle: effect of cereal grain type, 94 (2001) 15

Cereal grains

A review of wheat and barley grains and animal nutrition, 78 (1999) 65

Contribution of cereal grains to the feed value of lucerne-based diets, 94 (2001) 15

Chamaecytisus

Influence of alkaline conditions on the growth of *Chamaecytisus*, 94 (2001) 15

Chelation

The effect of mineral chelation on the formation of mineral complexes in a slurry of cattle manure, 94 (2001) 15

Chemical analysis

Chemical composition and its effect on the nutritive value of lucerne, 81 (1999) 297

Chemical character

Effect of sodium peroxide treatment on the chemical characteristics of lucerne, 92 (2001) 159

Chemical composition

Effect of freezing on the infrared reflectance of lucerne, 94 (2001) 15

Cattle-dairy

Protein sub-fractions and amino acid profiles of rumen-undegradable protein in dairy cows from soybean, cottonseed and fish meals, 78 (1999) 65

Cell contents

The release of intracellular constituents from fresh ryegrass (*Lolium perenne* L.) during ingestive mastication in dairy cows: effect of intracellular constituent, season and stage of maturity, 93 (2001) 229

The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83

Cell wall components

In sacco degradability, chemical and morphological composition of 15 varieties of European rice straw, 94 (2001) 15

Cell wall digestibility

Comparison of major carbohydrate fractions and cell wall digestibility in silages made from older and newer maize genotypes grown in the UK, 89 (2001) 69

Cell walls

Fermentation characteristics of cell-wall sugars from soya bean meal, and from separated endosperm and hulls of soya beans, 79 (1999) 179

Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13

Cellulolytic bacteria

Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic micro-organisms, 80 (1999) 297

Cellulose

Contribution of storage and structural polysaccharides to the fermentation process and nutritive value of lucerne ensiled alone or mixed with cereal grains, 92 (2001) 159

Cell-wall

Measurement of cell-wall digestibility in lucerne using the filter bag technique, 79 (1999) 239

Cell-wall degradation

The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139

Cell-wall digestibility

Measurement of cell-wall digestibility in lucerne using the filter bag technique, 79 (1999) 239

Central highlands of Ethiopia

Effect of variety, soil type and fertiliser on the establishment, growth, forage yield, quality and voluntary intake by cattle of oats and vetches cultivated in pure stands and mixtures, 92 (2001) 95

Cereal grain forages

Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, 89 (2001) 17

Cereal grains

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Contribution of storage and structural polysaccharides to the fermentation process and nutritive value of lucerne ensiled alone or mixed with cereal grains, 92 (2001) 159

Chamaecytisus proliferus

Influence of alkaloid content on intake of subspecies of *Chamaecytisus proliferus*, 85 (2000) 279

Chelation

The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177

Chemical analysis

Chemical composition of solar-dried blood meal and its effect on performance of broiler chickens, 81 (1999) 299

Chemical characteristics

Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Chemical composition

Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and

- chemical composition of fresh silage, 78 (1999) 57
- Nutritive value for broilers of meals derived from newly developed varieties of yellow-seeded canola, 78 (1999) 249
- Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1
- Ensiling of whole crop wheat with cellulase-hemicellulase based enzymes. 3. Comparing effects of urea or enzyme treatment on forage composition and stability, 82 (1999) 51
- Chemical composition, DM and NDF degradation kinetics in rumen of seven legume straws, 83 (2000) 75
- Evaluation of the chemical composition and the particle size of maize silages produced in north-west of Portugal, 83 (2000) 173
- Vertical distribution of biomass, chemical composition and pepsin-cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49
- Chemical composition and in vitro dry matter digestibility of four parasitic plants (*Tapinanthus lugardii*, *Erianthenum ngamicum*, *Viscum rotundifolium* and *Viscum verrucosum*) in Botswana, 84 (2000) 97
- A note on a comparison of the feeding value of sweet potato vines and lucerne meal for broiler chickens, 85 (2000) 145
- Effect of inoculation of herbage prior to ensiling with *Streptomyces achromogenes* ISP 5028 on chemical composition of silage, 89 (2001) 83
- Measurements of physical strength and their relationship to the chemical composition of four species of *Brachiaria*, 92 (2001) 149
- The nutritional composition, fermentation characteristics, in sacco degradation and fungal pathogen dynamics of sugarcane tops ensiled with broiler litter with or without water, 94 (2001) 171
- Chemical composition of four parasitic plants harvested over a period of 6 months from two sites in Botswana, 95 (2002) 159
- Influence of dehulling of rape seeds on chemical composition of meal, 96 (2002) 237

Chemical treatments

- Effect of different chemical treatments on nutritional and antinutritional properties of coffee pulp, 99 (2002) 195

Chemisorption index

- Development of a multi-tiered approach to the in vitro prescreening of clay-based enterosorbents, 93 (2001) 17

Chick

- Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1999) 219
- Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15
- Bioavailability of phosphorus in corn gluten feed derived from conventional and low-phytate maize, 95 (2002) 63

Chicken

- Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103
- Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185
- The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163
- Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211
- Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysaccharide content in different soyabean products, 79 (1999) 331
- Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223
- Effects of DL-methionine hydroxylanalogues (MHA) or DL-methionine (DL-Met) on N-retention in broiler chickens and pigs, 81 (1999) 193

Chicken-broiler

- Changes in zinc and manganese availability in broiler chicks induced by vegetal and microbial phytases, 77 (1999) 241
- Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255
- A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153
- Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215

Blend of oil palm slurry and rice bran as feed ingredient for broiler chickens, 83 (2000) 185

Chickpea

Nutrient digestibility of chickpea (*Cicer arietinum* L.) seeds and effects on the small intestine of weaned piglets, 91 (2001) 197

Replacement of soybean meal and barley grain by chickpeas in lamb and kid fattening diets, 96 (2002) 103

Chickpea haulm

Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239

Chios lambs

Replacement of soybean meal and barley grain by chickpeas in lamb and kid fattening diets, 96 (2002) 103

Chitinolytic bacteria

The effect of shrimp shell waste on ruminal bacteria and performance of lambs, 95 (2002) 179

Cholecalciferol

Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211

Chopping

Feed intake and behaviour of kids and lambs fed sugar cane as the sole roughage with or without concentrate, 100 (2002) 79

Chromic oxide

A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49

Chromium

Efficacy of chromium-yeast supplementation for growing beef steers, 86 (2000) 95

Effects of supplemental organic chromium on growth, feed efficiency and carcass characteristics of feedlot steers, 98 (2002) 121

Circulating hormones

Chemical changes and influences of rapeseed antinutritional factors on gestating and lactating

ewes. 1. Animal performances and plasma hormones and glucose, 98 (2002) 25

Citrus fruit peel

Influence of dairy *Penicillium* spp. on nutrient content of citrus fruit peel, 78 (1999) 169

Classification

Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

Clay

Physiological and toxicological responses in rats fed aflatoxin-contaminated diet with or without sorbent materials, 97 (2002) 209

Climate change

Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243

Clinical enzymes

Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25

Cloning

The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325

Clostridium tyrobutyricum

The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127

Cnidoscolus aconitifolius

The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163

Coated protein degradability

Protein degradability of soybean meal coated with different lipid substances and its effects on ruminal parameters when included in steer rations, 92 (2001) 249

Cobalt

Effect of elevated cobalt intake on fermentative parameters and protozoan population in RUSI-TEC, 91 (2001) 223

Coccidiosis

Effects of wheat structure and viscosity on coccidiosis in broiler chickens, 98 (2002) 37

Coffee pulp

Effect of different chemical treatments on nutritional and antinutritional properties of coffee pulp, 99 (2002) 195

Colorimetry

Analysis of hydrolysable tannins, 91 (2001) 3

Colostrum

The effect of the digestible undegradable protein concentration of concentrates and protein source offered to ewes in late pregnancy on colostrum production and lamb performance, 82 (1999) 21

Comparison of methods

Intrinsic buffering capacity of feedstuffs, 96 (2002) 83

Compatibility

Effect of variety, soil type and fertiliser on the establishment, growth, forage yield, quality and voluntary intake by cattle of oats and vetches cultivated in pure stands and mixtures, 92 (2001) 95

Complex diets

Lactose, sucrose, and molasses in simple and complex diets for nursery pigs, 93 (2001) 127

Composition

Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9

Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid, 81 (1999) 43

Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117

Effect of water salinity on the composition and in vitro digestibility of winter-annual ryegrass grown in the Arava desert, 91 (2001) 139

Compound feeds

Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201

Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195

Concentrate

Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67

The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135

A comparison of digestibility of some concentrate feed ingredients in cattle and sheep, 81 (1999) 167

Energy and protein supplementation of lactating dairy cows offered urea treated whole-crop wheat as the sole forage, 82 (1999) 177

Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199

The effects of concentrate energy source on feed intake and rumen fermentation parameters of dairy cows offered a range of grass silages, 90 (2001) 117

Rumen degradation and estimation of microbial protein yield and intestinal digestion of napier grass (*Pennisetum purpureum*) and various concentrates, 93 (2001) 177

Concentrated separator by-product

Effect of dietary inclusion of concentrated separator by-product and weaning management on performance of newly received feedlot steers, 100 (2002) 43

Concentrate feeds

Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223

Concentrate feedstuffs

The in situ ruminal degradability of concentrate feedstuffs in steers as affected by level of feed consumption and ratio of grass silage to concentrate, 100 (2002) 15

Concentration

Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199

Condensed tannin

- Intake, digestibility and nitrogen utilization of three tropical tree legumes. I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91
- Content of soluble and bound condensed tannins of three tropical herbaceous forage legumes, 83 (2000) 139
- In vitro digestion studies using ^{14}C -labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub legumes and the grass *Panicum maximum*, 85 (2000) 215
- An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269
- The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*, 87 (2000) 29
- Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Opisthocomus hoazin*) and cow rumen fluid with seven tropical forages, 87 (2000) 287
- Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103
- Post-ruminal protein supply and N retention of weaner sheep fed on a basal diet of lucerne hay (*Medicago sativa*) with increasing levels of quebracho tannins, 92 (2001) 59
- The effect of condensed tannins in *Lotus corniculatus* upon reproductive efficiency and wool production in ewes during autumn, 92 (2001) 185
- Condensed tannin content of several shrub species from a mountain area in northern Spain, and its relationship to various indicators of nutritive value, 95 (2002) 215

Conjugated linoleic acid

- Protection of conjugated linoleic acids from ruminal hydrogenation and their incorporation into milk fat, 86 (2000) 139
- Milk yield response of dairy cows fed fat along with protein, 90 (2001) 169
- Nutrient digestion, biohydrogenation, and fatty acid profiles in blood plasma and milk fat from lactating Holstein cows fed canola oil or canolamide, 97 (2002) 65

Consecutive batch culture

- Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181

Continuous culture

- Effects of patulin on rumen microbial fermentation in continuous culture fermenters, 97 (2002) 239

Control strategies

- A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Co-occurrence

- A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Copper

- Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93
- Estimated relative bioavailability of supplemental inorganic molybdenum sources and their effect on tissue molybdenum and copper concentrations in lambs, 79 (1999) 107
- Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization, liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73

Corn

- Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59

Corn gluten feed

- Bioavailability of phosphorus in corn gluten feed derived from conventional and low-phytate maize, 95 (2002) 63

Corn silage

- Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83
- Yield and quality of three corn hybrids as affected by broiler litter fertilization and crop maturity, 94 (2001) 43
- Effect of maize crop maturity on silage chemical composition and digestibility (in vivo, in situ and in vitro), 99 (2002) 37

Corn supplementation

- Milk production and ruminal digestion in lactating dairy cows grazing temperate pastures and

supplemented with dry cracked corn or high moisture corn, 91 (2001) 183

Cotton meal

Prediction of the standardized ileal true digestibility of amino acids from the chemical composition of oilseed meals in the growing pig, 90 (2001) 103

***p*-Coumaric acid**

Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 83 (2000) 115

Cow

Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

Milk yield response of dairy cows fed fat along with protein, 90 (2001) 169

Cow/calf performance

Liquid supplementation of grazing cows and calves, 80 (1999) 281

Cowpea haulm

Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265

Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachis hypogaea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

CP degradation

Effects of summer management and fall harvest date on ruminal in situ degradation of crude protein in stockpiled bermudagrass, 96 (2002) 119

Crambe meal

Effects of feeding crambe meal upon intake, gain, health and meat quality of broiler chicks, 76 (1999) 227

Effect of pelleting on glucosinolate content of Crambe meal, 99 (2002) 205

Creatine monohydrate

Effect of creatine monohydrate on finishing pig growth performance, carcass characteristics and meat quality, 96 (2002) 135

Creatinine

Effect of dietary protein variation in terms of net truly digested intestinal protein (DVE) and rumen degraded protein balance (OEB) on the concentrations and excretion of urinary creatinine, purine derivatives and microbial N supply in sheep: comparison with the prediction from the DVE/OEB model, 93 (2001) 71

Crop maturity

Effect of maize crop maturity on silage chemical composition and digestibility (in vivo, in situ and in vitro), 99 (2002) 37

Crop residue

The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165

Crossbred bulls

Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195

Crossbred cattle calves

Influence of the level of molasses in de-oiled rice bran-based concentrate mixture on rumen fermentation pattern in crossbred cattle calves, 80 (1999) 83

Crossbred dairy cows

Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313

Crotalaria senegalensis

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Crude protein

Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255

An in vitro method for the estimation of ileal crude protein and amino acids digestibility using the dialysis tubing for pig feedstuffs, 88 (2000) 79

Threonine and crude protein responses in broiler chicks, 94 (2001) 57

- Investigation on requirement of crude protein for maintenance in Shaoxing ducks, 98 (2002) 167

Crumbled pellets

- Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229

Cultivated

- Nutritional evaluation of leaves from some major fodder trees cultivated in the hills of Nepal, 92 (2001) 17

Cynara cardunculus

- Nutritional evaluation of cardoon (*Cynara cardunculus*) seed for ruminants, 87 (2000) 203

D

Dacron bag technique

- Protection of starch in barley against rumen degradation by glutaraldehyde and formaldehyde as assessed by the dacron bag technique, 77 (1999) 83

Daily gain

- Intake, digestibility and nitrogen utilization of three tropical tree legumes. II. As protein supplements, 82 (1999) 107
- Supplementation of *Acacia cyanophylla* Lindl. foliage-based diets with barley or shrubs from arid areas (*Opuntia ficus-indica* f. *inermis* and *Atriplex nummularia* L.) on growth and digestibility in lambs, 96 (2002) 15

Dairy

- Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49
- Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23
- Nutrient digestion, biohydrogenation, and fatty acid profiles in blood plasma and milk fat from lactating Holstein cows fed canola oil or canolamide, 97 (2002) 65

Dairy cattle

- Evaluation of pellets from different industrial processing of dehydrated lucerne in dairy cattle feeding, 99 (2002) 13

Dairy cow

- Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1998) 297
- Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303
- The effects of increasing the proportion of molasses in the diet of milking dairy cows on milk production and composition, 78 (1999) 189
- Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1
- Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265
- Effect of feeding tamarind (*Tamarindus indica*) seed husk as a source of tannin on dry matter intake, digestibility of nutrients and production performance of crossbred dairy cows in mid-lactation, 83 (2000) 67
- Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83
- Effect of feeding undegraded intake protein at a level greater than National Research Council recommendation on the lactational performance of crossbred cows, 87 (2000) 95
- Use of chromium mordanted neutral detergent residue as a predictor of fecal output to estimate intake in grazing high producing Holstein cows, 89 (2001) 155
- The effects of concentrate energy source on feed intake and rumen fermentation parameters of dairy cows offered a range of grass silages, 90 (2001) 117
- Effects of expander-treating a barley-based concentrate on ruminal fermentation, bacterial N synthesis, escape of dietary N, and performance of dairy cows, 90 (2001) 227
- Effect of feeding an energy supplement to dairy cows pre- and postpartum on intake, milk yield, and incidence of ketosis, 93 (2001) 55
- Effect of feeding a combination of zinc, manganese and copper amino acid complexes, and cobalt glucoheptonate on performance of early lactation high producing dairy cows, 93 (2001) 193

Increasing the digestible undegraded protein intake of lactating dairy cows by feeding fishmeal or a rumen protected vegetable protein blend, 96 (2002) 69

The effect of sodium chloride supplementation on the milk production of grazing Holstein Friesian cows during summer and autumn in a humid sub-tropical environment, 96 (2002) 147

Effect of forage conservation method, concentrate level and propylene glycol on diet digestibility, rumen fermentation, blood metabolite concentrations and nutrient utilisation of dairy cows, 97 (2002) 1

Effect of herbage allowance on pasture utilization, regrowth and milk yield of dairy cows in early, mid and late season, 97 (2002) 23

Dairy heifer

Feeding dairy heifers untreated or urea-treated fibrous sugarcane residues: effect on dry matter intake, growth, and metabolic parameters, 100 (2002) 31

Dairy manure

Dairy slurry effects on forage quality of orchard-grass, reed canarygrass and alfalfa-grass mixtures, 95 (2002) 143

Dallis grass

Digestion characteristics of dallis grass (*Paspalum dilatatum*, Poir) pastures during the grazing season, 93 (2001) 247

Damascus kids

Replacement of soybean meal and barley grain by chickpeas in lamb and kid fattening diets, 96 (2002) 103

Dates

Evaluation of date-feed ingredients mixes, 81 (1999) 291

Decontamination

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Defaunation

Influence of foliage from different accessions of the sub-tropical leguminous tree, *Sesbania sesban*, on ruminal protozoa in Ethiopian and Scottish sheep, 78 (1999) 11

Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251

Deglucosing

Quality characteristics of broiler blood meal as affected by yeast, glucose oxidase, and antioxidant treatments, 83 (2000) 159

Degradabilities

In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127

Degradability

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

The nutritional value of *Piliostigma thonningii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287

The effect of animal species on in sacco degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273

The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and in vitro gas production degradability parameters, 87 (2000) 231

Protein degradability and intestinal digestibility of blood meals: comparison of two processing methods, 88 (2000) 91

Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33

A collaborative study comparing an in situ protocol with single time-point enzyme assays for estimating ruminal protein degradability of different forages, 93 (2001) 31

Replacement of soybean meal and barley grain by chickpeas in lamb and kid fattening diets, 96 (2002) 103

Degradation

Fermentation characteristics of cell-wall sugars from soya bean meal, and from separated endosperm and hulls of soya beans, 79 (1999) 179

The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195

Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Degradation kinetics

Digestion characteristics of dallis grass (*Paspalum dilatatum*, Poir) pastures during the grazing season, 93 (2001) 247

Evaluation of pellets from different industrial processing of dehydrated lucerne in dairy cattle feeding, 99 (2002) 13

Dehulling

Influence of dehulling of rape seeds on chemical composition of meal, 96 (2002) 237

Dehydration

Evaluation of pellets from different industrial processing of dehydrated lucerne in dairy cattle feeding, 99 (2002) 13

Denaturation

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

De-oiled rice bran

Influence of the level of molasses in de-oiled rice bran-based concentrate mixture on rumen fermentation pattern in crossbred cattle calves, 80 (1999) 83

Desmodium intortum

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215

Detergent insoluble protein

The relationship between intestinally available protein and detergent insoluble protein of feed-stuffs, 78 (1999) 101

Determinant lupins

The nutritive value for ruminants of lupin seeds from determinate and dwarf determinate plants, 94 (2001) 187

Developing countries

Examination of a technology for silage making in plastic bags, 91 (2001) 213

DHA

Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

DHP

Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159

Dicotyledons

Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13

Diet formulation

UNEForm: a powerful feed formulation spreadsheet suitable for teaching or on-farm formulation, 91 (2001) 233

Apparent ileal digestibility of amino acids in protein feedstuffs and diet formulation based on total vs digestible lysine for poultry, 98 (2002) 203

Diet sampling

Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

Dietary energy

Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1

Dietary fat

The effect of dietary fat on the performance and body composition of rabbits in their second lactation, 86 (2000) 191

Dietary fibre

Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1999) 219

Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysaccharide content in different soyabean products, 79 (1999) 331

Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71

The nutritional significance of "dietary fibre" analysis, 90 (2001) 3

The role of dietary fibre in the digestive physiology of the pig, 90 (2001) 21

Effect of dietary fibre on the energy value of feeds for pigs, 90 (2001) 35

Dietary fibre for pregnant sows: effect on performance and behaviour, 90 (2001) 71

Microbial activity in the caecum of the rabbit around weaning: impact of a dietary fibre deficiency and of intake level, 99 (2002) 107

Dietary preference

Feed selection and dietary preferences of forage by small ruminants grazing natural pastures in the Sahelian zone of Cameroon, 88 (2000) 253

Dietary starch

Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105

Dietary viscosity

Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255

Dietary wood charcoal

Effects of providing dietary wood (oak) charcoal to broiler chicks and laying hens, 90 (2001) 213

Diets

Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1998) 23

Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1999) 23

Digesta flow

Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Digesta passage

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 2. Rumen fermentation and digesta passage rate, 84 (2000) 229

Digesta viscosity

Effects of wheat structure and viscosity on coccidiosis in broiler chickens, 98 (2002) 37

Digestibility

Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95

Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103

Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185

Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115

Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize-soybean meal or barley-soybean meal diets, 77 (1999) 125

Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139

Effect of stage of growth at harvest and level of urea application on chemical changes during storage of whole-crop wheat, 77 (1999) 281

A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153

Nitrogen utilization and performance of pigs given diets containing a dried or undried fermented blood/molasses mixture, 78 (1999) 239

Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297

Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hullless barley, 79 (1999) 29

Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79

Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137

Nylon capsule method and alfalfa hay crude protein digestibility evaluation, 79 (1999) 269

Protein quality in blood meal. I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301

Protein quality in blood meal. II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309

Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch

- polysacchride content in different soyabean products, 79 (1999) 331
- Changes in thioacidolysis products of lignin in wheat straw as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 80 (1999) 55
- The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57
- A comparison of the predictions of digestible energy content of compound feeds for pigs by chemical or in vitro analysis, 81 (1999) 151
- A comparison of digestibility of some concentrate feed ingredients in cattle and sheep, 81 (1999) 167
- Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249
- A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333
- Nutritional uniformity of neutral detergent solubles in some tropical browse leaf and pod diets, 82 (1999) 63
- Intake, digestibility and nitrogen utilization of three tropical tree legumes. I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91
- Intake, digestibility and nitrogen utilization of three tropical tree legumes. II. As protein supplements, 82 (1999) 107
- Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1
- Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 83 (2000) 115
- Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195
- An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205
- Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223
- Feeding tallow triglycerides of different saturation and particle size to lactating dairy cows, 83 (2000) 249
- Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83
- Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137
- Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213
- Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265
- Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121
- Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239
- Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117
- The potential of forage-maize intercrops in ruminant nutrition, 86 (2000) 157
- Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177
- The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*, 87 (2000) 29
- Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71
- Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239
- Lupinus luteus*, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and anti-genic effects, 89 (2001) 1
- The nutritional significance of "dietary fibre" analysis, 90 (2001) 3
- Effect of dietary fibre on ileal digestibility and endogenous nitrogen losses in the pig, 90 (2001) 93
- Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199

- Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants, 91 (2001) 69
- Tannin content, nutritive value and dry matter digestibility of *Lonchocarpus capassa*, *Zizyphus mucronata*, *Sclerocarya birrea*, *Kirkia acuminata* and *Rhus lancea* seeds, 91 (2001) 107
- Effect of water salinity on the composition and in vitro digestibility of winter-annual ryegrass grown in the Arava desert, 91 (2001) 139
- Milk production and ruminal digestion in lactating dairy cows grazing temperate pastures and supplemented with dry cracked corn or high moisture corn, 91 (2001) 183
- Nutrient digestibility of chickpea (*Cicer arietinum* L.) seeds and effects on the small intestine of weaned piglets, 91 (2001) 197
- Effects of bentonite on rumen fermentation and duodenal flow of dietary components in sheep fed palm kernel cake by-product, 92 (2001) 127
- Effect of length of ensiling on silo degradation and digestibility of structural carbohydrates of lucerne and orchardgrass, 92 (2001) 141
- Influence of processing variables during micronization of wheat on starch structure and subsequent performance and digestibility in weaned piglets fed wheat-based diets, 93 (2001) 93
- Effect of dietary carbadox or formic acid and fibre level on ileal and faecal nutrient digestibility and microbial metabolite concentrations in ileal digesta of the pig, 93 (2001) 137
- Digestion characteristics of dallis grass (*Paspalum dilatatum*, Poir) pastures during the grazing season, 93 (2001) 247
- Relationships between ruminal dry matter and starch disappearance and apparent digestibility of barley grain, 94 (2001) 155
- Influence of micronization temperature and pre-conditioning on performance and digestibility in piglets fed barley-based diets, 95 (2002) 73
- Effects of dietary lecithin and fat unsaturation on nutrient utilisation in weaned piglets, 95 (2002) 169
- Assessment of the nutritive value of whole crop peas and intercropped pea-wheat bi-crop forages harvested at different maturity stages for ruminants, 96 (2002) 43
- The effect on voluntary feed intake, in vivo digestibility and nitrogen balance in sheep of feeding grass silage or pea-wheat intercrops differing in pea to wheat ratio and maturity, 96 (2002) 161
- Effects of processed corn silage on its digestibility and production of growing beef replacement heifers, 96 (2002) 221
- Effect of forage conservation method, concentrate level and propylene glycol on diet digestibility, rumen fermentation, blood metabolite concentrations and nutrient utilisation of dairy cows, 97 (2002) 1
- The effect of supplementing grass silage with soya bean meal on digestibility, in sacco degradability, rumen fermentation and methane production in sheep, 97 (2002) 127
- Apparent and standardised true ileal digestibility of protein and amino acids from faba bean, lupin and pea, provided as whole seeds, dehulled or extruded in pig diets, 97 (2002) 183
- Digestibility of high fibre diets and performance of growing Zimbabwean indigenous Mukota pigs and exotic Large White pigs fed maize based diets with graded levels of maize cobs, 97 (2002) 199
- Component digestibility of lupin (*Lupinus angustifolius*) and pea (*Pisum sativum*) seeds and effects on the small intestine and body organs in anastomosed and intact growing pigs, 98 (2002) 187
- Digestibility and balance of nutrients**
- Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121
- Digestibility in vivo**
- The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135
- Digestible amino acid**
- Near-infrared reflectance spectroscopy (NIRS) appears to be superior to nitrogen-based regression as a rapid tool in predicting the poultry digestible amino acid content of commonly used feed-stuffs, 76 (1998) 139
- Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid, 81 (1999) 43
- Digestible energy**
- Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165
- Effect of environmental temperature on performance and on physiological and hormonal para-

meters of gilts fed at different levels of digestible energy, 81 (1999) 319

Intake, digestibility and nitrogen utilization of three tropical tree legumes. I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91

Digestible lysine

Apparent ileal digestibility of amino acids in protein feedstuffs and diet formulation based on total vs digestible lysine for poultry, 98 (2002) 203

Digestible organic matter in dry matter

Dry matter yield and nutritive value of pea/wheat bi-crops differing in maturity at harvest, pea to wheat ratio and pea variety, 94 (2001) 77

Digestible protein

Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid, 81 (1999) 43

Digestible undegraded protein

Increasing the digestible undegraded protein intake of lactating dairy cows by feeding fishmeal or a rumen protected vegetable protein blend, 96 (2002) 69

Digestion

Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149

Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213

Effect of different levels of berseem (*Trifolium alexdrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133

Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121

Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165

Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23

Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41

Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83

Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205

Effect of regrowth age on intake and digestion of *Digitaria decumbens* consumed by Black-belly sheep, 87 (2000) 153

The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139

Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

The role of dietary fibre in the digestive physiology of the pig, 90 (2001) 21

Use of artificially applied *n*-alkanes as markers for the estimation of digestibility, food selection and intake in pigeons (*Columba livia*), 94 (2001) 65

Effect of a drastic and extended underfeeding on digestion in Barbary ewe, 100 (2002) 1

Digestion kinetics

Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317

Influence of nonfiber carbohydrate concentration on forage fiber digestion in vitro, 86 (2000) 107

Effects of source and level of nitrogen, and changing buffer/ruminal fluid at 48 h on in vitro digestion of feedstuffs, 93 (2001) 43

Digestion rate

Estimation of neutral detergent fibre degradation in pigs by an in vitro method, 95 (2002) 205

The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83

Digestive behavior

An analysis of the nutritive value of heat processed legume seeds for animal production using the DVE/OEB model: a review, 99 (2002) 141

Digestive tract

The nutritional significance of "dietary fibre" analysis, 90 (2001) 3

Digitaria decumbens

Effect of regrowth age on intake and digestion of *Digitaria decumbens* consumed by Black-belly sheep, 87 (2000) 153

Diosgenin

Metabolism of diosgenin-derived saponins: implications for hepatogenous photosensitization diseases in ruminants, 91 (2001) 157

Direct-fed microbials

Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201

Disappearance kinetics

Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, 89 (2001) 17

Distillers' grains

Chemical characterization and in situ nutrient degradability of wet distillers' grains derived from barley-based ethanol production, 83 (2000) 301

Diurnal

Influence of time of feeding a protein meal on diurnal patterns of amino acids in duodenal digesta protein of lactating dairy cows, 97 (2002) 115

DL-malate

Effect of DL-malate on mixed ruminal microorganism fermentation using the rumen simulation technique (RUSITEC), 79 (1999) 279

DM degradability

Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1

Measurement of yield and in situ dry matter degradability of maize varieties harvested at two stages of maturity in sheep, 100 (2002) 53

DM intake

Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented

with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239

DMD

The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothyrsus* and *Leucaena leucocephala* leaf, 85 (2000) 259

In vitro digestion studies using ¹⁴C-labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149

DOE

Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43

Dog

Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109

Double-muscled bulls

Energy and protein requirements of Belgian Blue double-muscled bulls, 90 (2001) 153

Dried leaves

Nutrient intake and utilisation by goats fed dried leaves of the shrub legumes *Acacia angustissima*, *Calliandra calothyrsus* and *Leucaena leucocephala* as supplements to native pasture hay, 91 (2001) 95

Dried rice distillers' grain

Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303

Dry cow

Urinary pH and mineral excretion of cows fed four different forages supplemented with increasing levels of an anionic compound feed, 98 (2002) 153

Dry matter

The effect of animal species on in sacco degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273

Dry matter loss

Cellulase treatment of untreated and steam pre-treated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189

Dry roasting

Effect of the DVE and OEB value changes of grain legumes (lupin and faba beans) after roasting on the performance of lambs fed a roughage-based diet, 94 (2001) 89

Purine derivative excretion and ruminal microbial yield in growing lambs fed raw and dry roasted legume seeds as protein supplements, 95 (2002) 33

Dry season

Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

The nutritional value of *Piliostigma thonningii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287

Dry sub-humid

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Drying

Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121

Drying method

Effects of oven- or freeze-drying on chemical composition and NIR spectra of pasture silage, 80 (1999) 309

Duodenal flow

Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31

Effects of expander-treating a barley-based concentrate on ruminal fermentation, bacterial N synthesis, escape of dietary N, and performance of dairy cows, 90 (2001) 227

Effects of bentonite on rumen fermentation and duodenal flow of dietary components in sheep fed palm kernel cake by-product, 92 (2001) 127

DVE/OEB model

Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

E

Eating mode

Feed intake and behaviour of kids and lambs fed sugar cane as the sole roughage with or without concentrate, 100 (2002) 79

Eating time

Feed intake and behaviour of kids and lambs fed sugar cane as the sole roughage with or without concentrate, 100 (2002) 79

Ecology

Microbial interactions with tannins: nutritional consequences for ruminants, 91 (2001) 83

Egg performance

The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171

Egg powder

Effects of increasing amounts of *Lupinus albus* seeds without or with whole egg powder in the diet of growing pigs on performance, 83 (2000) 89

Egg production

Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89

Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets, 88 (2000) 113

Egg quality

Effects of providing dietary wood (oak) charcoal to broiler chicks and laying hens, 90 (2001) 213

Electron irradiation

Misleading relationships between in situ rumen dry matter disappearance, chemical analyses and in vitro gas production and digestibility, of sugar-cane bagasse treated with varying levels of electron irradiation and ammonia, 79 (1999) 145

Electrophoresis

Degradation in the rumen of lupin (*Lupinus albus* L.) and pea (*Pisum sativum* L.) seed proteins. Effect of heat treatment, 92 (2001) 215

Endogenous nitrogen

Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231

Effect of dietary fibre on ileal digestibility and endogenous nitrogen losses in the pig, 90 (2001) 93

Endogenous nitrogen losses

Effects of ileal endogenous nitrogen losses and dietary amino acid supplementation on nitrogen retention in growing pigs, 80 (1999) 207

Endophyte

Ergovaline levels in cultivars of *Festuca arundinacea*, 93 (2001) 169

Energy

Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9

Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185

Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255

A comparison of the predictions of digestible energy content of compound feeds for pigs by chemical or in vitro analysis, 81 (1999) 151

The energy value of *Lupinus angustifolius* and *Lupinus albus* for growing pigs, 83 (2000) 17

Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239

The role of dietary fibre in the digestive physiology of the pig, 90 (2001) 21

Energy and protein requirements

Energy and protein requirements of Belgian Blue double-muscled bulls, 90 (2001) 153

Energy and protein value

The nutritive value for ruminants of lupin seeds from determinate and dwarf determinate plants, 94 (2001) 187

Energy intake

Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105

Energy metabolism

Energy metabolism with particular reference to methane production in Muzaffarnagari sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287

Energy supplement

Effect of feeding an energy supplement to dairy cows pre- and postpartum on intake, milk yield, and incidence of ketosis, 93 (2001) 55

Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103

Energy utilisation

The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15

Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41

Energy value

A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333

Effect of dietary fibre on the energy value of feeds for pigs, 90 (2001) 35

Value for animal production (VAP): a new criterion for tropical forage evaluation, 96 (2002) 31

Ensilage

Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51

Ensiled cassava leaves

Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223

Ensiling

The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15

The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake

and digestibility of *Digitaria eriantha* silage, 81 (1999) 237

Effect of length of ensiling on silo degradation and digestibility of structural carbohydrates of lucerne and orchardgrass, 92 (2001) 141

Entire male lambs

Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs, 82 (1999) 37

Environment

Consequences of the use of ensiled sugar beet-pulp in the diet of heavy pigs on performances, carcass characteristics and nitrogen balance: a review, 90 (2001) 81

Environmental temperature

Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319

Enzymatic activity

In vitro microbial fermentation of tropical grasses at an advanced maturity stage, 83 (2000) 145

Enzymatic digestibility

Measurement of cell-wall digestibility in lucerne using the filter bag technique, 79 (1999) 239

Enzymatic methods

A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333

Enzyme

Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185

The effect of an exogenous enzyme treatment on production and carcass characteristics of growing and finishing steers, 87 (2000) 279

Research note: a consistent low starch digestibility observed in pelleted broiler chicken diets containing high levels of different wheat varieties, 92 (2001) 45

Effects of starch and protein sources, heat processing, and exogenous enzymes in starter diets for early weaned rabbits, 98 (2002) 175

Enzyme inhibition

Analysis of condensed tannins: a review, 91 (2001) 21

Enzyme supplementation

Processing of barley and enzyme supplementation in diets for young pigs, 95 (2002) 113

Enzyme treatment

Cellulase treatment of untreated and steam pre-treated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189

Enzymes

A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153

Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215

Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

The effect of adding an enzyme containing lactic acid bacterial inoculant to big round bale oat silage on intake, milk production and milk composition of Jersey cows, 97 (2002) 159

Effects of removal of mucilage and enzyme or sepiolite supplement on the nutrient digestibility and metabolizable energy of a diet containing linseed in broiler chickens, 97 (2002) 169

EPA

Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Epismilagenin

Metabolism of diosgenin-derived saponins: implications for hepatogenous photosensitization diseases in ruminants, 91 (2001) 157

Equine

Evaluation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11

Equine hindgut

Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in

vivo digestibility and rate of passage of digesta, 87 (2000) 117

Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

Equivalents

Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255

Error estimation

Partitioning of variance in true metabolizable energy determinations: an example using wheat data, 80 (1999) 29

Establishment

Effect of variety, soil type and fertiliser on the establishment, growth, forage yield, quality and voluntary intake by cattle of oats and vetches cultivated in pure stands and mixtures, 92 (2001) 95

Esterases

Effects of fungal enzyme preparations on hydrolysis and subsequent degradation of alfalfa hay fiber by mixed rumen microorganisms in vitro, 88 (2000) 153

Estimation of microbial protein yield and intestinal protein digestion

Rumen degradation and estimation of microbial protein yield and intestinal digestion of napier grass (*Pennisetum purpureum*) and various concentrates, 93 (2001) 177

Ethanol production

Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247

Ethanol treatment

Effect of ethanol concentration and application period of soyabean meal on the kinetics of ruminal digestion, 79 (1999) 247

Ether linkages

Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317

Ethnobotany

Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Evaluation methods

Value for animal production (VAP): a new criterion for tropical forage evaluation, 96 (2002) 31

Evaluation with broilers

A note on a comparison of the feeding value of sweet potato vines and lucerne meal for broiler chickens, 85 (2000) 145

Ewe bodyweight

Pellet and block supplements for grazing ewes, 96 (2002) 193

Ewes

The effect of the digestible undegradable protein concentration of concentrates and protein source offered to ewes in late pregnancy on colostrum production and lamb performance, 82 (1999) 21

Ewes and lambs performances

Chemical changes and influences of rapeseed antinutritional factors on gestating and lactating ewes. 1. Animal performances and plasma hormones and glucose, 98 (2002) 25

Expander

In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1

Expander treatment

Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157

Effects of expander-treating a barley-based concentrate on ruminal fermentation, bacterial N synthesis, escape of dietary N, and performance of dairy cows, 90 (2001) 227

Expansion

Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13

Extraction

Analysis of hydrolysable tannins, 91 (2001) 3

Extruded soybeans

Carcass quality, meat chemical and fatty acid composition of lambs fed diets containing extruded soybeans and sunflower seeds, 97 (2002) 103

Extrusion

Processed cereals in diets for early-weaned piglets, 82 (1999) 145

Extrusion cooking

The effect of extrusion cooking on mineral bioavailability in pea and kidney bean seed meals, 94 (2001) 1

F

Faba beans

Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

Apparent and standardised true ileal digestibility of protein and amino acids from faba bean, lupin and pea, provided as whole seeds, dehulled or extruded in pig diets, 97 (2002) 183

Faecal sampling

Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

Faeces

Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321

Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33

Influence of inoculum source on gas production profiles, 99 (2002) 221

Fat

Relationship between analysed and theoretical content of diethylether extractable fat in standardised commercial feed mixtures for farm animals, 79 (1999) 65

Milk yield response of dairy cows fed fat along with protein, 90 (2001) 169

In vitro rumen fermentation and gas production: influence of yellow grease, tallow, corn oil and their potassium soaps, 93 (2001) 1

Effects of dietary lecithin and fat unsaturation on nutrient utilisation in weaned piglets, 95 (2002) 169

Fat digestibility

Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279

Fat digestion

Fat digestion and faecal bile acid excretion in veal calves fed milk replacers containing either coconut fat or tallow, 81 (1999) 161

Fat supplementation

Effects of untreated and heat-treated canola press-cake on milk yield and composition of dairy cows, 89 (2001) 97

Fatty acid composition

Carcass quality, meat chemical and fatty acid composition of lambs fed diets containing extruded soybeans and sunflower seeds, 97 (2002) 103

Fatty acids

Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115

Feeding tallow triglycerides of different saturation and particle size to lactating dairy cows, 83 (2000) 249

Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Fatty acyl amide

Nutrient digestion, biohydrogenation, and fatty acid profiles in blood plasma and milk fat from lactating Holstein cows fed canola oil or canolamide, 97 (2002) 65

FDNB-lysine

Protein quality in blood meal. II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309

Feed

Enzymatic assays for xylanase and β -glucanase feed enzymes, 77 (1999) 345

Hydrothermal and β -glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205

Carotene content of *Azolla* and its variations during drying and storage treatments, 84 (2000) 295

Effect of dietary fibre on the energy value of feeds for pigs, 90 (2001) 35

Microbial conversion of lignocellulosic residues for production of animal feeds, 98 (2002) 1

Feed conservation

Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265

Feed conversion efficiency

Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121

Feed efficiency

Residual metabolizable feed consumption as a method of comparing feed efficiency in steers fed silage and silage-grain diets, 92 (2001) 87

Effect of feeding whole wheat on performance of broiler chickens, 96 (2002) 229

Feed formulation

Prediction of amino acid profiles in feed ingredients: Genetic algorithm calibration of artificial neural networks, 90 (2001) 131

Feed intake

Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1

Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137

Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239

The effect on voluntary feed intake, in vivo digestibility and nitrogen balance in sheep of feeding grass silage or pea-wheat intercrops

differing in pea to wheat ratio and maturity, 96 (2002) 161

Feed mills

Evaluation of date-feed ingredients mixes, 81 (1999) 291

Feed segregation

Stability of bacitracin methylene disalicylate and chlortetracycline in combination in a pelleted pig feed, 81 (1999) 35

Feed selection

Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1

Feeding behavior

Liquid supplementation of grazing cows and calves, 80 (1999) 281

Feeding frequency

Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1999) 297

Feeding level

Feed intake and behaviour of kids and lambs fed sugar cane as the sole roughage with or without concentrate, 100 (2002) 79

Feeding stuffs

FibreCap: an improved method for the rapid analysis of fibre in feeding stuffs, 86 (2000) 125

Feeding value

Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303

Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid, 81 (1999) 43

Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249

Feedlot

Effect of rates and extent of ruminal barley grain dry matter and starch disappearance on bloat, liver abscesses, and performance of feedlot steers, 97 (2002) 145

Performance and carcass characteristics of beef cattle fed diets containing silage from inter-cropped barley and annual ryegrass, 99 (2002) 1

Feedstuff evaluation

Near-infrared reflectance spectroscopy (NIRS) appears to be superior to nitrogen-based regression as a rapid tool in predicting the poultry digestible amino acid content of commonly used feedstuffs, 76 (1998) 139

A semi-automated in vitro gas production technique for ruminant feedstuff evaluation, 79 (1999) 321

Feedstuffs

A comparison of the predictions of digestible energy content of compound feeds for pigs by chemical or in vitro analysis, 81 (1999) 151

Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195

Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Intrinsic buffering capacity of feedstuffs, 96 (2002) 83

Fenugreek

Residual metabolizable feed consumption as a method of comparing feed efficiency in steers fed silage and silage-grain diets, 92 (2001) 87

Fermentation

Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43

Effect of DL-malate on mixed ruminal microorganism fermentation using the rumen simulation technique (RUSITEC), 79 (1999) 279

Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223

The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57

Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1

In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127

An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205

Effects of various compounds on in vitro ruminal fermentation and production of sulfide, 84 (2000) 69

Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205

Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263

Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13

The effect of bacterial inoculants on the fermentation and aerobic stability of whole crop wheat silage, 88 (2000) 39

Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201

Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

Effect of inoculation of herbage prior to ensiling with *Streptomyces achromogenes* ISP 5028 on chemical composition of silage, 89 (2001) 83

The effects of concentrate energy source on feed intake and rumen fermentation parameters of dairy cows offered a range of grass silages, 90 (2001) 117

Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants, 91 (2001) 69

In vitro fermentation of polydextrose by bovine ruminal microorganisms, 93 (2001) 115

Fermentation characteristics

The nutritional composition, fermentation characteristics, in sacco degradation and fungal pathogen dynamics of sugarcane tops ensiled with broiler litter with or without water, 94 (2001) 171

Fermentation kinetics

Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33

The effect of sample processing on gas production profiles obtained using the pressure transducer technique, 97 (2002) 221

Fermentation models

Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17

Fermentation pattern

Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1999) 297

Fermentation quality

Addition of rice straw or/and wheat bran on composition, ruminal degradability and voluntary intake of bamboo shoot shells silage fed to sheep, 91 (2001) 129

Fermented blood meal

Nitrogen utilization and performance of pigs given diets containing a dried or undried fermented blood/molasses mixture, 78 (1999) 239

Fermenter

Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43

Fertilization

Yield and quality of three corn hybrids as affected by broiler litter fertilization and crop maturity, 94 (2001) 43

Fertilizer

Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121

Ferulic acid

Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317
Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 83 (2000) 115

Festuca pratensis

Effect of herbage allowance on pasture utilization, regrowth and milk yield of dairy cows in early, mid and late season, 97 (2002) 23

Festucosis

Ergovaline levels in cultivars of *Festuca arundinacea*, 93 (2001) 169

Fiber concentration

Divergent selection for two laboratory predictors of voluntary intake: relationships among the predictors and leaf morphology variables, 84 (2000) 107

Fibre

Intra-caecal fermentation parameters in ponies fed botanically diverse fibre-based diets, 84 (2000) 183

Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83

Influence of nonfiber carbohydrate concentration on forage fiber digestion in vitro, 86 (2000) 107

FibreCap: an improved method for the rapid analysis of fibre in feeding stuffs, 86 (2000) 125

Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239

Effect of dietary fibre on the behaviour and health of the restricted fed sow, 90 (2001) 53

Effect of dietary fibre on ileal digestibility and endogenous nitrogen losses in the pig, 90 (2001) 93

Prediction of the standardized ileal true digestibility of amino acids from the chemical composition of oilseed meals in the growing pig, 90 (2001) 103

Effect of dietary carbadox or formic acid and fibre level on ileal and faecal nutrient digestibility and microbial metabolite concentrations in ileal digesta of the pig, 93 (2001) 137

Digestibility of high fibre diets and performance of growing Zimbabwean indigenous Mukota pigs and exotic Large White pigs fed maize based diets with graded levels of maize cobs, 97 (2002) 199

Fibre analysis

The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*, 87 (2000) 29

Fibre degradation

Effects of yeast culture (*Saccharomyces cerevisiae*) on ruminal digestion in non-lactating dairy cows, 76 (1999) 195

Fibre digestion

Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in vivo digestibility and rate of passage of digesta, 87 (2000) 117

Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

Fibre fermentation

Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

Fibre-bound ¹⁵N

Estimating passage kinetics using fibre-bound ¹⁵N as an internal marker, 94 (2001) 29

Fibres

Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1

Fibrolytic enzymes

Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317

Effects of fungal enzyme preparations on hydrolysis and subsequent degradation of alfalfa hay fiber by mixed rumen microorganisms in vitro, 88 (2000) 153

Fibrous feed

The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129

Ficus

Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213

Field pea

Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103

Filter bags

A comparison of filter bag methods with conventional tube methods of determining the in vitro digestibility of forages, 84 (2000) 33

Fineness

Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

Finishing

The effect of an exogenous enzyme treatment on production and carcass characteristics of growing and finishing steers, 87 (2000) 279

Finishing pigs

Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119

Fish

Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysacchride content in different soyabean products, 79 (1999) 331

Fish meal

Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83

Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119

Fish oil

Hydrogenation of eicosapentaenoic and docosahexaenoic acids and their incorporation into milk fat, 79 (1999) 57

The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57

Fishmeal

Increasing the digestible undegraded protein intake of lactating dairy cows by feeding fishmeal or a rumen protected vegetable protein blend, 96 (2002) 69

Flavonoid

Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263

Flaxseed

Effects of micronization of flaxseed on nutrient disappearance in the gastrointestinal tract of steers, 95 (2002) 123

Fluorine

Relative bio-availability of phosphorus from Venezuelan raw rock phosphates for poultry, 94 (2001) 103

Fodder

Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Fodder beet

Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221

Fodder quality

The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119

Fodder tree leaf

Nutritional evaluation of leaves from some major fodder trees cultivated in the hills of Nepal, 92 (2001) 17

Utilisation of tropical dry season grass by ruminants is increased by feeding fallen leaf of siris (*Albizia lebbeck*), 96 (2002) 175

Fodder trees

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1

Foliage

Chemical composition and degradation characteristics of foliage of some African multipurpose trees, 86 (2000) 27

Folic acid

Formic acid-sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39

Effect of hepatic folic acid status on formic acid metabolism in blue foxes (*Alopex lagopus*), 99 (2002) 189

Food selection

Use of artificially applied *n*-alkanes as markers for the estimation of digestibility, food selection and intake in pigeons (*Columba livia*), 94 (2001) 65

Forage

Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33

Effect of stage of growth at harvest and level of urea application on chemical changes during storage of whole-crop wheat, 77 (1999) 281

Energy and protein supplementation of lactating dairy cows offered urea treated whole-crop wheat as the sole forage, 82 (1999) 177

A comparison of filter bag methods with conventional tube methods of determining the in vitro digestibility of forages, 84 (2000) 33

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33

A collaborative study comparing an in situ protocol with single time-point enzyme assays for estimating ruminal protein degradability of different forages, 93 (2001) 31

Dry matter yield and nutritive value of pea/wheat bi-crops differing in maturity at harvest, pea to wheat ratio and pea variety, 94 (2001) 77

Urea and biuret as nonprotein nitrogen sources in cooked molasses blocks for steers fed prairie hay, 94 (2001) 115

Digestion kinetic parameters from an in vitro gas production method as predictors of voluntary intake of forage by mature ewes, 95 (2002) 133

In vitro digestibility of forages as influenced by source of inoculum (sheep rumen versus Rusitec fermenters) and diet of the donor sheep, 97 (2002) 41

Forage conservation

Effect of forage conservation method, concentrate level and propylene glycol on diet digestibility, rumen fermentation, blood metabolite concentrations and nutrient utilisation of dairy cows, 97 (2002) 1

Forage intake

Influence of liquid supplement delivery method on forage and supplement intake by grazing beef cows, 78 (1999) 273

Liquid supplementation of grazing cows and calves, 80 (1999) 281

Pellet and block supplements for grazing ewes, 96 (2002) 193

Forage legumes

Evaluation of toxicity of *Acacia angustissima* in a rat bioassay, 91 (2001) 41

Forage particle size

Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1999) 297

Forage protein degradation

An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207

Forage quality

Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33

Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243

The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and in vitro gas production degradability parameters, 87 (2000) 231

Dairy slurry effects on forage quality of orchard-grass, reed canarygrass and alfalfa-grass mixtures, 95 (2002) 143

Forage:concentrate ratio

In vitro digestibility of forages as influenced by source of inoculum (sheep rumen versus Rusitec fermenters) and diet of the donor sheep, 97 (2002) 41

Forbs

Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Foregut fermentation

Comparison of the digestive ability of crop fluid from the folivorous *Hoatzin* (*Opisthocomus*

hoatzin) and cow rumen fluid with seven tropical forages, 87 (2000) 287

Formaldehyde

The effect of chemical treatment of barley on starch digestion in ruminants, 77 (1999) 73

Protection of starch in barley against rumen degradation by glutaraldehyde and formaldehyde as assessed by the dacron bag technique, 77 (1999) 83

Formaldehyde treatment

Effects of fungal phytase addition, formaldehyde treatment and dietary concentrate content on ruminal phosphorus availability, 99 (2002) 73

Formic acid

Formic acid-sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39

Effect of hepatic folic acid status on formic acid metabolism in blue foxes (*Alopex lagopus*), 99 (2002) 189

Fractionation

Fractionation of ammonia nitrogen isotopes by ruminal bacteria in vitro, 100 (2002) 71

Fractions

Influence of dehulling of rape seeds on chemical composition of meal, 96 (2002) 237

Free amino acids

Evaluation of a rapid method for estimating free amino acids in silages, 99 (2002) 177

Freezing

Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57

Fresh grass

The release of intracellular constituents from fresh ryegrass (*Lolium perenne* L.) during ingestive mastication in dairy cows: effect of intracellular constituent, season and stage of maturity, 93 (2001) 229

The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83

Fumonisin

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Fungi

The nutritional composition, fermentation characteristics, in sacco degradation and fungal pathogen dynamics of sugarcane tops ensiled with broiler litter with or without water, 94 (2001) 171

***Fusarium* sp., trichothecenes**

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

G**Gas production**

Influence of protein fermentation on gas production profiles, 76 (1999) 251

Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1998) 345

Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199

A semi-automated in vitro gas production technique for ruminant feedstuff evaluation, 79 (1999) 321

Evaluation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11

Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1

Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17

A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333

In vitro microbial fermentation of tropical grasses at an advanced maturity stage, 83 (2000) 145

An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205

Nutritive evaluation of some Acacia tree leaves from Kenya, 85 (2000) 89

The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and in vitro gas production degradability parameters, 87 (2000) 231

The effect of fermentable nitrogen availability on in vitro gas production and degradability of NDF, 87 (2000) 241

Cellulase treatment of untreated and steam pre-treated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189

In vitro rumen fermentation and gas production: influence of yellow grease, tallow, corn oil and their potassium soaps, 93 (2001) 1

In vitro fermentation of polydextrose by bovine ruminal microorganisms, 93 (2001) 115

Use of the automated gas production technique to determine the fermentation kinetics of carbohydrate fractions in maize silage, 93 (2001) 205

In vitro microbial fermentation and protein utilisation of tropical forage legumes grown during the dry season, 95 (2002) 1

Digestion kinetic parameters from an in vitro gas production method as predictors of voluntary intake of forage by mature ewes, 95 (2002) 133

Condensed tannin content of several shrub species from a mountain area in northern Spain, and its relationship to various indicators of nutritive value, 95 (2002) 215

Comparison of organic matter degradation in several feedstuffs in the rumen as determined with the nylon bag and gas production techniques, 96 (2002) 55

The effect of sample processing on gas production profiles obtained using the pressure transducer technique, 97 (2002) 221

Relationship between in vitro gas production profiles of forages and in vivo rumen fermentation patterns in beef steers fed those forages, 98 (2002) 13

Composition and in vitro gas production of whole stems and cell walls of different genotypes of pearl millet and sorghum, 98 (2002) 73

Gas production technique

Influence of inoculum source on gas production profiles, 99 (2002) 221

Gastrointestinal fluid

Development of a multi-tiered approach to the in vitro prescreening of clay-based enterosorbents, 93 (2001) 17

Gastrointestinal passage rate

Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in vivo digestibility and rate of passage of digesta, 87 (2000) 117

Gastrointestinal tract

Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1

Gelatinization

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

Influence of processing variables during micronization of wheat on starch structure and subsequent performance and digestibility in weaned piglets fed wheat-based diets, 93 (2001) 93

Influence of micronization temperature and preconditioning on performance and digestibility in piglets fed barley-based diets, 95 (2002) 73

General feed mixtures

Relationship between analysed and theoretical content of diethylether extractable fat in standardised commercial feed mixtures for farm animals, 79 (1999) 65

Genetics

Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Genotypes

Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17

Gliricidia maculata

Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

Gliricidia sepium

Intake, digestibility and nitrogen utilization of three tropical tree legumes. II. As protein supplements, 82 (1999) 107

Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

 β -glucanase

Enzymatic assays for xylanase and β -glucanase feed enzymes, 77 (1999) 345

Hydrothermal and β -glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205

Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

 β -glucans

Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199

Gluconapin

Influence of water soaking of mustard cake on glucosinolate hydrolysis, 99 (2002) 215

Glucose tolerance

Efficacy of chromium-yeast supplementation for growing beef steers, 86 (2000) 95

Glucosinolate

Effects of feeding crambe meal upon intake, gain, health and meat quality of broiler chicks, 76 (1999) 227

Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization, liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73

Effect of substitution of soybean meal with treated or untreated high glucosinolate mustard (*Brassica juncea*) meal on intake, digestibility, growth performance and body composition of calves, 94 (2001) 137

Effect of pelleting on glucosinolate content of Crambe meal, 99 (2002) 205

Influence of water soaking of mustard cake on glucosinolate hydrolysis, 99 (2002) 215

Glutaraldehyde

Protection of starch in barley against rumen degradation by glutaraldehyde and formaldehyde as assessed by the dacron bag technique, 77 (1999) 83

Glycerol

Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341

Goat

Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159

Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — in vivo and in vitro digestibility, 85 (2000) 99

Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Nutrient intake and utilisation by goats fed dried leaves of the shrub legumes *Acacia angustissima*, *Calliandra calothyrsus* and *Leucaena leucocephala* as supplements to native pasture hay, 91 (2001) 95

Gompertz model

Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223

Gossypol

Influence of variety and storage for up to 22 days on nutrient composition and gossypol level of Pima cottonseed (*Gossypium* spp.), 91 (2001) 149

Grain

The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165

Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1

Relationships between ruminal dry matter and starch disappearance and apparent digestibility of barley grain, 94 (2001) 155

Laboratory procedure to determine protein digestibility of heat-treated feedstuffs for dairy cattle, 96 (2002) 1

Grain feeding

Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59

Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine deriva-

tives as estimation procedures, 88 (2000) 171

Grain legumes

Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185

Grainless diets

Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195

Grass

Assessment of the potential of NIR spectroscopy for the estimation of nitrogen content in grasses from semiarid grasslands, 77 (1999) 91

Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331

Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23

The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139

Grass silage

The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127

The effect of the form of nitrogen in the diet on ruminal fermentation and the yield of microbial protein in sheep consuming diets of grass silage supplemented with starch or sucrose, 78 (1999) 227

The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 2. Rumen fermentation and digesta passage rate, 84 (2000) 229

Quantitation of the flow of soluble non-ammonia nitrogen entering the omasal canal of dairy cows fed grass silage based diets, 96 (2002) 203

The effect of supplementing grass silage with soya bean meal on digestibility, in sacco degradability, rumen fermentation and methane production in sheep, 97 (2002) 127

Effect of adding caprylic and capric acid to grass on fermentation characteristics during ensiling and

in the artificial rumen system RUSITEC, 99 (2002) 65

Grassland management

Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101

Grassland samples

Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331

Grazing

Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

Milk production and ruminal digestion in lactating dairy cows grazing temperate pastures and supplemented with dry cracked corn or high moisture corn, 91 (2001) 183

Effect of herbage allowance on pasture utilization, regrowth and milk yield of dairy cows in early, mid and late season, 97 (2002) 23

Grazing management

Effect of grazing method and herbage allowance on the grazing efficiency of milk production in organic farming, 98 (2002) 87

Grazing method

Effect of grazing method and herbage allowance on the grazing efficiency of milk production in organic farming, 98 (2002) 87

Greece

Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267

Grinding

Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57

Fractionation of pea flour with pilot scale sieving. I. Physical and chemical characteristics of pea seed fractions, 85 (2000) 61

Grinding resistance

Measurements of physical strength and their relationship to the chemical composition of four species of *Brachiaria*, 92 (2001) 149

Groundnut

Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33

Groundnut haulm

Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265

Cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

Growing

The effect of an exogenous enzyme treatment on production and carcass characteristics of growing and finishing steers, 87 (2000) 279

Growing cattle

Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133

Growing pigs

Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179

Nitrogen utilization and performance of pigs given diets containing a dried or undried fermented blood/molasses mixture, 78 (1999) 239

Effect of dietary fibre on the energy value of feeds for pigs, 90 (2001) 35

Growth

Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51

Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297

Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119

Performance response of lactating and growing rabbits to dietary lignin content, 80 (1999) 43

Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar

beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs, 82 (1999) 37

The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129

Efficacy of chromium-yeast supplementation for growing beef steers, 86 (2000) 95

Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251

Consequences of the use of ensiled sugar beet-pulp in the diet of heavy pigs on performances, carcass characteristics and nitrogen balance: a review, 90 (2001) 81

Effect of substitution of soybean meal with treated or untreated high glucosinolate mustard (*Brassica juncea*) meal on intake, digestibility, growth performance and body composition of calves, 94 (2001) 137

Digestibility of high fibre diets and performance of growing Zimbabwean indigenous Mukota pigs and exotic Large White pigs fed maize based diets with graded levels of maize cobs, 97 (2002) 199

Feeding dairy heifers untreated or urea-treated fibrous sugarcane residues: effect on dry matter intake, growth, and metabolic parameters, 100 (2002) 31

Growth implants

Interaction of dietary zinc and growth implants on weight gain, carcass traits and zinc in tissues of growing beef steers and heifers, 95 (2002) 15

Growth inhibition

Production of *Ruminococcus flavefaciens* growth inhibitor(s) by *Ruminococcus albus*, 77 (1999) 61

Growth performance

The effect of dietary inclusion of halophyte *Salicornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1998) 149

The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163

Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179

Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hullless barley, 79 (1999) 29

Fat digestion and faecal bile acid excretion in veal calves fed milk replacers containing either coconut fat or tallow, 81 (1999) 161

Chemical composition of solar-dried blood meal and its effect on performance of broiler chickens, 81 (1999) 299

Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1

Blend of oil palm slurry and rice bran as feed ingredient for broiler chickens, 83 (2000) 185

Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71

Effect of the DVE and OEB value changes of grain legumes (lupin and faba beans) after roasting on the performance of lambs fed a roughage-based diet, 94 (2001) 89

Growth promoters

Establishment and application of an in vitro methodology to study the effects of organic acids on coliform and lactic acid bacteria in the proximal part of the gastrointestinal tract of piglets, 99 (2002) 131

Growth rate

Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121

Effect of variety, soil type and fertiliser on the establishment, growth, forage yield, quality and voluntary intake by cattle of oats and vetches cultivated in pure stands and mixtures, 92 (2001) 95

Growth stage

Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, 89 (2001) 17

Guar Gum

Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255

Guinea grass

Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67

Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Gut morphology

Nutrient digestibility of chickpea (*Cicer arietinum* L.) seeds and effects on the small intestine of weaned piglets, 91 (2001) 197

Component digestibility of lupin (*Lupinus angustifolius*) and pea (*Pisum sativum*) seeds and effects on the small intestine and body organs in anastomosed and intact growing pigs, 98 (2002) 187

H**Haematology**

Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets, 88 (2000) 113

Half-life

Effect of hepatic folic acid status on formic acid metabolism in blue foxes (*Alopex lagopus*), 99 (2002) 189

Halophyte

The effect of dietary inclusion of halophyte *Salicornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1998) 149

Harvesting techniques

Trypsin inhibitor activity of legume seeds (peas, chickling vetch, lentils, and soya beans) as affected by the technique of harvest, 86 (2000) 261

Hay

Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67

The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237

A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333

The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195

Effect of variety, soil type and fertiliser on the establishment, growth, forage yield, quality and

voluntary intake by cattle of oats and vetches cultivated in pure stands and mixtures, 92 (2001) 95

Hay processing

Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in vivo digestibility and rate of passage of digesta, 87 (2000) 117

Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

HCN

Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223

Health

The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129

Effect of dietary fibre on the behaviour and health of the restricted fed sow, 90 (2001) 53

Heat processing

Processing of barley and enzyme supplementation in diets for young pigs, 95 (2002) 113

Heat production

The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15

Heat treatment

Effect of moist heat treatment on in-vitro degradability and ruminal escape protein and amino acids of mustard meal, 76 (1999) 265

Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229

Heat treatment of soybean meal and rapeseed meal suppresses rumen degradation of phytate phosphorus in sheep, 80 (1999) 115

Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83

Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31

Effects of untreated and heat-treated canola press-cake on milk yield and composition of dairy cows, 89 (2001) 97

- Laboratory procedure to determine protein digestibility of heat-treated feedstuffs for dairy cattle, 96 (2002) 1
- Effects of starch and protein sources, heat processing, and exogenous enzymes in starter diets for early weaned rabbits, 98 (2002) 175
- Heavy pig**
- Consequences of the use of ensiled sugar beet-pulp in the diet of heavy pigs on performances, carcass characteristics and nitrogen balance: a review, 90 (2001) 81
- Heifers**
- Interaction of dietary zinc and growth implants on weight gain, carcass traits and zinc in tissues of growing beef steers and heifers, 95 (2002) 15
- Hematological**
- Value of *Aspergillus niger* fermentation product as a dietary ingredient for broiler chickens, 91 (2001) 171
- Hemicellulose**
- Contribution of storage and structural polysaccharides to the fermentation process and nutritive value of lucerne ensiled alone or mixed with cereal grains, 92 (2001) 159
- Hepatogenous photosensitization**
- Metabolism of diosgenin-derived saponins: implications for hepatogenous photosensitization diseases in ruminants, 91 (2001) 157
- Herbaceous dicots**
- Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137
- Herbage allowance**
- Effect of grazing method and herbage allowance on the grazing efficiency of milk production in organic farming, 98 (2002) 87
- Heterogeneity**
- The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127
- Highland sheep**
- Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239
- Highlands of Chiapas**
- Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123
- Hills**
- Nutritional evaluation of leaves from some major fodder trees cultivated in the hills of Nepal, 92 (2001) 17
- Hindgut**
- In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127
- Histological analyses**
- Studies on untreated and urea-treated rice straw from three cultivation seasons: 3. Histological investigations by light and scanning electron microscopy, 80 (1999) 151
- Histopathology**
- Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets, 88 (2000) 113
- Hoatzin**
- Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Opisthocomus hoazin*) and cow rumen fluid with seven tropical forages, 87 (2000) 287
- Homogeneity**
- The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127
- Horse**
- Physical processing of barley and its effects on intra-caecal fermentation parameters in ponies, 85 (2000) 79
- Horse bean**
- Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

Hot climates

The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171

HPLC

Analysis of hydrolysable tannins, 91 (2001) 3

Analysis of condensed tannins: a review, 91 (2001) 21

Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109

HPLC gel permeation chromatography

Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

HSCAS

Physiological and toxicological responses in rats fed aflatoxin-contaminated diet with or without sorbent materials, 97 (2002) 209

Hull-less barley

Hydrothermal and β -glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205

Hydrogen peroxide

Rumen degradation in sacco in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313

Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Hydroxystearic acid

Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189

I**Ileal**

Protein quality in blood meal. I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301

Protein quality in blood meal. II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309

Ileal digestibility

Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229

Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215

Application of a method to determine ileal digestibility in broilers of amino acids in wheat, 79 (1999) 195

Effects of ileal endogenous nitrogen losses and dietary amino acid supplementation on nitrogen retention in growing pigs, 80 (1999) 207

Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231

Prediction of the standardized ileal true digestibility of amino acids from the chemical composition of oilseed meals in the growing pig, 90 (2001) 103

Evaluation through literature data of the amount and amino acid composition of basal endogenous crude protein at the terminal ileum of pigs, 98 (2002) 49

Ileo-rectal anastomosis

Component digestibility of lupin (*Lupinus angustifolius*) and pea (*Pisum sativum*) seeds and effects on the small intestine and body organs in anastomosed and intact growing pigs, 98 (2002) 187

Immunity

Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179

Immunoaffinity column

Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109

Immunoglobulin G

Interaction of dietary zinc and growth implants on weight gain, carcass traits and zinc in tissues of growing beef steers and heifers, 95 (2002) 15

In sacco

Influence of storage time and temperature on in vitro digestion of neutral detergent fibre at 48 h,

and comparison to 48 h in sacco neutral detergent fibre digestion, 80 (1999) 257

The effect of animal species on in sacco degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273

In sacco degradability

Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101

Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103

In sacco degradation

Chemical composition, in sacco degradation and in vitro gas production of some Ghanaian browse plants, 76 (1998) 129

Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

In sacco degradability, chemical and morphological composition of 15 varieties of European rice straw, 94 (2001) 15

The nutritional composition, fermentation characteristics, in sacco degradation and fungal pathogen dynamics of sugarcane tops ensiled with broiler litter with or without water, 94 (2001) 171

In sacco digestion

Differences in chemical composition and fibre digestion of rice straw with, and without, anhydrous ammonia from 53 rice varieties, 79 (1999) 129

In situ

Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, 89 (2001) 17

Effect of variety, stages of maturity and botanical fractions on phosphorous concentration and in situ degradability characteristics of phosphorous of whole crop rice silage, 92 (2001) 237

A collaborative study comparing an in situ protocol with single time-point enzyme assays for estimating ruminal protein degradability of different forages, 93 (2001) 31

Comparison of organic matter degradation in several feedstuffs in the rumen as determined with the nylon bag and gas production techniques, 96 (2002) 55

Effects of summer management and fall harvest date on ruminal in situ degradation of crude protein in stockpiled bermudagrass, 96 (2002) 119

In situ degradability

Chemical composition, DM and NDF degradation kinetics in rumen of seven legume straws, 83 (2000) 75

Nutritive evaluation of some Acacia tree leaves from Kenya, 85 (2000) 89

In situ degradation

An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207

Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181

In situ dry matter degradability

Comparison of the in vitro gas production technique and the nylon bag degradability technique to measure short- and long-term processes of degradation of maize silage in dairy cows, 78 (1999) 81

In situ dry matter disappearance

Misleading relationships between in situ rumen dry matter disappearance, chemical analyses and in vitro gas production and digestibility, of sugarcane bagasse treated with varying levels of electron irradiation and ammonia, 79 (1999) 145

In situ ruminal degradability

The in situ ruminal degradability of concentrate feedstuffs in steers as affected by level of feed consumption and ratio of grass silage to concentrate, 100 (2002) 15

In vitro

Influence of protein fermentation on gas production profiles, 76 (1999) 251

Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149

Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199

A semi-automated in vitro gas production technique for ruminant feedstuff evaluation, 79 (1999) 321

Evaluation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11

- Influence of storage time and temperature on in vitro digestion of neutral detergent fibre at 48 h, and comparison to 48 h in sacco neutral detergent fibre digestion, 80 (1999) 257
- In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127
- Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59
- Effect of tamarind (*Tamarindus indica*) seed husk tannins on in vitro rumen fermentation, 90 (2001) 143
- In vitro rumen fermentation and gas production: influence of yellow grease, tallow, corn oil and their potassium soaps, 93 (2001) 1
- Estimation of neutral detergent fibre degradation in pigs by an in vitro method, 95 (2002) 205
- In vitro degradation**
- Condensed tannin content of several shrub species from a mountain area in northern Spain, and its relationship to various indicators of nutritive value, 95 (2002) 215
- In vitro digestibility**
- Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181
- Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141
- Ensiling of whole crop wheat with cellulase-hemicellulase based enzymes. 3. Comparing effects of urea or enzyme treatment on forage composition and stability, 82 (1999) 51
- A comparison of filter bag methods with conventional tube methods of determining the in vitro digestibility of forages, 84 (2000) 33
- Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257
- Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — in vivo and in vitro digestibility, 85 (2000) 99
- In vitro digestion studies using ¹⁴C-labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub legumes and the grass *Panicum maximum*, 85 (2000) 215
- The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothyrsus* and *Leucaena leucocephala* leaf, 85 (2000) 259
- In vitro digestion studies using ¹⁴C-labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149
- An in vitro method for the estimation of ileal crude protein and amino acids digestibility using the dialysis tubing for pig feedstuffs, 88 (2000) 79
- In vitro digestibility of forages as influenced by source of inoculum (sheep rumen versus Rusitec fermenters) and diet of the donor sheep, 97 (2002) 41
- In vitro digestion**
- An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269
- In vitro disappearance**
- Effects of source and level of nitrogen, and changing buffer/ruminal fluid at 48 h on in vitro digestion of feedstuffs, 93 (2001) 43
- In vitro dry matter digestibility**
- Chemical composition and in vitro dry matter digestibility of four parasitic plants (*Tapinanthus lugardii*, *Erianthenum ngamicum*, *Viscum rotundifolium* and *Viscum verrucosum*) in Botswana, 84 (2000) 97
- In vitro gas production**
- Chemical composition, in sacco degradation and in vitro gas production of some Ghanaian browse plants, 76 (1998) 129
- Comparison of the in vitro gas production technique and the nylon bag degradability technique to measure short- and long-term processes of degradation of maize silage in dairy cows, 78 (1999) 81
- Misleading relationships between in situ rumen dry matter disappearance, chemical analyses and in vitro gas production and digestibility, of sugarcane bagasse treated with varying levels of electron irradiation and ammonia, 79 (1999) 145
- Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101
- Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33
- Partitioning of energy and degradability of browse plants in vitro and the implications of blocking the effects of tannin by the addition of polyethylene glycol, 95 (2002) 93

In vitro N digestibility

Laboratory procedure to determine protein digestibility of heat-treated feedstuffs for dairy cattle, 96 (2002) 1

In vitro studies

Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187

In vitro technique

A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333

In vitro viscosity

Effects of acid and alkali concentration on in vitro measurement of wheat viscosity, 98 (2002) 237

In vivo

Evaluation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11

Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — in vivo and in vitro digestibility, 85 (2000) 99

Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59

In vivo, in situ and in vitro digestibility

Effect of maize crop maturity on silage chemical composition and digestibility (in vivo, in situ and in vitro), 99 (2002) 37

Income

Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33

Indigenous communities

Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Indigenous knowledge

The basis of indigenous knowledge of tree fodder quality and its implications for improving the

use of tree fodder in developing countries, 81 (1999) 119

Ingredient amino acid digestibility

A comparison of total and digestible amino acids in diets for broilers and layers, 82 (1999) 131

Ingredient composition

Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201

Inhibitors

Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51

Binding of biotinylated legume seed lectins with glycoproteins in blotted receptor-analogs: influence of incubation pH, 94 (2001) 147

Initial pH

Intrinsic buffering capacity of feedstuffs, 96 (2002) 83

Inocula

Estimation of neutral detergent fibre degradation in pigs by an in vitro method, 95 (2002) 205

Inoculum

Influence of inoculum source on gas production profiles, 99 (2002) 221

Inoculant

The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237

The effect of adding an enzyme containing lactic acid bacterial inoculant to big round bale oat silage on intake, milk production and milk composition of Jersey cows, 97 (2002) 159

Inoculation

Effects of ruminal inoculations with tannin-tolerant bacteria on fibre and nitrogen digestibility of lambs fed a high condensed tannin diet, 81 (1999) 69

Intake

Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297

Effect of different levels of berseem (*Trifolium alexandrinum*) supplementation of wheat straw on

- some physical factors regulating intake and digestion, 81 (1999) 133
- Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223
- Influence of alkaloid content on intake of subspecies of *Chamaecytisus proliferus*, 85 (2000) 279
- The potential of forage-maize intercrops in ruminant nutrition, 86 (2000) 157
- Effect of regrowth age on intake and digestion of *Digitaria decumbens* consumed by Black-belly sheep, 87 (2000) 153
- Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121
- Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219
- Use of chromium mordanted neutral detergent residue as a predictor of fecal output to estimate intake in grazing high producing Holstein cows, 89 (2001) 155
- Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201
- Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants, 91 (2001) 69
- Addition of rice straw or/and wheat bran on composition, ruminal degradability and voluntary intake of bamboo shoot shells silage fed to sheep, 91 (2001) 129
- Effect of supplementing napier grass (*Pennisetum purpureum*) with poultry litter and sunflower meal based concentrates on feed intake and rumen fermentation in Friesian steers, 92 (2001) 113
- Use of artificially applied *n*-alkanes as markers for the estimation of digestibility, food selection and intake in pigeons (*Columba livia*), 94 (2001) 65
- Digestion kinetic parameters from an in vitro gas production method as predictors of voluntary intake of forage by mature ewes, 95 (2002) 133
- Value for animal production (VAP): a new criterion for tropical forage evaluation, 96 (2002) 31
- Assessment of the nutritive value of whole crop peas and intercropped pea-wheat bi-crop forages harvested at different maturity stages for ruminants, 96 (2002) 43
- Feeding dairy heifers untreated or urea-treated fibrous sugarcane residues: effect on dry matter intake, growth, and metabolic parameters, 100 (2002) 31
- Effect of dietary inclusion of concentrated separator by-product and weaning management on performance of newly received feedlot steers, 100 (2002) 43
- Intake level**
- Microbial activity in the caecum of the rabbit around weaning: impact of a dietary fibre deficiency and of intake level, 99 (2002) 107
- Interactions**
- Fusarium* mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183
- Intercropping**
- Assessment of the nutritive value of whole crop peas and intercropped pea-wheat bi-crop forages harvested at different maturity stages for ruminants, 96 (2002) 43
- Performance and carcass characteristics of beef cattle fed diets containing silage from intercropped barley and annual ryegrass, 99 (2002) 1
- Intercrops**
- The potential of forage-maize intercrops in ruminant nutrition, 86 (2000) 157
- Dry matter yield and nutritive value of pea/wheat bi-crops differing in maturity at harvest, pea to wheat ratio and pea variety, 94 (2001) 77
- The effect on voluntary feed intake, in vivo digestibility and nitrogen balance in sheep of feeding grass silage or pea-wheat intercrops differing in pea to wheat ratio and maturity, 96 (2002) 161
- Interference**
- Stability of bacitracin methylene disalicylate and chlortetracycline in combination in a pelleted pig feed, 81 (1999) 35
- Intestinal and total tract digestibility**
- In situ ruminal and intestinal nutrient digestibilities of mesquite (*Prosopis juliflora*) pods, 100 (2002) 107
- Intestinal digestibility**
- Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1

Protein degradability and intestinal digestibility of blood meals: comparison of two processing methods, 88 (2000) 91

Effects of micronization of flaxseed on nutrient disappearance in the gastrointestinal tract of steers, 95 (2002) 123

Intestinal disappearance

The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289

Intestinal enzymes

Nutrient digestibility of chickpea (*Cicer arietinum* L.) seeds and effects on the small intestine of weaned piglets, 91 (2001) 197

Component digestibility of lupin (*Lupinus angustifolius*) and pea (*Pisum sativum*) seeds and effects on the small intestine and body organs in anastomosed and intact growing pigs, 98 (2002) 187

Intestinal function

Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175

Intestine

A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321

Intra-caecal fermentation parameters

Intra-caecal fermentation parameters in ponies fed botanically diverse fibre-based diets, 84 (2000) 183

Physical processing of barley and its effects on intra-caecal fermentation parameters in ponies, 85 (2000) 79

Intramuscular fat

Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71

In-vitro digestibility

Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Opisthocomus hoazin*) and cow rumen fluid with seven tropical forages, 87 (2000) 287

Iodine

Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard

(*Brassica juncea*) meal on nutrient utilization, liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73

Ionophores

The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121

Iron

Effects of time and dietary iron on tissue iron concentration as an estimate of relative bioavailability of supplemental iron sources for ruminants, 90 (2001) 185

Iron-amino acid complex

Bioavailability of iron from amino acid complex in weanling pigs, 86 (2000) 39

Irrigation

Effect of water salinity on the composition and in vitro digestibility of winter-annual ryegrass grown in the Arava desert, 91 (2001) 139

Iso-production curves

Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachis hypogaea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

Isotherm

Development of a multi-tiered approach to the in vitro prescreening of clay-based enterosorbents, 93 (2001) 17

K

Karanj (*Pongamia pinnata*) cake

Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121

Ketosis

Effect of feeding an energy supplement to dairy cows pre- and postpartum on intake, milk yield, and incidence of ketosis, 93 (2001) 55

Kids

Feed intake and behaviour of kids and lambs fed sugar cane as the sole roughage with or without concentrate, 100 (2002) 79

L***L. albus* seeds**

Effects of increasing amounts of *Lupinus albus* seeds without or with whole egg powder in the diet of growing pigs on performance, 83 (2000) 89

Lactating cows

Energy and protein supplementation of lactating dairy cows offered urea treated whole-crop wheat as the sole forage, 82 (1999) 177

Lactating ewes

Soy hulls as a replacement for maize in lactating dairy ewe diets with or without dietary fat supplements, 76 (1998) 65

Lactating performance

Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303

Lactation

Performance response of lactating and growing rabbits to dietary lignin content, 80 (1999) 43

Lactation performance

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1998) 275

Lactic acid

Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341

Lactic acid fermentation

Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199

Lactose

Lactose, sucrose, and molasses in simple and complex diets for nursery pigs, 93 (2001) 127

Lamb

The effect of dietary inclusion of halophyte *Sarcocornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1998) 149

Estimated relative bioavailability of supplemental inorganic molybdenum sources and their effect on tissue molybdenum and copper concentrations in lambs, 79 (1999) 107

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 3. Antinutritional factors in plasma and organs, 85 (2000) 111

Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71

Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251

Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121

Comparison of raw and roasted narbon beans (*Vicia narbonensis*) on performance and meat sensory attributes of lambs fed a roughage-based diet, 92 (2001) 1

Effect of the DVE and OEB value changes of grain legumes (lupin and faba beans) after roasting on the performance of lambs fed a roughage-based diet, 94 (2001) 89

Purine derivative excretion and ruminal microbial yield in growing lambs fed raw and dry roasted legume seeds as protein supplements, 95 (2002) 33

Carcass quality, meat chemical and fatty acid composition of lambs fed diets containing extruded soybeans and sunflower seeds, 97 (2002) 103

Feed intake and behaviour of kids and lambs fed sugar cane as the sole roughage with or without concentrate, 100 (2002) 79

Lathyrism

A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1

Lathyrus

A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1

The nutritional value of *Lathyrus cicera* and *Lupinus angustifolius* grain for sheep, 99 (2002) 45

Lathyrus cicera

Lupinus luteus, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract

apparent digestibility of amino acids and antigenic effects, 89 (2001) 1

Layers

Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169

Non-phytin phosphorus requirements of commercial broilers and White Leghorn layers, 80 (1999) 1

Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid, 81 (1999) 43

Effects of providing dietary wood (oak) charcoal to broiler chicks and laying hens, 90 (2001) 213

Laying hens

Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229

L-Carnitine

Growth and metabolic responses of Holstein calves fed broiler litter-based diets supplemented with L-carnitine, 98 (2002) 61

Leaf

Nutritional properties of the leaf and stem of rice straw, 83 (2000) 57

Leaf/stem ratio

Leaf content of straw diets influences supplementation responses by sheep, 100 (2002) 93

Lecithin

Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

Effects of dietary lecithin and fat unsaturation on nutrient utilisation in weaned piglets, 95 (2002) 169

Lectin

A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321

Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335

Binding of biotinylated legume seed lectins with glycoproteins in blotted receptor-analogs: influence of incubation pH, 94 (2001) 147

Legume seeds

Trypsin inhibitor activity of legume seeds (peas, chickling vetch, lentils, and soya beans) as affected by the technique of harvest, 86 (2000) 261

Effect of the DVE and OEB value changes of grain legumes (lupin and faba beans) after roasting on the performance of lambs fed a roughage-based diet, 94 (2001) 89

Binding of biotinylated legume seed lectins with glycoproteins in blotted receptor-analogs: influence of incubation pH, 94 (2001) 147

Purine derivative excretion and ruminal microbial yield in growing lambs fed raw and dry roasted legume seeds as protein supplements, 95 (2002) 33

An analysis of the nutritive value of heat processed legume seeds for animal production using the DVE/OEB model: a review, 99 (2002) 141

Legume straws

Chemical composition, DM and NDF degradation kinetics in rumen of seven legume straws, 83 (2000) 75

Legume-containing diets

Component digestibility of lupin (*Lupinus angustifolius*) and pea (*Pisum sativum*) seeds and effects on the small intestine and body organs in anastomosed and intact growing pigs, 98 (2002) 187

Legumes

Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23

Lentil

Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249

Leucaena leaf meal

Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159

Leucaena leucocephala

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239

Level of berseem

Effect of different levels of berseem (*Trifolium alexdrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133

Level of intake

The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135

The in situ ruminal degradability of concentrate feedstuffs in steers as affected by level of feed consumption and ratio of grass silage to concentrate, 100 (2002) 15

Lignin

Effect of hydrolytic lignin on formation of protein-lignin complexes and protein degradation by rumen microbes, 95 (2002) 83

Composition and in vitro gas production of whole stems and cell walls of different genotypes of pearl millet and sorghum, 98 (2002) 73

Lignin requirements

Performance response of lactating and growing rabbits to dietary lignin content, 80 (1999) 43

Lignocellulose

Microbial conversion of lignocellulosic residues for production of animal feeds, 98 (2002) 1

Linear program

UNEForm: a powerful feed formulation spreadsheet suitable for teaching or on-farm formulation, 91 (2001) 233

Linseed

Protein quality of linseed for growing broiler chicks, 84 (2000) 155

Effects of removal of mucilage and enzyme or sepiolite supplement on the nutrient digestibility and metabolizable energy of a diet containing linseed in broiler chickens, 97 (2002) 169

Lipid digestion

Inhibitory effect of dietary carboxymethylcellulose on fat digestibility in rats fed diets containing either starch or glucose, 85 (2000) 139

Lipid protection

Protein degradability of soybean meal coated with different lipid substances and its effects on ruminal parameters when included in steer rations, 92 (2001) 249

Lipids

Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41

Liquid diet

Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1

Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253

Listeria monocytogenes

The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127

Litter

Dietary fibre for pregnant sows: effect on performance and behaviour, 90 (2001) 71

Litter mortality

Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105

Live weight change

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213

Liver abscesses

Effect of rates and extent of ruminal barley grain dry matter and starch disappearance on bloat, liver abscesses, and performance of feedlot steers, 97 (2002) 145

Liver enzymes

Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization,

liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73

Liver fat

Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89

Livestock

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Lotus corniculatus

The effect of condensed tannins in *Lotus corniculatus* upon reproductive efficiency and wool production in ewes during autumn, 92 (2001) 185

Low protein

Digestibility and nitrogen utilisation of diets containing protein at different levels and supplemented with DL-methionine, L-methionine and L-lysine in blue fox (*Alopex lagopus*), 98 (2002) 219

Lucas test

Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141

Lucas/uniformity test

Nutritional uniformity of neutral detergent solubles in some tropical browse leaf and pod diets, 82 (1999) 63

Lucerne

Measurement of cell-wall digestibility in lucerne using the filter bag technique, 79 (1999) 239

Post-ruminal protein supply and N retention of weaner sheep fed on a basal diet of lucerne hay (*Medicago sativa*) with increasing levels of quebracho tannins, 92 (2001) 59

Effect of length of ensiling on silo degradation and digestibility of structural carbohydrates of lucerne and orchardgrass, 92 (2001) 141

Evaluation of pellets from different industrial processing of dehydrated lucerne in dairy cattle feeding, 99 (2002) 13

Lupin

Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of

protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213

The energy value of *Lupinus angustifolius* and *Lupinus albus* for growing pigs, 83 (2000) 17

Apparent and standardised true ileal digestibility of protein and amino acids from faba bean, lupin and pea, provided as whole seeds, dehulled or extruded in pig diets, 97 (2002) 183

The nutritional value of *Lathyrus cicera* and *Lupinus angustifolius* grain for sheep, 99 (2002) 45

Lupin seed

Degradation in the rumen of lupin (*Lupinus albus* L.) and pea (*Pisum sativum* L.) seed proteins. Effect of heat treatment, 92 (2001) 215

The nutritive value for ruminants of lupin seeds from determinate and dwarf determinate plants, 94 (2001) 187

Lupinus luteus

Lupinus luteus, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1

Lys

Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass[®]) determined in situ, 83 (2000) 31

M

Maintenance

The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15

Maize

The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165

Processed cereals in diets for early-weaned piglets, 82 (1999) 145

Maize cobs

Digestibility of high fibre diets and performance of growing Zimbabwean indigenous Mukota pigs and exotic Large White pigs fed maize based diets with graded levels of maize cobs, 97 (2002) 199

Measurement of yield and in situ dry matter degradability of maize varieties harvested at two stages of maturity in sheep, 100 (2002) 53

Maize grain

Soy hulls as a replacement for maize in lactating dairy ewe diets with or without dietary fat supplements, 76 (1998) 65

Maize silage

Comparison of the in vitro gas production technique and the nylon bag degradability technique to measure short- and long-term processes of degradation of maize silage in dairy cows, 78 (1999) 81

Evaluation of the chemical composition and the particle size of maize silages produced in north-west of Portugal, 83 (2000) 173

Comparison of major carbohydrate fractions and cell wall digestibility in silages made from older and newer maize genotypes grown in the UK, 89 (2001) 69

Use of the automated gas production technique to determine the fermentation kinetics of carbohydrate fractions in maize silage, 93 (2001) 205

Maize sources

Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15

Maize stover

Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215

Effects of supplementation of a basal diet of maize stover with different amounts of *Leucaena diversifolia* on intake, digestibility, nitrogen metabolism and rumen parameters in sheep, 98 (2002) 131

Measurement of yield and in situ dry matter degradability of maize varieties harvested at two stages of maturity in sheep, 100 (2002) 53

Maize-soyabean meal

Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15

Maize varieties

Measurement of yield and in situ dry matter degradability of maize varieties harvested at two stages of maturity in sheep, 100 (2002) 53

MALDI-TOF mass spectrometry

Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

Manganese

Changes in zinc and manganese availability in broiler chicks induced by vegetal and microbial phytases, 77 (1999) 241

Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255

Manganese methionine

Dietary zinc and manganese sources administered from the fetal stage onwards affect immune response of transit stressed and virus infected offspring steer calves, 93 (2001) 217

Markers

A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49

Use of chromium mordanted neutral detergent residue as a predictor of fecal output to estimate intake in grazing high producing Holstein cows, 89 (2001) 155

Estimating passage kinetics using fibre-bound ¹⁵N as an internal marker, 94 (2001) 29

Mash

Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229

Mastication

The release of intracellular constituents from fresh ryegrass (*Lolium perenne* L.) during ingestive mastication in dairy cows: effect of intracellular constituent, season and stage of maturity, 93 (2001) 229

The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83

Maturity

Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1999) 241

Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121

Effect of variety, stages of maturity and botanical fractions on phosphorous concentration and in situ degradability characteristics of phosphorous of whole crop rice silage, 92 (2001) 237

Maturity stage

The release of intracellular constituents from fresh ryegrass (*Lolium perenne* L.) during ingestive mastication in dairy cows: effect of intracellular constituent, season and stage of maturity, 93 (2001) 229

The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83

Meals

Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117

Measurement methods

The influence of hydrochloric acid concentration and measurement method on the determination of amino acid levels in soya bean products, 87 (2000) 173

Meat and bone meal

Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash

diets containing varying levels of protein, 76 (1998) 23

Meat meals

Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59

Meat quality

Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119

Comparison of raw and roasted narbon beans (*Vicia narbonensis*) on performance and meat sensory attributes of lambs fed a roughage-based diet, 92 (2001) 1

Effect of creatine monohydrate on finishing pig growth performance, carcass characteristics and meat quality, 96 (2002) 135

The nutritional value of *Lathyrus cicera* and *Lupinus angustifolius* grain for sheep, 99 (2002) 45

Mechanical action

Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297

Medium chain fatty acids

Effect of adding caprylic and capric acid to grass on fermentation characteristics during ensiling and in the artificial rumen system RUSITEC, 99 (2002) 65

Medium-chain triglycerides

Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1998) 241

Mesquite pods

In situ ruminal and intestinal nutrient digestibilities of mesquite (*Prosopis juliflora*) pods, 100 (2002) 107

Met

Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass[®]) determined in situ, 83 (2000) 31

Metabolism

Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Metabolism of diosgenin-derived saponins: implications for hepatogenous photosensitization diseases in ruminants, 91 (2001) 157

Metabolites

Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223

Metabolizable energy

A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153

Partitioning of variance in true metabolizable energy determinations: an example using wheat data, 80 (1999) 29

Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165

Metabolizable energy intake

Leaf content of straw diets influences supplementation responses by sheep, 100 (2002) 93

Methane

Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41

Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

The effect of supplementing grass silage with soya bean meal on digestibility, in sacco degradability, rumen fermentation and methane production in sheep, 97 (2002) 127

Methane production

Effect of adding acetogenic bacteria on methane production by mixed rumen microorganisms, 78 (1999) 1

Energy metabolism with particular reference to methane production in Muzaffarnagari sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287

Methanogenesis

Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43

Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263

Effect of adding caprylic and capric acid to grass on fermentation characteristics during ensiling and in the artificial rumen system RUSITEC, 99 (2002) 65

Methionine

Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23

The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85

Methionine hydroxyanalogue utilization

Effects of DL-methionine hydroxyanalogue (MHA) or DL-methionine (DL-Met) on N-retention in broiler chickens and pigs, 81 (1999) 193

Methods

Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195

Microbial

Microbial interactions with tannins: nutritional consequences for ruminants, 91 (2001) 83

Microbial activity

Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33

In vitro microbial fermentation and protein utilisation of tropical forage legumes grown during the dry season, 95 (2002) 1

Microbial adhesion to forage

An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207

Microbial colonization

Colonization and source of N substrates used by microorganisms digesting forages incubated in synthetic fibre bags in the rumen, 83 (2000) 261

Microbial composition

Microbial protein supply from the rumen, 85 (2000) 1

Microbial efficiency

Method of polyethylene glycol application to tannin-containing browses to improve microbial fermentation and efficiency of microbial protein synthesis from tannin-containing browses, 92 (2001) 51

Microbial inoculant

Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317

Microbial interaction

Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297

Microbial metabolites

Effect of dietary carbadox or formic acid and fibre level on ileal and faecal nutrient digestibility and microbial metabolite concentrations in ileal digesta of the pig, 93 (2001) 137

Microbial N supply

Purine derivative excretion and ruminal microbial yield in growing lambs fed raw and dry roasted legume seeds as protein supplements, 95 (2002) 33

Microbial nitrogen supply

Effect of dietary protein variation in terms of net truly digested intestinal protein (DVE) and rumen degraded protein balance (OEB) on the concentrations and excretion of urinary creatinine, purine derivatives and microbial N supply in sheep: comparison with the prediction from the DVE/OEB model, 93 (2001) 71

Microbial phytase

The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177

Microbial protein

Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279

Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Microbial protein synthesis

The effect of the form of nitrogen in the diet on ruminal fermentation and the yield of microbial protein in sheep consuming diets of grass silage supplemented with starch or sucrose, 78 (1999) 227

Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171

Microbial synthesis

The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195

Microbial protein supply from the rumen, 85 (2000) 1

Microbiology

Establishment and application of an in vitro methodology to study the effects of organic acids on coliform and lactic acid bacteria in the proximal part of the gastrointestinal tract of piglets, 99 (2002) 131

Micronization

Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hullless barley, 79 (1999) 29

Processed cereals in diets for early-weaned piglets, 82 (1999) 145

Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13

Influence of processing variables during micronization of wheat on starch structure and subsequent performance and digestibility in weaned piglets fed wheat-based diets, 93 (2001) 93

Influence of micronization temperature and preconditioning on performance and digestibility in piglets fed barley-based diets, 95 (2002) 73

Effects of micronization of flaxseed on nutrient disappearance in the gastrointestinal tract of steers, 95 (2002) 123

Micro-organism

Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43

Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263

Microbial conversion of lignocellulosic residues for production of animal feeds, 98 (2002) 1

Milk

Milk yield response of dairy cows fed fat along with protein, 90 (2001) 169

Milk fat

Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115

Hydrogenation of eicosapentaenoic and docosahexaenoic acids and their incorporation into milk fat, 79 (1999) 57

Protection of conjugated linoleic acids from ruminal hydrogenation and their incorporation into milk fat, 86 (2000) 139

Milk fat enriched in *n*-3 fatty acids, 98 (2002) 143

Milk fatty acids

Effects of untreated and heat-treated canola press-cake on milk yield and composition of dairy cows, 89 (2001) 97

Milk production

Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159

Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213

Effect of feeding a combination of zinc, manganese and copper amino acid complexes, and cobalt glucoheptonate on performance of early lactation high producing dairy cows, 93 (2001) 193

The effect of adding an enzyme containing lactic acid bacterial inoculant to big round bale oat silage on intake, milk production and milk composition of Jersey cows, 97 (2002) 159

Effect of grazing method and herbage allowance on the grazing efficiency of milk production in organic farming, 98 (2002) 87

Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103

Milk production and composition

Milk production and ruminal digestion in lactating dairy cows grazing temperate pastures and supplemented with dry cracked corn or high moisture corn, 91 (2001) 183

Milk protein

The effects of increasing the proportion of molasses in the diet of milking dairy cows on milk production and composition, 78 (1999) 189

Increasing the digestible undegraded protein intake of lactating dairy cows by feeding fishmeal or a rumen protected vegetable protein blend, 96 (2002) 69

Milk yield

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105

Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Effect of feeding an energy supplement to dairy cows pre- and postpartum on intake, milk yield, and incidence of ketosis, 93 (2001) 55

Increasing the digestible undegraded protein intake of lactating dairy cows by feeding fishmeal or a rumen protected vegetable protein blend, 96 (2002) 69

Milled wood lignin

Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321

Millet

Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17

Composition and in vitro gas production of whole stems and cell walls of different genotypes of pearl millet and sorghum, 98 (2002) 73

Milling

Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

Mimosa tannins

The use of tannins as silage additives: effects on silage composition and mobile bag disap-

pearance of dry matter and protein, 82 (1999) 243

Mimosine

Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159

Mineral balance

Relationships between crude protein and mineral concentrations in alfalfa and value of alfalfa silage as a mineral source for periparturient cows, 93 (2001) 157

Mineral content

Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331

Minerals

Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize-soybean meal or barley-soybean meal diets, 77 (1999) 125

The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177

The effect of extrusion cooking on mineral bioavailability in pea and kidney bean seed meals, 94 (2001) 1

Mink

Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103

Formic acid-sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39

Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199

Mobile bag

The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289

The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243

Mobile bag digestibility

Laboratory procedure to determine protein digestibility of heat-treated feedstuffs for dairy cattle, 96 (2002) 1

Mobile nylon bag technique

Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass[®]) determined in situ, 83 (2000) 31

Rumen degradability and intestinal indigestibility of individual amino acids in corn gluten meal, canola meal and fish meal determined in situ, 94 (2001) 127

Modeling

Influence of protein fermentation on gas production profiles, 76 (1999) 251

Moisture content

Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1998) 345

Molasses

The effects of increasing the proportion of molasses in the diet of milking dairy cows on milk production and composition, 78 (1999) 189

Nitrogen utilization and performance of pigs given diets containing a dried or undried fermented blood/molasses mixture, 78 (1999) 239

Influence of the level of molasses in de-oiled rice bran-based concentrate mixture on rumen fermentation pattern in crossbred cattle calves, 80 (1999) 83

Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121

Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253

Lactose, sucrose, and molasses in simple and complex diets for nursery pigs, 93 (2001) 127

Patterns of rumen fermentation in bulls fed barley/molasses diets, 97 (2002) 53

Molecular weight

Dynamic study of the release and the utilisation of ¹⁵N-labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75

Molybdenum

- Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93
- Estimated relative bioavailability of supplemental inorganic molybdenum sources and their effect on tissue molybdenum and copper concentrations in lambs, 79 (1999) 107

Monensin

- Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165
- The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121

Monocotyledons

- Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13

Monogastric

- Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

Monosaccharide digestibility

- Digestion by sheep of monosaccharide constituents of direct cut alfalfa silage made with SO₂-treated wheat straw, 92 (2001) 175

Monounsaturated fatty acid

- Effect of dietary monounsaturated/saturated fatty acid ratio on fatty acid composition and oxidative stability of tissues in broilers, 95 (2002) 189

Montmorillonite

- Physiological and toxicological responses in rats fed aflatoxin-contaminated diet with or without sorbent materials, 97 (2002) 209

Morphological fraction

- Studies on untreated and urea-treated rice straw from three cultivation seasons: 3. Histological investigations by light and scanning electron microscopy, 80 (1999) 151
- Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1

- In sacco degradability, chemical and morphological composition of 15 varieties of European rice straw, 94 (2001) 15

Mortality

- Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139

Mottgrass

- Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121

MS

- Analysis of hydrolysable tannins, 91 (2001) 3

Mukota pigs

- Digestibility of high fibre diets and performance of growing Zimbabwean indigenous Mukota pigs and exotic Large White pigs fed maize based diets with graded levels of maize cobs, 97 (2002) 199

Multinutrient block

- Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

Multipurpose tree

- Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221
- Effects of supplementation of a basal diet of maize stover with different amounts of *Leucaena diversifolia* on intake, digestibility, nitrogen metabolism and rumen parameters in sheep, 98 (2002) 131

Multivariate

- Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

Mustard cake

- Influence of water soaking of mustard cake on glucosinolate hydrolysis, 99 (2002) 215

Mustard meal

- Effect of moist heat treatment on in-vitro degradability and ruminal escape protein and amino acids of mustard meal, 76 (1999) 265

Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization, liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73

Effect of substitution of soybean meal with treated or untreated high glucosinolate mustard (*Brassica juncea*) meal on intake, digestibility, growth performance and body composition of calves, 94 (2001) 137

Mustard straw

Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Muzaffarnagari sheep

Energy metabolism with particular reference to methane production in Muzaffarnagari sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287

Mycotoxin

Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109

Ergovaline levels in cultivars of *Festuca arundinacea*, 93 (2001) 169

Effects of patulin on rumen microbial fermentation in continuous culture fermenters, 97 (2002) 239

Myrabolam tannins

The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243

N

¹⁵N

An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207

Quantitation of the flow of soluble non-ammonia nitrogen entering the omasal canal of dairy cows fed grass silage based diets, 96 (2002) 203

N digestibility

The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothyrsus*

and *Leucaena leucocephala* leaf, 85 (2000) 259

N excretion

Digestibility and nitrogen utilisation of diets containing protein at different levels and supplemented with DL-methionine, L-methionine and L-lysine in blue fox (*Alopex lagopus*), 98 (2002) 219

n-3 Fatty acids

Milk fat enriched in n-3 fatty acids, 98 (2002) 143

N requirement for maintenance

Investigation on requirement of crude protein for maintenance in Shaoxing ducks, 98 (2002) 167

N retention

Post-ruminal protein supply and N retention of weaner sheep fed on a basal diet of lucerne hay (*Medicago sativa*) with increasing levels of quebracho tannins, 92 (2001) 59

Digestibility and nitrogen utilisation of diets containing protein at different levels and supplemented with DL-methionine, L-methionine and L-lysine in blue fox (*Alopex lagopus*), 98 (2002) 219

N solubility

In vitro rumen degradability of crude protein in seeds from four *Sesbania* spp. and the effects of treatments designed to reduce the levels of antinutrients in the seeds, 95 (2002) 49

Napier

Effect of supplementing napier grass (*Pennisetum purpureum*) with poultry litter and sunflower meal based concentrates on feed intake and rumen fermentation in Friesian steers, 92 (2001) 113

Rumen degradation and estimation of microbial protein yield and intestinal digestion of napier grass (*Pennisetum purpureum*) and various concentrates, 93 (2001) 177

Narbon bean

Comparison of raw and roasted narbon beans (*Vicia narbonensis*) on performance and meat sensory attributes of lambs fed a roughage-based diet, 92 (2001) 1

Native range

Influence of liquid supplement delivery method on forage and supplement intake by grazing beef cows, 78 (1999) 273

N-balance trials

Effects of DL-methionine hydroxyanalogue (MHA) or DL-methionine (DL-Met) on N-retention in broiler chickens and pigs, 81 (1999) 193

NDF

Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77

Effects of processed corn silage on its digestibility and production of growing beef replacement heifers, 96 (2002) 221

NDF fermentation

The effect of fermentable nitrogen availability on in vitro gas production and degradability of NDF, 87 (2000) 241

N-digestibility

In vitro digestion studies using ^{14}C -labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149

Near infrared analysis

The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325

Near infrared reflectance spectroscopy (NIRS)

Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201

Effects of oven- or freeze-drying on chemical composition and NIR spectra of pasture silage, 80 (1999) 309

Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

Near infrared spectroscopy

Assessment of the potential of NIR spectroscopy for the estimation of nitrogen content in grasses from semiarid grasslands, 77 (1999) 91

Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331

The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139

Near-infrared reflectance

Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and

chemical composition of fresh silage, 78 (1999) 57

Neem bitters

Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169

Neem kernel meal

Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169

Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets, 88 (2000) 113

Neotrophodium

Ergovaline levels in cultivars of *Festuca arundinacea*, 93 (2001) 169

Nepal

Nutritional evaluation of leaves from some major fodder trees cultivated in the hills of Nepal, 92 (2001) 17

Neutral detergent

Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177

Neutral detergent solubles

Nutritional uniformity of neutral detergent solubles in some tropical browse leaf and pod diets, 82 (1999) 63

Neutral sugars

Fermentation characteristics of cell-wall sugars from soya bean meal, and from separated endosperm and hulls of soya beans, 79 (1999) 179

Nigeria

Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Ninhydrin assay

Quantitation of the flow of soluble non-ammonia nitrogen entering the omasal canal of dairy cows fed grass silage based diets, 96 (2002) 203

Evaluation of a rapid method for estimating free amino acids in silages, 99 (2002) 177

NIR

Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57

NIR spectra

Effects of oven- or freeze-drying on chemical composition and NIR spectra of pasture silage, 80 (1999) 309

NIRS

Near-infrared reflectance spectroscopy (NIRS) appears to be superior to nitrogen-based regression as a rapid tool in predicting the poultry digestible amino acid content of commonly used feed-stuffs, 76 (1998) 139

Nitrogen

In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1

Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223

Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49

Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, 89 (2001) 17

Effects of expander-treating a barley-based concentrate on ruminal fermentation, bacterial N synthesis, escape of dietary N, and performance of dairy cows, 90 (2001) 227

Nitrogen balance

Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95

Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79

Effects of ileal endogenous nitrogen losses and dietary amino acid supplementation on nitrogen retention in growing pigs, 80 (1999) 207

Assessment of the nutritive value of whole crop peas and intercropped pea-wheat bi-crop forages harvested at different maturity stages for ruminants, 96 (2002) 43

The effect on voluntary feed intake, in vivo digestibility and nitrogen balance in sheep of feeding grass silage or pea-wheat intercrops differing in pea to wheat ratio and maturity, 96 (2002) 161

Nitrogen balance test

Investigation on requirement of crude protein for maintenance in Shaoxing ducks, 98 (2002) 167

Nitrogen content

Assessment of the potential of NIR spectroscopy for the estimation of nitrogen content in grasses from semiarid grasslands, 77 (1999) 91

Nitrogen degradation

Degradation in the rumen of lupin (*Lupinus albus* L.) and pea (*Pisum sativum* L.) seed proteins. Effect of heat treatment, 92 (2001) 215

Nitrogen digestion

In vitro microbial fermentation and protein utilisation of tropical forage legumes grown during the dry season, 95 (2002) 1

Nitrogen disappearance

Effect of ethanol concentration and application period of soyabean meal on the kinetics of ruminal digestion, 79 (1999) 247

Nitrogen isotopes

Fractionation of ammonia nitrogen isotopes by ruminal bacteria in vitro, 100 (2002) 71

Nitrogen retention

Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215

Nitrogen source

Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195

Nitrogen substrates

Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the

utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51

Nitrogen utilization

Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223

N-metabolism

Digestion by sheep of monosaccharide constituents of direct cut alfalfa silage made with SO₂-treated wheat straw, 92 (2001) 175

NMR

Analysis of hydrolysable tannins, 91 (2001) 3

Non-essential amino acids

Threonine and crude protein responses in broiler chicks, 94 (2001) 57

Nonfiber carbohydrate

Influence of nonfiber carbohydrate concentration on forage fiber digestion in vitro, 86 (2000) 107

Non-lactating dairy cow

Effects of yeast culture (*Saccharomyces cerevisiae*) on ruminal digestion in non-lactating dairy cows, 76 (1999) 195

Nonruminant

Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83

Non-starch polysaccharide

Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121

Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175

The nutritional significance of "dietary fibre" analysis, 90 (2001) 3

NRC

Effect of feeding undegraded intake protein at a level greater than National Research Council recommendation on the lactational performance of crossbred cows, 87 (2000) 95

Nursery pig

Lactose, sucrose, and molasses in simple and complex diets for nursery pigs, 93 (2001) 127

Nutrient

Nutrient intake and utilisation by goats fed dried leaves of the shrub legumes *Acacia angustissima*, *Calliandra calothyrsus* and *Leucaena leucocephala* as supplements to native pasture hay, 91 (2001) 95

Nutrient analyses

Yield and quality of three corn hybrids as affected by broiler litter fertilization and crop maturity, 94 (2001) 43

Nutrient composition

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Nutrient content

UNEFom: a powerful feed formulation spreadsheet suitable for teaching or on-farm formulation, 91 (2001) 233

Nutrient degradability

Chemical characterization and in situ nutrient degradability of wet distillers' grains derived from barley-based ethanol production, 83 (2000) 301

Nutrient digestibility

Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165

Nutrient management

Dairy slurry effects on forage quality of orchard-grass, reed canarygrass and alfalfa-grass mixtures, 95 (2002) 143

Nutrient profile

Influence of variety and storage for up to 22 days on nutrient composition and gossypol level of Pima cottonseed (*Gossypium* spp.), 91 (2001) 149

Nutrient utilization

Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117

Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

- Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251
- The non-mineral nutritional impact of phytate in canola meal fed to broiler chicks, 91 (2001) 115
- Effects of feeding ensiled spearmint (*Mentha spicata*) byproduct on nutrient utilization and ruminal fermentation of steers, 92 (2001) 33
- Effect of forage conservation method, concentrate level and propylene glycol on diet digestibility, rumen fermentation, blood metabolite concentrations and nutrient utilisation of dairy cows, 97 (2002) 1

Nutrients

- The role of dietary fibre in the digestive physiology of the pig, 90 (2001) 21

Nutrition

- Protein and energy retention in pigs fed diets containing sepiolite, 79 (1999) 155
- Effect of dietary fibre on the behaviour and health of the restricted fed sow, 90 (2001) 53

Nutritional

- Value of *Aspergillus niger* fermentation product as a dietary ingredient for broiler chickens, 91 (2001) 171

Nutritional uniformity

- Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141

Nutritional value

- Nutritional properties of the leaf and stem of rice straw, 83 (2000) 57

Nutritive value

- Chemical composition, in sacco degradation and in vitro gas production of some Ghanaian browse plants, 76 (1998) 129
- Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201
- Nutritive value for broilers of meals derived from newly developed varieties of yellow-seeded canola, 78 (1999) 249
- The nutritional value of *Piliostigma thonningii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287
- Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1

- The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165

- Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101

- The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119

- In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227

- Energy metabolism with particular reference to methane production in Muzaffarnagari sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287

- Nutritive evaluation of some Acacia tree leaves from Kenya, 85 (2000) 89

- Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187

- Nutritional evaluation of cardoon (*Cynara cardunculus*) seed for ruminants, 87 (2000) 203

- Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103

- Tannin content, nutritive value and dry matter digestibility of *Lonchocarpus capassa*, *Zizyphus mucronata*, *Sclerocarya birrea*, *Kirkia acuminata* and *Rhus lancea* seeds, 91 (2001) 107

- Nutritional evaluation of leaves from some major fodder trees cultivated in the hills of Nepal, 92 (2001) 17

- Supplementation of *Acacia cyanophylla* Lindl. foliage-based diets with barley or shrubs from arid areas (*Opuntia ficus-indica* f. *inermis* and *Atriplex nummularia* L.) on growth and digestibility in lambs, 96 (2002) 15

- Utilisation of tropical dry season grass by ruminants is increased by feeding fallen leaf of siris (*Albizia lebbek*), 96 (2002) 175

- Effects of removal of mucilage and enzyme or sepiolite supplement on the nutrient digestibility and metabolizable energy of a diet containing linseed in broiler chickens, 97 (2002) 169

- The nutritional value of *Lathyrus cicera* and *Lupinus angustifolius* grain for sheep, 99 (2002) 45

Nylon bag digestion

- Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77

Nylon bag technique

Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass[®]) determined in situ, 83 (2000) 31

Rumen degradability and intestinal indigestibility of individual amino acids in corn gluten meal, canola meal and fish meal determined in situ, 94 (2001) 127

Rumen escape protein in concentrate ingredients determined with the nylon bag and enzymatic techniques, 97 (2002) 247

Nylon bags

In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1

Nylon bags methods

Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157

Nylon capsule

Nylon capsule method and alfalfa hay crude protein digestibility evaluation, 79 (1999) 269

O

Oat silage

The effect of adding an enzyme containing lactic acid bacterial inoculant to big round bale oat silage on intake, milk production and milk composition of Jersey cows, 97 (2002) 159

Oats

Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1

Research note: a consistent low starch digestibility observed in pelleted broiler chicken diets containing high levels of different wheat varieties, 92 (2001) 45

Obano

The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119

ODAP

A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1

Odd-chain fatty acids

Microbial protein supply from the rumen, 85 (2000) 1

Oil palm slurry

The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163

Blend of oil palm slurry and rice bran as feed ingredient for broiler chickens, 83 (2000) 185

Oilseeds

Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41

Oleic acid

Nutrient digestion, biohydrogenation, and fatty acid profiles in blood plasma and milk fat from lactating Holstein cows fed canola oil or canolamide, 97 (2002) 65

Oligosaccharides

Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205

Olive leaves

Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187

Optimal pressure toasting

Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

Optimal seed processing

An analysis of the nutritive value of heat processed legume seeds for animal production using the DVE/OEB model: a review, 99 (2002) 141

Optimum feeding levels

Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265

Optimum ration

Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachys hypogea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

Opuntia ficus-indica* f. *inermis

Supplementation of *Acacia cyanophylla* Lindl. foliage-based diets with barley or shrubs from arid areas (*Opuntia ficus-indica* f. *inermis* and *Atriplex nummularia* L.) on growth and digestibility in lambs, 96 (2002) 15

Orchardgrass

Effect of length of ensiling on silo degradation and digestibility of structural carbohydrates of lucerne and orchardgrass, 92 (2001) 141

Organic acids

Effect of dietary carbadox or formic acid and fibre level on ileal and faecal nutrient digestibility and microbial metabolite concentrations in ileal digesta of the pig, 93 (2001) 137

Establishment and application of an in vitro methodology to study the effects of organic acids on coliform and lactic acid bacteria in the proximal part of the gastrointestinal tract of piglets, 99 (2002) 131

Organic farming

Effect of grazing method and herbage allowance on the grazing efficiency of milk production in organic farming, 98 (2002) 87

Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103

Organic trace minerals

Effect of feeding a combination of zinc, manganese and copper amino acid complexes, and cobalt glucoheptonate on performance of early lactation high producing dairy cows, 93 (2001) 193

Organs

Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319

Osmotic pressure

Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Oxidative stability

Effect of dietary monounsaturated/saturated fatty acid ratio on fatty acid composition and oxidative stability of tissues in broilers, 95 (2002) 189

Ozone

Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243

P

Palm kernel cake

Effects of bentonite on rumen fermentation and duodenal flow of dietary components in sheep fed palm kernel cake by-product, 92 (2001) 127

Palm kernel meal

Prediction of the standardized ileal true digestibility of amino acids from the chemical composition of oilseed meals in the growing pig, 90 (2001) 103

Palm kernels

Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165

Paraserianthes falcata

Intake, digestibility and nitrogen utilization of three tropical tree legumes. II. As protein supplements, 82 (1999) 107

Parasitic plants

Chemical composition and in vitro dry matter digestibility of four parasitic plants (*Tapinanthus lugardii*, *Erianthum ngamicum*, *Viscum rotundifolium* and *Viscum verrucosum*) in Botswana, 84 (2000) 97

Chemical composition of four parasitic plants harvested over a period of 6 months from two sites in Botswana, 95 (2002) 159

Particle size

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

Evaluation of the chemical composition and the particle size of maize silages produced in north-west of Portugal, 83 (2000) 173

Feeding tallow triglycerides of different saturation and particle size to lactating dairy cows, 83 (2000) 249

Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13

Divergent selection for two laboratory predictors of voluntary intake: relationships among the predictors and leaf morphology variables, 84 (2000) 107

Fractionation of pea flour with pilot scale sieving. I. Physical and chemical characteristics of pea seed fractions, 85 (2000) 61

Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15

Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Partition of nutrient

Partitioning of energy and degradability of browse plants in vitro and the implications of blocking the effects of tannin by the addition of polyethylene glycol, 95 (2002) 93

Passage

Influence of time of feeding a protein meal on diurnal patterns of amino acids in duodenal digesta protein of lactating dairy cows, 97 (2002) 115

Passage kinetics

Estimating passage kinetics using fibre-bound ^{15}N as an internal marker, 94 (2001) 29

Passage lag

Influence of time of feeding a protein meal on diurnal patterns of amino acids in duodenal digesta protein of lactating dairy cows, 97 (2002) 115

Passage rate

Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants, 91 (2001) 69

Pasture

Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199

Use of chromium mordanted neutral detergent residue as a predictor of fecal output to estimate

intake in grazing high producing Holstein cows, 89 (2001) 155

Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103

Patulin

Effects of patulin on rumen microbial fermentation in continuous culture fermenters, 97 (2002) 239

Pea

Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231

Fractionation of pea flour with pilot scale sieving. I. Physical and chemical characteristics of pea seed fractions, 85 (2000) 61

Dry matter yield and nutritive value of pea/wheat bi-crops differing in maturity at harvest, pea to wheat ratio and pea variety, 94 (2001) 77

Assessment of the nutritive value of whole crop peas and intercropped pea-wheat bi-crop forages harvested at different maturity stages for ruminants, 96 (2002) 43

The effect on voluntary feed intake, in vivo digestibility and nitrogen balance in sheep of feeding grass silage or pea-wheat intercrops differing in pea to wheat ratio and maturity, 96 (2002) 161

Apparent and standardised true ileal digestibility of protein and amino acids from faba bean, lupin and pea, provided as whole seeds, dehulled or extruded in pig diets, 97 (2002) 183

Pea globulin

Dynamic study of the release and the utilisation of ^{15}N -labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75

Pea seed

Degradation in the rumen of lupin (*Lupinus albus* L.) and pea (*Pisum sativum* L.) seed proteins. Effect of heat treatment, 92 (2001) 215

Peanut skins

Effects of ruminal inoculations with tannin-tolerant bacteria on fibre and nitrogen digestibility of lambs fed a high condensed tannin diet, 81 (1999) 69

Pearl millet

Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89

Pectinase

Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113

PEG

An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269

Effects of multivitamin blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

PEG 4000

In vitro digestion studies using ^{14}C -labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub legumes and the grass *Panicum maximum*, 85 (2000) 215

PEG binding

In vitro digestion studies using ^{14}C -labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub legumes and the grass *Panicum maximum*, 85 (2000) 215

The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothyrsus* and *Leucaena leucocephala* leaf, 85 (2000) 259

In vitro digestion studies using ^{14}C -labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149

The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*, 87 (2000) 29

PEG–tannin complexes

An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269

Pellet

Evaluation of pellets from different industrial processing of dehydrated lucerne in dairy cattle feeding, 99 (2002) 13

Pelleting

Hydrothermal and β -glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205

Pellets

Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265

Storage of pelleted wheat middlings in farm bins, 88 (2000) 47

Penicillium camemberti

Influence of dairy *Penicillium spp.* on nutrient content of citrus fruit peel, 78 (1999) 169

Penicillium roqueforti

Influence of dairy *Penicillium spp.* on nutrient content of citrus fruit peel, 78 (1999) 169

Pennisetum purpureum

Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313

Pepsin–cellulase digestibility

Vertical distribution of biomass, chemical composition and pepsin–cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

Pepsin–HCl hydrolysis

The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289

Peptide

Dynamic study of the release and the utilisation of ^{15}N -labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75

Quantitation of the flow of soluble non-ammonia nitrogen entering the omasal canal of dairy cows fed grass silage based diets, 96 (2002) 203

Perennial ryegrass

Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the

utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51

Vertical distribution of biomass, chemical composition and pepsin—cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

Performance

Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25

Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139

Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265

Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195

Effects of *Spirulina platensis* on growth performance of weanling pigs, 83 (2000) 237

The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85

Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Effects of providing dietary wood (oak) charcoal to broiler chicks and laying hens, 90 (2001) 213

Comparison of raw and roasted narbon beans (*Vicia narbonensis*) on performance and meat sensory attributes of lambs fed a roughage-based diet, 92 (2001) 1

Influence of processing variables during micronization of wheat on starch structure and subsequent performance and digestibility in weaned piglets fed wheat-based diets, 93 (2001) 93

Influence of micronization temperature and preconditioning on performance and digestibility in piglets fed barley-based diets, 95 (2002) 73

Use of spray dried animal plasma as an alternative to antimicrobial medication in weanling pigs, 99 (2002) 119

Periparturient cows

Relationships between crude protein and mineral concentrations in alfalfa and value of alfalfa silage as a mineral source for periparturient cows, 93 (2001) 157

Permeability

Examination of a technology for silage making in plastic bags, 91 (2001) 213

Pet food

Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109

Phaseolus vulgaris

The effect of extrusion cooking on mineral bioavailability in pea and kidney bean seed meals, 94 (2001) 1

Phenolic acid

Composition and in vitro gas production of whole stems and cell walls of different genotypes of pearl millet and sorghum, 98 (2002) 73

Phenolics

Evaluation of toxicity of *Acacia angustissima* in a rat bioassay, 91 (2001) 41

Proanthocyanidins and other phenolics in *Acacia* leaves of Southern Africa, 91 (2001) 59

Phleum pratense

Effect of herbage allowance on pasture utilization, regrowth and milk yield of dairy cows in early, mid and late season, 97 (2002) 23

Phosphate

Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177

Phosphorus

Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize-soybean meal or barley-soybean meal diets, 77 (1999) 125

Estimation of the phosphorus requirement of weanling pigs fed supplemental phytase, 80 (1999) 91

Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103

Effect of variety, stages of maturity and botanical fractions on phosphorous concentration and in situ degradability characteristics of phosphorous of whole crop rice silage, 92 (2001) 237

Effects of fungal phytase addition, formaldehyde treatment and dietary concentrate content on ruminal phosphorus availability, 99 (2002) 73

Phosphorus excretion

Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113

Phosphorus requirement

Non-phytin phosphorus requirements of commercial broilers and White Leghorn layers, 80 (1999) 1

Phosphorus supplementation

The effects of phytase on growth performance, carcass characteristics, and bone mineralization of late-finishing pigs fed maize-soyabean meal diets containing no supplemental phosphorus, zinc, copper and manganese, 94 (2001) 199

Physical and chemical characteristics

Fractionation of pea flour with pilot scale sieving. I. Physical and chemical characteristics of pea seed fractions, 85 (2000) 61

Physical characteristics

Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Physical processing

Physical processing of barley and its effects on intra-caecal fermentation parameters in ponies, 85 (2000) 79

Physical properties

Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Phytase

Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize-soybean meal or barley-soybean meal diets, 77 (1999) 125

Changes in zinc and manganese availability in broiler chicks induced by vegetal and microbial phytases, 77 (1999) 241

Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211

Estimation of the phosphorus requirement of weanling pigs fed supplemental phytase, 80 (1999) 91

Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103

Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113

The effects of phytase on growth performance, carcass characteristics, and bone mineralization of late-finishing pigs fed maize-soyabean meal diets containing no supplemental phosphorus, zinc, copper and manganese, 94 (2001) 199

Effects of fungal phytase addition, formaldehyde treatment and dietary concentrate content on ruminal phosphorus availability, 99 (2002) 73

Phytate

Changes in zinc and manganese availability in broiler chicks induced by vegetal and microbial phytases, 77 (1999) 241

Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211

The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177

Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15

Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31

The non-mineral nutritional impact of phytate in canola meal fed to broiler chicks, 91 (2001) 115

Phytate phosphorus

Heat treatment of soybean meal and rapeseed meal suppresses rumen degradation of phytate phosphorus in sheep, 80 (1999) 115

Phytic acid

Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize-

- soybean meal or barley-soybean meal diets, 77 (1999) 125
- The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177
- Pig**
- Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103
- Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1999) 241
- Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115
- Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize-soybean meal or barley-soybean meal diets, 77 (1999) 125
- Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79
- Protein and energy retention in pigs fed diets containing sepiolite, 79 (1999) 155
- Protein quality in blood meal. I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301
- Estimation of the phosphorus requirement of weanling pigs fed supplemental phytase, 80 (1999) 91
- Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165
- Effects of ileal endogenous nitrogen losses and dietary amino acid supplementation on nitrogen retention in growing pigs, 80 (1999) 207
- Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231
- A comparison of the predictions of digestible energy content of compound feeds for pigs by chemical or in vitro analysis, 81 (1999) 151
- Effects of DL-methionine hydroxyanalogue (MHA) or DL-methionine (DL-Met) on N-retention in broiler chickens and pigs, 81 (1999) 193
- Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1
- Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1
- The energy value of *Lupinus angustifolius* and *Lupinus albus* for growing pigs, 83 (2000) 17
- Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223
- Effects of *Spirulina platensis* on growth performance of weanling pigs, 83 (2000) 237
- Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1
- An in vitro method for the estimation of ileal crude protein and amino acids digestibility using the dialysis tubing for pig feedstuffs, 88 (2000) 79
- A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49
- The nutritional significance of "dietary fibre" analysis, 90 (2001) 3
- The role of dietary fibre in the digestive physiology of the pig, 90 (2001) 21
- Prediction of the standardized ileal true digestibility of amino acids from the chemical composition of oilseed meals in the growing pig, 90 (2001) 103
- Effect of dietary carbadox or formic acid and fibre level on ileal and faecal nutrient digestibility and microbial metabolite concentrations in ileal digesta of the pig, 93 (2001) 137
- The effects of phytase on growth performance, carcass characteristics, and bone mineralization of late-finishing pigs fed maize-soyabean meal diets containing no supplemental phosphorus, zinc, copper and manganese, 94 (2001) 199
- Estimation of neutral detergent fibre degradation in pigs by an in vitro method, 95 (2002) 205
- Effect of creatine monohydrate on finishing pig growth performance, carcass characteristics and meat quality, 96 (2002) 135
- Apparent and standardised true ileal digestibility of protein and amino acids from faba bean, lupin and pea, provided as whole seeds, dehulled or extruded in pig diets, 97 (2002) 183
- Evaluation through literature data of the amount and amino acid composition of basal endogenous crude protein at the terminal ileum of pigs, 98 (2002) 49
- Component digestibility of lupin (*Lupinus angustifolius*) and pea (*Pisum sativum*) seeds and effects on the small intestine and body organs in anastomosed and intact growing pigs, 98 (2002) 187

- Use of spray dried animal plasma as an alternative to antimicrobial medication in weanling pigs, 99 (2002) 119
- Establishment and application of an in vitro methodology to study the effects of organic acids on coliform and lactic acid bacteria in the proximal part of the gastrointestinal tract of piglets, 99 (2002) 131
- Pig growth**
- Effects of increasing amounts of *Lupinus albus* seeds without or with whole egg powder in the diet of growing pigs on performance, 83 (2000) 89
- Pig nutrition**
- Binding of biotinylated legume seed lectins with glycoproteins in blotted receptor-analogs: influence of incubation pH, 94 (2001) 147
- Pig performance**
- Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1
- Pig-growing**
- Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hullless barley, 79 (1999) 29
- Piglet**
- Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71
- Effects of dry matter content on trypsin inhibitors and urease activity in heat treated soya beans fed to weaned piglets, 87 (2000) 105
- Lupinus luteus*, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1
- Nutrient digestibility of chickpea (*Cicer arietinum* L.) seeds and effects on the small intestine of weaned piglets, 91 (2001) 197
- Influence of processing variables during micronization of wheat on starch structure and subsequent performance and digestibility in weaned piglets fed wheat-based diets, 93 (2001) 93
- Influence of micronization temperature and pre-conditioning on performance and digestibility in piglets fed barley-based diets, 95 (2002) 73
- Effects of dietary lecithin and fat unsaturation on nutrient utilisation in weaned piglets, 95 (2002) 169
- Piglet nutrition**
- Processed cereals in diets for early-weaned piglets, 82 (1999) 145
- Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13
- Piliostigma thonningii***
- The nutritional value of *Piliostigma thonningii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287
- Pima cottonseed**
- Influence of variety and storage for up to 22 days on nutrient composition and gossypol level of Pima cottonseed (*Gossypium* spp.), 91 (2001) 149
- Pisum sativum***
- The effect of extrusion cooking on mineral bio-availability in pea and kidney bean seed meals, 94 (2001) 1
- Plane of nutrition**
- Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251
- Plant breeding**
- Divergent selection for two laboratory predictors of voluntary intake: relationships among the predictors and leaf morphology variables, 84 (2000) 107
- Plant cell wall degradation**
- Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic micro-organisms, 80 (1999) 297
- Plant extract**
- Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263
- Plant oils**
- Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115

Plasma

Use of spray dried animal plasma as an alternative to antimicrobial medication in weanling pigs, 99 (2002) 119

Plasma constituents

Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179

Plasma lipids

Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215

Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189

Plastic bags

Examination of a technology for silage making in plastic bags, 91 (2001) 213

Polydextrose

In vitro fermentation of polydextrose by bovine ruminal microorganisms, 93 (2001) 115

Polyethylene glycol (PEG)

Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297

In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227

Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131

Method of polyethylene glycol application to tannin-containing browses to improve microbial fermentation and efficiency of microbial protein synthesis from tannin-containing browses, 92 (2001) 51

Partitioning of energy and degradability of browse plants in vitro and the implications of blocking the effects of tannin by the addition of polyethylene glycol, 95 (2002) 93

Polyphenolics

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Polyphenols

Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Polysaccharide utilisation

Contribution of storage and structural polysaccharides to the fermentation process and nutritive value of lucerne ensiled alone or mixed with cereal grains, 92 (2001) 159

Polysaccharide-degrading enzymes

Stability of exogenous polysaccharide-degrading enzymes in the rumen, 76 (1998) 161

Ponies

Intra-caecal fermentation parameters in ponies fed botanically diverse fibre-based diets, 84 (2000) 183

Pony

Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in vivo digestibility and rate of passage of digesta, 87 (2000) 117

Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

Posilo

The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119

Postpartum

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

Potential utility index

The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165

Poultry

Nutritive value for broilers of meals derived from newly developed varieties of yellow-seeded canola, 78 (1999) 249

Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1

Poultry chicken

Application of a method to determine ileal digestibility in broilers of amino acids in wheat, 79 (1999) 195

Poultry feed

Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1998) 23

Poultry litter

Effect of supplementing napier grass (*Pennisetum purpureum*) with poultry litter and sunflower meal based concentrates on feed intake and rumen fermentation in Friesian steers, 92 (2001) 113

Poultry nutrition

Effects of acid and alkali concentration on in vitro measurement of wheat viscosity, 98 (2002) 237

Predicting in vivo digestibility

Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187

Prediction

Evaluation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11

Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223

Preference

Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267

Pregnancy

The effect of the digestible undegradable protein concentration of concentrates and protein source offered to ewes in late pregnancy on colostrum production and lamb performance, 82 (1999) 21

Dietary fibre for pregnant sows: effect on performance and behaviour, 90 (2001) 71

Preparation

Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199

Prepartum

The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

Preservation

Formic acid–sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39

The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237

Pre-soaking

Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199

Pressed beet pulp silage

Consequences of the use of ensiled sugar beet-pulp in the diet of heavy pigs on performances, carcass characteristics and nitrogen balance: a review, 90 (2001) 81

Pressure

Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1999) 345

Pressure toasting

Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

Pretreatment

Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177

Proanthocyanidins

Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181

The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289

Intake, digestibility and nitrogen utilization of three tropical tree legumes. I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91

Intake, digestibility and nitrogen utilization of three tropical tree legumes. II. As protein supplements, 82 (1999) 107

Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

Proanthocyanidins and other phenolics in *Acacia* leaves of Southern Africa, 91 (2001) 59

Processed corn silage

Effects of processed corn silage on its digestibility and production of growing beef replacement heifers, 96 (2002) 221

Processing

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

Production response

Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215

Products quality

Consequences of the use of ensiled sugar beet-pulp in the diet of heavy pigs on performances, carcass characteristics and nitrogen balance: a review, 90 (2001) 81

Pronase

Protein quality in blood meal. II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309

Propionate

Effect of DL-malate on mixed ruminal microorganism fermentation using the rumen simulation technique (RUSITEC), 79 (1999) 279

Protease

Influence of the concentration of the protease from *Streptomyces griseus* relative to ruminal protein degradability, 77 (1999) 99

A collaborative study comparing an in situ protocol with single time-point enzyme assays for estimating ruminal protein degradability of different forages, 93 (2001) 31

Rumen escape protein in concentrate ingredients determined with the nylon bag and enzymatic techniques, 97 (2002) 247

Protected fat

Hydrogenation of eicosapentaenoic and docosahexaenoic acids and their incorporation into milk fat, 79 (1999) 57

Protected fat supplements

Protection of conjugated linoleic acids from ruminal hydrogenation and their incorporation into milk fat, 86 (2000) 139

Milk fat enriched in *n*-3 fatty acids, 98 (2002) 143

Protected groundnut cake

Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119

Protected lipid

Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189

Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Protected methionine

Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213

Protection

Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213

Protection and rumen degradability

Effect of hydrolytic lignin on formation of protein-lignin complexes and protein degradation by rumen microbes, 95 (2002) 83

Protective treatment

- Effect of fat coating on rumen degradation and intestinal digestibility of soybean meal, 81 (1999) 309

Protein

- Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35
- Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95
- Influence of protein fermentation on gas production profiles, 76 (1999) 251
- Influence of the concentration of the protease from *Streptomyces griseus* relative to ruminal protein degradability, 77 (1999) 99
- The relationship between intestinally available protein and detergent insoluble protein of feedstuffs, 78 (1999) 101
- Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109
- Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141
- Nylon capsule method and alfalfa hay crude protein digestibility evaluation, 79 (1999) 269
- Protein quality in blood meal. II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309
- The effect of the digestible undegradable protein concentration of concentrates and protein source offered to ewes in late pregnancy on colostrum production and lamb performance, 82 (1999) 21
- Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157
- The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195
- Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213
- Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass[®]) determined in situ, 83 (2000) 31
- Saccharomyces cerevisiae* and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49
- The effect of animal species on in sacco degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273
- Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167
- Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23
- The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171
- A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1
- Milk yield response of dairy cows fed fat along with protein, 90 (2001) 169
- Nutrient digestibility of chickpea (*Cicer arietinum* L.) seeds and effects on the small intestine of weaned piglets, 91 (2001) 197
- A collaborative study comparing an in situ protocol with single time-point enzyme assays for estimating ruminal protein degradability of different forages, 93 (2001) 31
- Use of artificially applied *n*-alkanes as markers for the estimation of digestibility, food selection and intake in pigeons (*Columba livia*), 94 (2001) 65
- Rumen degradability and intestinal indigestibility of individual amino acids in corn gluten meal, canola meal and fish meal determined in situ, 94 (2001) 127
- Effect of hydrolytic lignin on formation of protein-lignin complexes and protein degradation by rumen microbes, 95 (2002) 83
- Effect of pelleting on glucosinolate content of Crambe meal, 99 (2002) 205

Protein breakdown

- Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51
- Evaluation of a rapid method for estimating free amino acids in silages, 99 (2002) 177

Protein degradability

- Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247

In vitro rumen degradability of crude protein in seeds from four *Sesbania* spp. and the effects of treatments designed to reduce the levels of antinutrients in the seeds, 95 (2002) 49

Protein degradation

Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195

Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

Protein-energy interactions

The effect of fermentable nitrogen availability on in vitro gas production and degradability of NDF, 87 (2000) 241

Protein evaluation

Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

Protein quality

Protein quality of linseed for growing broiler chicks, 84 (2000) 155

Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59

Effects of starch and protein sources, heat processing, and exogenous enzymes in starter diets for early weaned rabbits, 98 (2002) 175

Protein sub-fractions

Protein sub-fractions and amino acid profiles of rumen-undegradable protein in dairy cows from soybean, cottonseed and fish meals, 78 (1999) 65

Protein supplement

Effects of feeding crambe meal upon intake, gain, health and meat quality of broiler chicks, 76 (1998) 227

Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103

Protein synthesis

Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw

and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149

Protein value

Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117

Proteolysis

Dynamic study of the release and the utilisation of ¹⁵N-labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75

The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243

Proteolytic activity

Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341

Protozoa

The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121

Proximate analysis

Prediction of amino acid profiles in feed ingredients: Genetic algorithm calibration of artificial neural networks, 90 (2001) 131

Pullet

The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171

Purine bases

Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171

Purine derivatives

Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297

Microbial protein supply from the rumen, 85 (2000) 1
Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215

Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171

Effect of dietary protein variation in terms of net truly digested intestinal protein (DVE) and rumen degraded protein balance (OEB) on the concentrations and excretion of urinary creatinine, purine derivatives and microbial N supply in sheep: comparison with the prediction from the DVE/OEB model, 93 (2001) 71

Purine derivative excretion and ruminal microbial yield in growing lambs fed raw and dry roasted legume seeds as protein supplements, 95 (2002) 33

Q

Quails

Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets, 88 (2000) 113

Quality

Quality characteristics of broiler blood meal as affected by yeast, glucose oxidase, and antioxidant treatments, 83 (2000) 159

Quality control

Partitioning of variance in true metabolizable energy determinations: an example using wheat data, 80 (1999) 29

Quantity

Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255

Quebracho

Post-ruminal protein supply and N retention of weaner sheep fed on a basal diet of lucerne hay (*Medicago sativa*) with increasing levels of quebracho tannins, 92 (2001) 59

Quebracho tannins

The use of tannins as silage additives: effects on silage composition and mobile bag disappear-

ance of dry matter and protein, 82 (1999) 243

R

Rabbit

Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25

Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139

Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201

Performance response of lactating and growing rabbits to dietary lignin content, 80 (1999) 43

Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67

Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105

Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239

Effects of starch and protein sources, heat processing, and exogenous enzymes in starter diets for early weaned rabbits, 98 (2002) 175

Microbial activity in the caecum of the rabbit around weaning: impact of a dietary fibre deficiency and of intake level, 99 (2002) 107

Rabbit does

The effect of dietary fat on the performance and body composition of rabbits in their second lactation, 86 (2000) 191

Ractopamine

Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119

Radiation processing

Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267

Rangelands

Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267

Rape seeds

Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31
Influence of dehulling of rape seeds on chemical composition of meal, 96 (2002) 237
Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103

Rapeseed hulls

Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231

Rapeseed lecithin gums

Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117

Rapeseed meal

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 1. Animal performance and thyroid histology, 81 (1999) 81
Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 2. Plasma substances and activity of the thyroid, 81 (1999) 93
Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 3. Antinutritional factors in plasma and organs, 85 (2000) 111
Chemical changes and influences of rapeseed antinutritional factors on gestating and lactating ewes. 1. Animal performances and plasma hormones and glucose, 98 (2002) 25

Rat

Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9
Protein quality in blood meal. I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301
Protein quality in blood meal. II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309

Inhibitory effect of dietary carboxymethylcellulose on fat digestibility in rats fed diets containing either starch or glucose, 85 (2000) 139

Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117

Evaluation of toxicity of *Acacia angustissima* in a rat bioassay, 91 (2001) 41

Effect of pelleting on glucosinolate content of Crambe meal, 99 (2002) 205

Rearing diets

The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171

Receiving

Effect of dietary inclusion of concentrated separator by-product and weaning management on performance of newly received feedlot steers, 100 (2002) 43

Receptor-analogs

Binding of biotinylated legume seed lectins with glycoproteins in blotted receptor-analogs: influence of incubation pH, 94 (2001) 147

Rectal temperature

Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319

Regrowth age

Vertical distribution of biomass, chemical composition and pepsin—cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

Regulation

Effect of different levels of berseem (*Trifolium alexdrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133

Reproduction

The effect of condensed tannins in *Lotus corniculatus* upon reproductive efficiency and wool production in ewes during autumn, 92 (2001) 185

Reproductive performance

The effect of dietary fat on the performance and body composition of rabbits in their second lactation, 86 (2000) 191

Effect of feeding a combination of zinc, manganese and copper amino acid complexes, and cobalt glucoheptonate on performance of early lactation high producing dairy cows, 93 (2001) 193

Requirement

Estimation of the phosphorus requirement of weanling pigs fed supplemental phytase, 80 (1999) 91

Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133

Residual metabolizable feed consumption

Residual metabolizable feed consumption as a method of comparing feed efficiency in steers fed silage and silage-grain diets, 92 (2001) 87

Residues

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Microbial conversion of lignocellulosic residues for production of animal feeds, 98 (2002) 1

Respiratory rate

Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319

Retention time

The effects of sepiolite in broiler chicken diets of high, medium and low viscosity. Productive performance and nutritive value, 85 (2000) 183

Rice

Differences in chemical composition and fibre digestion of rice straw with, and without, anhydrous ammonia from 53 rice varieties, 79 (1999) 129

Rice bran

Blend of oil palm slurry and rice bran as feed ingredient for broiler chickens, 83 (2000) 185

Estimation of neutral detergent fibre degradation in pigs by an in vitro method, 95 (2002) 205

Rice straw

Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1998) 345

Studies on untreated and urea-treated rice straw from three cultivation seasons: 3. Histological investigations by light and scanning electron microscopy, 80 (1999) 151

Nutritional properties of the leaf and stem of rice straw, 83 (2000) 57

Cellulase treatment of untreated and steam pre-treated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189

Addition of rice straw or/and wheat bran on composition, ruminal degradability and voluntary intake of bamboo shoot shells silage fed to sheep, 91 (2001) 129

In sacco degradability, chemical and morphological composition of 15 varieties of European rice straw, 94 (2001) 15

Ring-test

Enzymatic assays for xylanase and β -glucanase feed enzymes, 77 (1999) 345

Roasting

Comparison of raw and roasted narbon beans (*Vicia narbonensis*) on performance and meat sensory attributes of lambs fed a roughage-based diet, 92 (2001) 1

Rotational grazing

Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313

Roughage: concentrate ratios

Energy metabolism with particular reference to methane production in Muzaffarnagari sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287

Round bale silage

The effect of adding an enzyme containing lactic acid bacterial inoculant to big round bale oat silage on intake, milk production and milk composition of Jersey cows, 97 (2002) 159

Rumen

Production of *Ruminococcus flavefaciens* growth inhibitor(s) by *Ruminococcus albus*, 77 (1999) 61

Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw

- and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149
- Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199
- Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43
- Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297
- The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57
- In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227
- In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127
- An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205
- Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23
- Effects of various compounds on in vitro ruminal fermentation and production of sulfide, 84 (2000) 69
- The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121
- The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129
- Microbial protein supply from the rumen, 85 (2000) 1
- Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33
- Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195
- Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83
- Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263
- Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201
- Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189
- The effects of concentrate energy source on feed intake and rumen fermentation parameters of dairy cows offered a range of grass silages, 90 (2001) 117
- Microbial interactions with tannins: nutritional consequences for ruminants, 91 (2001) 83
- In vitro fermentation of polydextrose by bovine ruminal microorganisms, 93 (2001) 115
- Quantitation of the flow of soluble non-ammonia nitrogen entering the omasal canal of dairy cows fed grass silage based diets, 96 (2002) 203
- Growth and metabolic responses of Holstein calves fed broiler litter-based diets supplemented with L-carnitine, 98 (2002) 61
- Effects of fungal phytase addition, formaldehyde treatment and dietary concentrate content on ruminal phosphorus availability, 99 (2002) 73
- Effect of a drastic and extended underfeeding on digestion in Barbary ewe, 100 (2002) 1
- Rumen ammonia**
- Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215
- Rumen availability**
- Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131
- Rumen bacteria**
- Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51
- Dynamic study of the release and the utilisation of ¹⁵N-labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75
- Rumen ciliates**
- Effect of elevated cobalt intake on fermentative parameters and protozoan population in RUSI-TEC, 91 (2001) 223
- Rumen degradability**
- Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and

broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289

Nutritional evaluation of cardoon (*Cynara cardunculus*) seed for ruminants, 87 (2000) 203

Assessment of the nutritive value of whole crop peas and intercropped pea-wheat bi-crop forages harvested at different maturity stages for ruminants, 96 (2002) 43

Rumen degradable protein

Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59

Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171

Rumen degradation

Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223

Heat treatment of soybean meal and rapeseed meal suppresses rumen degradation of phytate phosphorus in sheep, 80 (1999) 115

Rumen degradation in sacco in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313

Rumen degradation and estimation of microbial protein yield and intestinal digestion of napier grass (*Pennisetum purpureum*) and various concentrates, 93 (2001) 177

Rumen escape protein

Rumen escape protein in concentrate ingredients determined with the nylon bag and enzymatic techniques, 97 (2002) 247

Rumen fermentation

Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117

Influence of protein fermentation on gas production profiles, 76 (1999) 251

The effect of the form of nitrogen in the diet on ruminal fermentation and the yield of microbial protein in sheep consuming diets of grass silage

supplemented with starch or sucrose, 78 (1999) 227

Influence of the level of molasses in de-oiled rice bran-based concentrate mixture on rumen fermentation pattern in crossbred cattle calves, 80 (1999) 83

Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221

Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165

Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 2. Rumen fermentation and digesta passage rate, 84 (2000) 229

Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59

Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119

Effect of tamarind (*Tamarindus indica*) seed husk tannins on in vitro rumen fermentation, 90 (2001) 143

Effect of supplementing napier grass (*Pennisetum purpureum*) with poultry litter and sunflower meal based concentrates on feed intake and rumen fermentation in Friesian steers, 92 (2001) 113

Effects of bentonite on rumen fermentation and duodenal flow of dietary components in sheep fed palm kernel cake by-product, 92 (2001) 127

Effect of forage conservation method, concentrate level and propylene glycol on diet digestibility, rumen fermentation, blood metabolite concentrations and nutrient utilisation of dairy cows, 97 (2002) 1

Patterns of rumen fermentation in bulls fed barley/molasses diets, 97 (2002) 53

The effect of supplementing grass silage with soya bean meal on digestibility, in sacco degradability, rumen fermentation and methane production in sheep, 97 (2002) 127

Relationship between in vitro gas production profiles of forages and in vivo rumen fermentation patterns in beef steers fed those forages, 98 (2002) 13

Effect of barley and its amylopectin content on ruminal fermentation and bacterial utilization of ammonia-N in vitro, 99 (2002) 25

Rumen fluid

- Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341
- Comparison of organic matter degradation in several feedstuffs in the rumen as determined with the nylon bag and gas production techniques, 96 (2002) 55
- Influence of inoculum source on gas production profiles, 99 (2002) 221

Rumen fluid composition

- Degradation in the rumen of lupin (*Lupinus albus* L.) and pea (*Pisum sativum* L.) seed proteins. Effect of heat treatment, 92 (2001) 215

Rumen fluid inoculum

- Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33

Rumen hydrogenation

- Hydrogenation of eicosapentaenoic and docosahexaenoic acids and their incorporation into milk fat, 79 (1999) 57
- Protection of conjugated linoleic acids from ruminal hydrogenation and their incorporation into milk fat, 86 (2000) 139

Rumen microbes

- Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177
- The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and in vitro gas production degradability parameters, 87 (2000) 231

Rumen microbial protein

- Urinary excretion of duodenal purine derivatives in Kedah-Kelantan cattle, 92 (2001) 203

Rumen microbiology

- Effect of adding acetogenic bacteria on methane production by mixed rumen microorganisms, 78 (1999) 1
- The effect of sample processing on gas production profiles obtained using the pressure transducer technique, 97 (2002) 221

Rumen protozoa

- Influence of foliage from different accessions of the sub-tropical leguminous tree, *Sesbania sesban*,

on ruminal protozoa in Ethiopian and Scottish sheep, 78 (1999) 11

Rumen Simulation Technique (RUSITEC)

- Effect of DL-malate on mixed ruminal microorganism fermentation using the rumen simulation technique (RUSITEC), 79 (1999) 279

Rumen stability

- Stability of exogenous polysaccharide-degrading enzymes in the rumen, 76 (1998) 161

Rumen-escape protein

- Post-ruminal protein supply and N retention of weaner sheep fed on a basal diet of lucerne hay (*Medicago sativa*) with increasing levels of quebracho tannins, 92 (2001) 59

Rumen-undegradable protein

- Protein sub-fractions and amino acid profiles of rumen-undegradable protein in dairy cows from soybean, cottonseed and fish meals, 78 (1999) 65

Ruminal bacteria

- The effect of shrimp shell waste on ruminal bacteria and performance of lambs, 95 (2002) 179
- Fractionation of ammonia nitrogen isotopes by ruminal bacteria in vitro, 100 (2002) 71

Ruminal degradability

- Influence of the concentration of the protease from *Streptomyces griseus* relative to ruminal protein degradability, 77 (1999) 99
- Effect of fat coating on rumen degradation and intestinal digestibility of soybean meal, 81 (1999) 309
- Effects of micronization of flaxseed on nutrient disappearance in the gastrointestinal tract of steers, 95 (2002) 123
- Effect of rates and extent of ruminal barley grain dry matter and starch disappearance on bloat, liver abscesses, and performance of feedlot steers, 97 (2002) 145
- In situ ruminal and intestinal nutrient digestibilities of mesquite (*Prosopis juliflora*) pods, 100 (2002) 107

Ruminal degradation

- In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1

Ruminal digestion

Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1999) 297

The release of intracellular constituents from fresh ryegrass (*Lolium perenne* L.) during ingestive mastication in dairy cows: effect of intracellular constituent, season and stage of maturity, 93 (2001) 229

The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83

Ruminal disappearance

Relationships between ruminal dry matter and starch disappearance and apparent digestibility of barley grain, 94 (2001) 155

Ruminal fermentation

Effects of yeast culture (*Saccharomyces cerevisiae*) on ruminal digestion in non-lactating dairy cows, 76 (1999) 195

Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303

Effects of patulin on rumen microbial fermentation in continuous culture fermenters, 97 (2002) 239

Ruminal NH₃

Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

Ruminal parameters

Protein degradability of soybean meal coated with different lipid substances and its effects on ruminal parameters when included in steer rations, 92 (2001) 249

Ruminal pH

Influence of nonfiber carbohydrate concentration on forage fiber digestion in vitro, 86 (2000) 107

Ruminant

Stability of exogenous polysaccharide-degrading enzymes in the rumen, 76 (1998) 161

In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1

The effect of chemical treatment of barley on starch digestion in ruminants, 77 (1999) 73

The relationship between intestinally available protein and detergent insoluble protein of feedstuffs, 78 (1999) 101

Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279

Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157

Chemical composition, DM and NDF degradation kinetics in rumen of seven legume straws, 83 (2000) 75

Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83

Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23

Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41

Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

Chemical composition and degradation characteristics of foliage of some African multipurpose trees, 86 (2000) 27

Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Effects of time and dietary iron on tissue iron concentration as an estimate of relative bioavailability of supplemental iron sources for ruminants, 90 (2001) 185

Use of the automated gas production technique to determine the fermentation kinetics of carbohydrate fractions in maize silage, 93 (2001) 205

The nutritive value for ruminants of lupin seeds from determinate and dwarf determinate plants, 94 (2001) 187

Intrinsic buffering capacity of feedstuffs, 96 (2002) 83

Utilisation of tropical dry season grass by ruminants is increased by feeding fallen leaf of siris (*Albizia lebbek*), 96 (2002) 175

The effect of supplementing grass silage with soya bean meal on digestibility, in sacco degradability, rumen fermentation and methane production in sheep, 97 (2002) 127

Effects of supplementation of a basal diet of maize stover with different amounts of *Leucaena diversifolia* on intake, digestibility, nitrogen metabolism and rumen parameters in sheep, 98 (2002) 131

Rumination time

Feed intake and behaviour of kids and lambs fed sugar cane as the sole roughage with or without concentrate, 100 (2002) 79

Ruminococci

Production of *Ruminococcus flavefaciens* growth inhibitor(s) by *Ruminococcus albus*, 77 (1999) 61

Ryegrass

Effect of water salinity on the composition and in vitro digestibility of winter-annual ryegrass grown in the Arava desert, 91 (2001) 139

Ryegrass silage

Performance and carcass characteristics of beef cattle fed diets containing silage from inter-cropped barley and annual ryegrass, 99 (2002) 1

S

Saccharomyces cerevisiae

Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49

Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165

Sahel

Feed selection and dietary preferences of forage by small ruminants grazing natural pastures in the Sahelian zone of Cameroon, 88 (2000) 253

Salicornia

The effect of dietary inclusion of halophyte *Salicornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1998) 149

Salmon

Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103

Salmonella typhimurium

Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1998) 23

Salmo salar

Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysacchride content in different soyabean products, 79 (1999) 331

Sample handling

Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57

Sample preparation

In vitro digestion studies using ¹⁴C-labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149

Sample processing

The effect of sample processing on gas production profiles obtained using the pressure transducer technique, 97 (2002) 221

Saturation

Feeding tallow triglycerides of different saturation and particle size to lactating dairy cows, 83 (2000) 249

Savanna

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Scanning electron microscopy

Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213

Screenings

Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249

Season

Vertical distribution of biomass, chemical composition and pepsin—cellulase digestibility in a

perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

Seasonal changes

Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

Seasonal variation

Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33

The release of intracellular constituents from fresh ryegrass (*Lolium perenne* L.) during ingestive mastication in dairy cows: effect of intracellular constituent, season and stage of maturity, 93 (2001) 229

The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83

Secondary effluent

Effect of water salinity on the composition and in vitro digestibility of winter-annual ryegrass grown in the Arava desert, 91 (2001) 139

Seed

Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33

Selective consumption

Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265

Cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

Value for animal production (VAP): a new criterion for tropical forage evaluation, 96 (2002) 31

Selenium

Broiler litter as a source of selenium for sheep, 78 (1999) 263

Semi-arid

Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Semiarid grassland

Assessment of the potential of NIR spectroscopy for the estimation of nitrogen content in grasses from semiarid grasslands, 77 (1999) 91

Semi-automation

A semi-automated in vitro gas production technique for ruminant feedstuff evaluation, 79 (1999) 321

Seminal characteristics

Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239

Sepiolite

Protein and energy retention in pigs fed diets containing sepiolite, 79 (1999) 155

The effects of sepiolite in broiler chicken diets of high, medium and low viscosity. Productive performance and nutritive value, 85 (2000) 183

Effects of removal of mucilage and enzyme or sepiolite supplement on the nutrient digestibility and metabolizable energy of a diet containing linseed in broiler chickens, 97 (2002) 169

Sesbania

In vitro rumen degradability of crude protein in seeds from four *Sesbania* spp. and the effects of treatments designed to reduce the levels of antinutrients in the seeds, 95 (2002) 49

Sesbania sesban

Influence of foliage from different accessions of the sub-tropical leguminous tree, *Sesbania sesban*, on ruminal protozoa in Ethiopian and Scottish sheep, 78 (1999) 11

Shaoxing duck

Investigation on requirement of crude protein for maintenance in Shaoxing ducks, 98 (2002) 167

Shearing strength

Measurements of physical strength and their relationship to the chemical composition of four species of *Brachiaria*, 92 (2001) 149

Sheep

- Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213
- Broiler litter as a source of selenium for sheep, 78 (1999) 263
- Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297
- Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93
- Heat treatment of soybean meal and rapeseed meal suppresses rumen degradation of phytate phosphorus in sheep, 80 (1999) 115
- Effects of ruminal inoculations with tannin-tolerant bacteria on fibre and nitrogen digestibility of lambs fed a high condensed tannin diet, 81 (1999) 69
- A comparison of digestibility of some concentrate feed ingredients in cattle and sheep, 81 (1999) 167
- Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249
- Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213
- Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261
- Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 83 (2000) 115
- Colonization and source of N substrates used by microorganisms digesting forages incubated in synthetic fibre bags in the rumen, 83 (2000) 261
- Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — in vivo and in vitro digestibility, 85 (2000) 99
- Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131
- The potential of forage-maize intercrops in ruminant nutrition, 86 (2000) 157
- Effect of regrowth age on intake and digestion of *Digitaria decumbens* consumed by Black-belly sheep, 87 (2000) 153
- Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187
- Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31
- Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201
- Effects of multivitamin blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219
- Post-ruminal protein supply and N retention of weaner sheep fed on a basal diet of lucerne hay (*Medicago sativa*) with increasing levels of quebracho tannins, 92 (2001) 59
- Effects of bentonite on rumen fermentation and duodenal flow of dietary components in sheep fed palm kernel cake by-product, 92 (2001) 127
- Digestion by sheep of monosaccharide constituents of direct cut alfalfa silage made with SO₂-treated wheat straw, 92 (2001) 175
- Effect of dietary protein variation in terms of net truly digested intestinal protein (DVE) and rumen degraded protein balance (OEB) on the concentrations and excretion of urinary creatinine, purine derivatives and microbial N supply in sheep: comparison with the prediction from the DVE/OEB model, 93 (2001) 71
- Digestion kinetic parameters from an in vitro gas production method as predictors of voluntary intake of forage by mature ewes, 95 (2002) 133
- Supplementation of *Acacia cyanophylla* Lindl. foliage-based diets with barley or shrubs from arid areas (*Opuntia ficus-indica* f. *inermis* and *Atriplex nummularia* L.) on growth and digestibility in lambs, 96 (2002) 15
- In vitro digestibility of forages as influenced by source of inoculum (sheep rumen versus Rusitec fermenters) and diet of the donor sheep, 97 (2002) 41

The nutritional value of *Lathyrus cicera* and *Lupinus angustifolius* grain for sheep, 99 (2002) 45

Effect of a drastic and extended underfeeding on digestion in Barbary ewe, 100 (2002) 1

Measurement of yield and in situ dry matter degradability of maize varieties harvested at two stages of maturity in sheep, 100 (2002) 53

Sheep digestion

Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321

Sheep production

Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Sheep supplementation

Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Sheep versus cattle

The effect of animal species on in sacco degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273

Sheep wether

The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135

Sheep-lamb

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 1. Animal performance and thyroid histology, 81 (1999) 81

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 2. Plasma substances and activity of the thyroid, 81 (1999) 93

Shell strength

Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89

Shellfish wastes, lamb performance

The effect of shrimp shell waste on ruminal bacteria and performance of lambs, 95 (2002) 179

Shrimp shell waste

The effect of shrimp shell waste on ruminal bacteria and performance of lambs, 95 (2002) 179

Shrub legumes

Nutrient intake and utilisation by goats fed dried leaves of the shrub legumes *Acacia angustissima*, *Calliandra calothyrsus* and *Leucaena leucocephala* as supplements to native pasture hay, 91 (2001) 95

Shrubs

Influence of alkaloid content on intake of subspecies of *Chamaecytisus proliferus*, 85 (2000) 279

Silage

Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57

The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325

Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221

The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237

The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243

An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205

Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23

The effect of bacterial inoculants on the fermentation and aerobic stability of whole crop wheat silage, 88 (2000) 39

The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139

Effect of inoculation of herbage prior to ensiling with *Streptomyces achromogenes* ISP 5028 on chemical composition of silage, 89 (2001) 83

The effects of concentrate energy source on feed intake and rumen fermentation parameters of dairy cows offered a range of grass silages, 90 (2001) 117

Examination of a technology for silage making in plastic bags, 91 (2001) 213

Effects of feeding ensiled spearmint (*Mentha spicata*) byproduct on nutrient utilization and ruminal fermentation of steers, 92 (2001) 33

Contribution of storage and structural polysaccharides to the fermentation process and nutritive value of lucerne ensiled alone or mixed with cereal grains, 92 (2001) 159

The nutritional composition, fermentation characteristics, in sacco degradation and fungal pathogen dynamics of sugarcane tops ensiled with broiler litter with or without water, 94 (2001) 171

The effect on voluntary feed intake, in vivo digestibility and nitrogen balance in sheep of feeding grass silage or pea-wheat intercrops differing in pea to wheat ratio and maturity, 96 (2002) 161

Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103

Evaluation of a rapid method for estimating free amino acids in silages, 99 (2002) 177

Silage additive

Digestion by sheep of monosaccharide constituents of direct cut alfalfa silage made with SO₂-treated wheat straw, 92 (2001) 175

Silage composition

Effects of oven- or freeze-drying on chemical composition and NIR spectra of pasture silage, 80 (1999) 309

Silage degradability

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 2. Rumen fermentation and digesta passage rate, 84 (2000) 229

Silage quality

The potential of forage-maize intercrops in ruminant nutrition, 86 (2000) 157

Silage to concentrate ratio

The in situ ruminal degradability of concentrate feedstuffs in steers as affected by level of feed consumption and ratio of grass silage to concentrate, 100 (2002) 15

Silvopastoral practice

Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Single cell protein

Influence of dairy *Penicillium spp.* on nutrient content of citrus fruit peel, 78 (1999) 169

Value of *Aspergillus niger* fermentation product as a dietary ingredient for broiler chickens, 91 (2001) 171

Sinigrin

Influence of water soaking of mustard cake on glucosinolate hydrolysis, 99 (2002) 215

Siris

Utilisation of tropical dry season grass by ruminants is increased by feeding fallen leaf of siris (*Albizia lebbek*), 96 (2002) 175

Slaughterhouse offal

Formic acid-sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39

Small ruminants

Feed selection and dietary preferences of forage by small ruminants grazing natural pastures in the Sahelian zone of Cameroon, 88 (2000) 253

Smooth brome grass

Divergent selection for two laboratory predictors of voluntary intake: relationships among the predictors and leaf morphology variables, 84 (2000) 107

Sodium

The effect of sodium chloride supplementation on the milk production of grazing Holstein Friesian cows during summer and autumn in a humid sub-tropical environment, 96 (2002) 147

Sodium hydroxide

Rumen degradation in sacco in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313

Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Solar-dried blood meal

Chemical composition of solar-dried blood meal and its effect on performance of broiler chickens, 81 (1999) 299

Soluble carbohydrates

Effect of elevated cobalt intake on fermentative parameters and protozoan population in RUSITEC, 91 (2001) 223

Soluble lignin

Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321

Soluble non-ammonia nitrogen

Quantitation of the flow of soluble non-ammonia nitrogen entering the omasal canal of dairy cows fed grass silage based diets, 96 (2002) 203

Soluble tannins

Content of soluble and bound condensed tannins of three tropical herbaceous forage legumes, 83 (2000) 139

Sorbents

Development of a multi-tiered approach to the in vitro prescreening of clay-based enterosorbents, 93 (2001) 17

Sorghum

Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17

Composition and in vitro gas production of whole stems and cell walls of different genotypes of pearl millet and sorghum, 98 (2002) 73

Sorghum stover

Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265

Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachis hypogaea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

SO₂-treated wheat straw

Changes in thioacidolysis products of lignin in wheat straw as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 80 (1999) 55

Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 83 (2000) 115

Digestion by sheep of monosaccharide constituents of direct cut alfalfa silage made with SO₂-treated wheat straw, 92 (2001) 175

Sows

Effect of dietary fibre on the energy value of feeds for pigs, 90 (2001) 35

Effect of dietary fibre on the behaviour and health of the restricted fed sow, 90 (2001) 53

Dietary fibre for pregnant sows: effect on performance and behaviour, 90 (2001) 71

Soyabean

Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231

Effects of dry matter content on trypsin inhibitors and urease activity in heat treated soya beans fed to weaned piglets, 87 (2000) 105

Soya bean products

The influence of hydrochloric acid concentration and measurement method on the determination of amino acid levels in soya bean products, 87 (2000) 173

Soyabean protein

Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysacchride content in different soyabean products, 79 (1999) 331

Soya oil

Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279

Soyabean meal

Fermentation characteristics of cell-wall sugars from soya bean meal, and from separated endosperm and hulls of soya beans, 79 (1999) 179

Effect of ethanol concentration and application period of soyabean meal on the kinetics of ruminal digestion, 79 (1999) 247

The effect of supplementing grass silage with soya bean meal on digestibility, in sacco degradability, rumen fermentation and methane production in sheep, 97 (2002) 127

Apparent ileal digestibility of amino acids in protein feedstuffs and diet formulation based on total vs digestible lysine for poultry, 98 (2002) 203

Soybean

Laboratory procedure to determine protein digestibility of heat-treated feedstuffs for dairy cattle, 96 (2002) 1

Soybean hulls

Soy hulls as a replacement for maize in lactating dairy ewe diets with or without dietary fat supplements, 76 (1998) 65

Soybean meal

Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1998) 23

Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335

Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83

Replacement of soybean meal and barley grain by chickpeas in lamb and kid fattening diets, 96 (2002) 103

Soybean oil

Soy hulls as a replacement for maize in lactating dairy ewe diets with or without dietary fat supplements, 76 (1998) 65

Spearmint

Effects of feeding ensiled spearmint (*Mentha spicata*) byproduct on nutrient utilization and ruminal fermentation of steers, 92 (2001) 33

Spreadable butter

Milk fat enriched in *n*-3 fatty acids, 98 (2002) 143

Spreadsheet

UNEForm: a powerful feed formulation spreadsheet suitable for teaching or on-farm formulation, 91 (2001) 233

Stability

Stability of bacitracin methylene disalicylate and chlortetracycline in combination in a pelleted pig feed, 81 (1999) 35

Stable isotopes

An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207

Stage of maturity

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239

Standardization

The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325

Starch

Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223

Hydrothermal and β -glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205

Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83

Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199

Contribution of storage and structural polysaccharides to the fermentation process and nutritive value of lucerne ensiled alone or mixed with cereal grains, 92 (2001) 159

Influence of processing variables during micronization of wheat on starch structure and subsequent performance and digestibility in weaned piglets fed wheat-based diets, 93 (2001) 93

In vitro fermentation of polydextrose by bovine ruminal microorganisms, 93 (2001) 115

Relationships between ruminal dry matter and starch disappearance and apparent digestibility of barley grain, 94 (2001) 155

Influence of micronization temperature and pre-conditioning on performance and digestibility in piglets fed barley-based diets, 95 (2002) 73

Effects of starch and protein sources, heat processing, and exogenous enzymes in starter diets for early weaned rabbits, 98 (2002) 175

Starch digestibility

Research note: a consistent low starch digestibility observed in pelleted broiler chicken diets containing high levels of different wheat varieties, 92 (2001) 45

Starch protection

The effect of chemical treatment of barley on starch digestion in ruminants, 77 (1999) 73

Protection of starch in barley against rumen degradation by glutaraldehyde and formaldehyde as assessed by the dacron bag technique, 77 (1999) 83

Status indicators

Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133

Steam treatment

Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1998) 345

Steer

Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49

The effect of an exogenous enzyme treatment on production and carcass characteristics of growing and finishing steers, 87 (2000) 279

Residual metabolizable feed consumption as a method of comparing feed efficiency in steers fed silage and silage-grain diets, 92 (2001) 87

Effect of supplementing napier grass (*Pennisetum purpureum*) with poultry litter and sunflower meal based concentrates on feed intake and rumen fermentation in Friesian steers, 92 (2001) 113

Urea and biuret as nonprotein nitrogen sources in cooked molasses blocks for steers fed prairie hay, 94 (2001) 115

Relationships between ruminal dry matter and starch disappearance and apparent digestibility of barley grain, 94 (2001) 155

Interaction of dietary zinc and growth implants on weight gain, carcass traits and zinc in tissues of growing beef steers and heifers, 95 (2002) 15

Effect of rates and extent of ruminal barley grain dry matter and starch disappearance on bloat, liver abscesses, and performance of feedlot steers, 97 (2002) 145

Relationship between in vitro gas production profiles of forages and in vivo rumen fermentation patterns in beef steers fed those forages, 98 (2002) 13

Effects of supplemental organic chromium on growth, feed efficiency and carcass characteristics of feedlot steers, 98 (2002) 121

Effect of dietary inclusion of concentrated separator by-product and weaning management on perfor-

mance of newly received feedlot steers, 100 (2002) 43

Steer calves

Dietary zinc and manganese sources administered from the fetal stage onwards affect immune response of transit stressed and virus infected offspring steer calves, 93 (2001) 217

Stem

Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17

Nutritional properties of the leaf and stem of rice straw, 83 (2000) 57

Steroidal saponin

Metabolism of diosgenin-derived saponins: implications for hepatogenous photosensitization diseases in ruminants, 91 (2001) 157

Stochastic

UNEFoRM: a powerful feed formulation spreadsheet suitable for teaching or on-farm formulation, 91 (2001) 233

Stockpiled

Effects of summer management and fall harvest date on ruminal in situ degradation of crude protein in stockpiled bermudagrass, 96 (2002) 119

Storage

Influence of storage time and temperature on in vitro digestion of neutral detergent fibre at 48 h, and comparison to 48 h in sacco neutral detergent fibre digestion, 80 (1999) 257

Storage of pelleted wheat middlings in farm bins, 88 (2000) 47

Storage molds

Storage of pelleted wheat middlings in farm bins, 88 (2000) 47

Stover

The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165

Straw

Differences in chemical composition and fibre digestion of rice straw with, and without, anhydrous ammonia from 53 rice varieties, 79 (1999) 129

Rumen degradation in sacco in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313

Associative effects of supplementing barley straw diets with alfalfa hay on rumen environment and nutrient intake and digestibility for ewes, 87 (2000) 163

Straw intake

Leaf content of straw diets influences supplementation responses by sheep, 100 (2002) 93

Streptomyces griseus

Rumen escape protein in concentrate ingredients determined with the nylon bag and enzymatic techniques, 97 (2002) 247

Structural carbohydrates

Effect of length of ensiling on silo degradation and digestibility of structural carbohydrates of lucerne and orchardgrass, 92 (2001) 141

Structure

Analysis of hydrolysable tannins, 91 (2001) 3

Analysis of condensed tannins: a review, 91 (2001) 21

Substitution rate

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239

Sub-tropical

The effect of sodium chloride supplementation on the milk production of grazing Holstein Friesian cows during summer and autumn in a humid sub-tropical environment, 96 (2002) 147

Sucrose

Lactose, sucrose, and molasses in simple and complex diets for nursery pigs, 93 (2001) 127

Sugar beet pulp

Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs, 82 (1999) 37

Sugar composition

Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13

Sugar profiles

Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1999) 345

Cellulase treatment of untreated and steam pre-treated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189

Sugarcane

Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313

Sugarcane residues

Feeding dairy heifers untreated or urea-treated fibrous sugarcane residues: effect on dry matter intake, growth, and metabolic parameters, 100 (2002) 31

Sugarcane tops

The nutritional composition, fermentation characteristics, in sacco degradation and fungal pathogen dynamics of sugarcane tops ensiled with broiler litter with or without water, 94 (2001) 171

Sulfide

Effects of various compounds on in vitro ruminal fermentation and production of sulfide, 84 (2000) 69

Summer

The effect of sodium chloride supplementation on the milk production of grazing Holstein Friesian cows during summer and autumn in a humid sub-tropical environment, 96 (2002) 147

Sunflower seed

A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153

Carcass quality, meat chemical and fatty acid composition of lambs fed diets containing extruded soybeans and sunflower seeds, 97 (2002) 103

Sunflower seed meal

Effect of supplementing napier grass (*Pennisetum purpureum*) with poultry litter and sunflower meal based concentrates on feed intake and rumen fermentation in Friesian steers, 92 (2001) 113

Supplement

Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95

The nutritional value of *Piliostigma thonningii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287

Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211

Chemical composition and degradation characteristics of foliage of some African multipurpose trees, 86 (2000) 27

Supplement intake

Liquid supplementation of grazing cows and calves, 80 (1999) 281

Pellet and block supplements for grazing ewes, 96 (2002) 193

Supplementation

Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67

Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279

Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachys hypogaea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119

Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133

Survival

Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1998) 241

Survival feed

Broiler litter as a source of selenium for sheep, 78 (1999) 263

Sweet potato vines

A note on a comparison of the feeding value of sweet potato vines and lucerne meal for broiler chickens, 85 (2000) 145

Synchronicity

Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223

Syndromes

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Synthetic fibre bags

Colonization and source of N substrates used by microorganisms digesting forages incubated in synthetic fibre bags in the rumen, 83 (2000) 261

Synthetic polymers

Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants, 91 (2001) 69

T**Tall fescue**

Ergovaline levels in cultivars of *Festuca arundinacea*, 93 (2001) 169

Tallow

Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279

Tamarind seed husk

Effect of feeding tamarind (*Tamarindus indica*) seed husk as a source of tannin on dry matter intake, digestibility of nutrients and production performance of crossbred dairy cows in mid-lactation, 83 (2000) 67

Effect of tamarind (*Tamarindus indica*) seed husk tannins on in vitro rumen fermentation, 90 (2001) 143

Tannin

- Digestibility of some tropical browse species varying in tannin content, 76 (1999) 77
- Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49
- Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297
- Effects of ruminal inoculations with tannin-tolerant bacteria on fibre and nitrogen digestibility of lambs fed a high condensed tannin diet, 81 (1999) 69
- In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227
- Effect of feeding tamarind (*Tamarindus indica*) seed husk as a source of tannin on dry matter intake, digestibility of nutrients and production performance of crossbred dairy cows in mid-lactation, 83 (2000) 67
- Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131
- In vitro digestion studies using ¹⁴C-labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149
- Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41
- Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219
- Effect of tamarind (*Tamarindus indica*) seed husk tannins on in vitro rumen fermentation, 90 (2001) 143
- Analysis of condensed tannins: a review, 91 (2001) 21
- Evaluation of toxicity of *Acacia angustissima* in a rat bioassay, 91 (2001) 41
- Microbial interactions with tannins: nutritional consequences for ruminants, 91 (2001) 83
- Method of polyethylene glycol application to tannin-containing browses to improve microbial fermentation and efficiency of microbial protein synthesis from tannin-containing browses, 92 (2001) 51
- Partitioning of energy and degradability of browse plants in vitro and the implications of blocking

the effects of tannin by the addition of polyethylene glycol, 95 (2002) 93

Chemical composition of four parasitic plants harvested over a period of 6 months from two sites in Botswana, 95 (2002) 159

Effects of supplementation of a basal diet of maize stover with different amounts of *Leucaena diversifolia* on intake, digestibility, nitrogen metabolism and rumen parameters in sheep, 98 (2002) 131

Tannin containing shrub legumes

The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothyrsus* and *Leucaena leucocephala* leaf, 85 (2000) 259

Tannin content

Tannin content, nutritive value and dry matter digestibility of *Lonchocarpus capassa*, *Zizyphus mucronata*, *Sclerocarya birrea*, *Kirkia acuminata* and *Rhus lancea* seeds, 91 (2001) 107

Tannin-binding agents

Use of tannin-binding chemicals to assay for tannins and their negative post-ingestive effects in ruminants, 91 (2001) 69

Tanniniferous shrubs

Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Opisthocomus hoazin*) and cow rumen fluid with seven tropical forages, 87 (2000) 287

Teaching

UNEFoRM: a powerful feed formulation spreadsheet suitable for teaching or on-farm formulation, 91 (2001) 233

Techniques

The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and in vitro gas production degradability parameters, 87 (2000) 231

Technological process

Degradation in the rumen of lupin (*Lupinus albus* L.) and pea (*Pisum sativum* L.) seed proteins. Effect of heat treatment, 92 (2001) 215

Temperature

Influence of storage time and temperature on in vitro digestion of neutral detergent fibre at 48 h, and comparison to 48 h in sacco neutral detergent fibre digestion, 80 (1999) 257

Tethered

Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

Thiamine

Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267

The DVE/OEB model

An analysis of the nutritive value of heat processed legume seeds for animal production using the DVE/OEB model: a review, 99 (2002) 141

Thigh meat quality

Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Thin stillage

Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247

Thioacidolysis

Changes in thioacidolysis products of lignin in wheat straw as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 80 (1999) 55

Thiobarbituric acid reactive substance (TBARS)

Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Thiocyanate ions

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 3. Antinutritional factors in plasma and organs, 85 (2000) 111

Thousand grain weight

Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1

Threonine

Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179

Threonine and crude protein responses in broiler chicks, 94 (2001) 57

Thyroid

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 1. Animal performance and thyroid histology, 81 (1999) 81

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 2. Plasma substances and activity of the thyroid, 81 (1999) 93

Thyroid hormones

Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319

Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization, liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73

Tibetan forages

Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101

Time

Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1999) 345

Time of day

Vertical distribution of biomass, chemical composition and pepsin—cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

Tissue

Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93

Titanium dioxide

A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49

Titers

Interaction of dietary zinc and growth implants on weight gain, carcass traits and zinc in tissues of growing beef steers and heifers, 95 (2002) 15

TLC

Analysis of hydrolysable tannins, 91 (2001) 3

 α -Tocopherol

Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Tofu residues

Estimation of neutral detergent fibre degradation in pigs by an in vitro method, 95 (2002) 205

Total phenolics

Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103

Total tract digestibility

Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229

Toxicity

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Toxicological

Value of *Aspergillus niger* fermentation product as a dietary ingredient for broiler chickens, 91 (2001) 171

Trace element

Effect of elevated cobalt intake on fermentative parameters and protozoan population in RUSI-TEC, 91 (2001) 223

Trace-minerals

The effects of phytase on growth performance, carcass characteristics, and bone mineralization of late-finishing pigs fed maize-soyabean meal diets containing no supplemental phosphorus, zinc, copper and manganese, 94 (2001) 199

Transit stress

Dietary zinc and manganese sources administered from the fetal stage onwards affect immune response of transit stressed and virus infected offspring steer calves, 93 (2001) 217

Transit time

Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71

Trans-vaccenic acid

Nutrient digestion, biohydrogenation, and fatty acid profiles in blood plasma and milk fat from lactating Holstein cows fed canola oil or canolamide, 97 (2002) 65

Treatments

Recent research on improving the quality of grain legumes for chicken growth, 76 (1998) 185

Tree fodder

The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119

Tree leaves

Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103

Tree legumes

Intake, digestibility and nitrogen utilization of three tropical tree legumes. I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91

Tripsacum dactyloides

Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95

Triticale

Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1999) 219

Tropical browse

Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77

Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141

Nutritional uniformity of neutral detergent solubles in some tropical browse leaf and pod diets, 82 (1999) 63

In vitro digestion studies using ^{14}C -labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub legumes and the grass *Panicum maximum*, 85 (2000) 215

An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269

Tropical browse plants

Partitioning of energy and degradability of browse plants in vitro and the implications of blocking the effects of tannin by the addition of polyethylene glycol, 95 (2002) 93

Tropical feeds

Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279

Tropical forage legumes

In vitro microbial fermentation and protein utilisation of tropical forage legumes grown during the dry season, 95 (2002) 1

Tropical forages

Value for animal production (VAP): a new criterion for tropical forage evaluation, 96 (2002) 31

Tropical grass

The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237

In vitro microbial fermentation of tropical grasses at an advanced maturity stage, 83 (2000) 145

Tropical legumes

In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227

Content of soluble and bound condensed tannins of three tropical herbaceous forage legumes, 83 (2000) 139

True digestibility

Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9

Trypsin inhibitor activity

Trypsin inhibitor activity of legume seeds (peas, chickling vetch, lentils, and soya beans) as affected by the technique of harvest, 86 (2000) 261

Trypsin inhibitors

Effects of dry matter content on trypsin inhibitors and urease activity in heat treated soya beans fed to weaned piglets, 87 (2000) 105

Tuna oil

Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189

Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

U

UMMB

Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117

Unconventional feed

Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169

Undegradable intake protein

The relationship between intestinally available protein and detergent insoluble protein of feedstuffs, 78 (1999) 101

Undegraded intake protein

Effect of feeding undegraded intake protein at a level greater than National Research Council recommendation on the lactational performance of crossbred cows, 87 (2000) 95

Underfeeding

Effect of a drastic and extended underfeeding on digestion in Barbary ewe, 100 (2002) 1

Upgrading

Effect of different chemical treatments on nutritional and antinutritional properties of coffee pulp, 99 (2002) 195

Urea

Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49

Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195

Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253

Urea and biuret as nonprotein nitrogen sources in cooked molasses blocks for steers fed prairie hay, 94 (2001) 115

Urea treatment

Effect of stage of growth at harvest and level of urea application on chemical changes during storage of whole-crop wheat, 77 (1999) 281

Studies on untreated and urea-treated rice straw from three cultivation seasons: 3. Histological investigations by light and scanning electron microscopy, 80 (1999) 151

Feeding dairy heifers untreated or urea-treated fibrous sugarcane residues: effect on dry matter intake, growth, and metabolic parameters, 100 (2002) 31

Urease activity

Effects of dry matter content on trypsin inhibitors and urease activity in heat treated soya beans fed to weaned piglets, 87 (2000) 105

Urinary excretion

Urinary pH and mineral excretion of cows fed four different forages supplemented with increasing levels of an anionic compound feed, 98 (2002) 153

Urinary purine derivatives

Urinary excretion of duodenal purine derivatives in Kedah-Kelantan cattle, 92 (2001) 203

Urinary spot sample

Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223

Urine output

Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223

V**VAP**

Value for animal production (VAP): a new criterion for tropical forage evaluation, 96 (2002) 31

Variance

Partitioning of variance in true metabolizable energy determinations: an example using wheat data, 80 (1999) 29

Variety

Influence of variety and storage for up to 22 days on nutrient composition and gossypol level of Pima cottonseed (*Gossypium* spp.), 91 (2001) 149

Effect of variety, stages of maturity and botanical fractions on phosphorous concentration and in situ degradability characteristics of phosphorous of whole crop rice silage, 92 (2001) 237

Influence of dehulling of rape seeds on chemical composition of meal, 96 (2002) 237

Veal calves

Fat digestion and faecal bile acid excretion in veal calves fed milk replacers containing either coconut fat or tallow, 81 (1999) 161

The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129

Verano stylo

Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67

Vertical structure

Vertical distribution of biomass, chemical composition and pepsin—cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

VFA

In vitro fermentation of polydextrose by bovine ruminal microorganisms, 93 (2001) 115

VFA production

Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

Vicia sativa

Lupinus luteus, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and anti-genic effects, 89 (2001) 1

5-Vinyl-1,3-oxazolidine-2-thione

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 3. Antinutritional factors in plasma and organs, 85 (2000) 111

Virus infection

Dietary zinc and manganese sources administered from the fetal stage onwards affect immune response of transit stressed and virus infected offspring steer calves, 93 (2001) 217

Viscosity

Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysacchride content in different soyabean products, 79 (1999) 331

The effects of sepiolite in broiler chicken diets of high, medium and low viscosity. Productive performance and nutritive value, 85 (2000) 183

Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1

Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175

Vitamin

Carotene content of *Azolla* and its variations during drying and storage treatments, 84 (2000) 295

Vitamin E

Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Effect of dietary monounsaturated/saturated fatty acid ratio on fatty acid composition and oxidative stability of tissues in broilers, 95 (2002) 189

Volatile fatty acids

Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341

Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215

Voluntary intake

Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313

Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265

W

Washing loss

Effect of variety, stages of maturity and botanical fractions on phosphorous concentration and in situ degradability characteristics of phosphorous of whole crop rice silage, 92 (2001) 237

Wastes

Microbial conversion of lignocellulosic residues for production of animal feeds, 98 (2002) 1

Water consumption

Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137

Water extract viscosity

Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1998) 219

Water holding capacity

Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Water salinity

Effect of water salinity on the composition and in vitro digestibility of winter-annual ryegrass grown in the Arava desert, 91 (2001) 139

Water spinach

Estimation of neutral detergent fibre degradation in pigs by an in vitro method, 95 (2002) 205

Waxy barley

Effect of barley and its amylopectin content on ruminal fermentation and bacterial utilization of ammonia-N in vitro, 99 (2002) 25

Weaning

Effects of starch and protein sources, heat processing, and exogenous enzymes in starter diets for early weaned rabbits, 98 (2002) 175

Microbial activity in the caecum of the rabbit around weaning: impact of a dietary fibre deficiency and of intake level, 99 (2002) 107

Use of spray dried animal plasma as an alternative to antimicrobial medication in weanling pigs, 99 (2002) 119

Effect of dietary inclusion of concentrated separator by-product and weaning management on performance of newly received feedlot steers, 100 (2002) 43

Weanling piglet

Bioavailability of iron from amino acid complex in weanling pigs, 86 (2000) 39

Weight gain

Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

Welfare

The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129

Effect of dietary fibre on the behaviour and health of the restricted fed sow, 90 (2001) 53

Wheat

Application of a method to determine ileal digestibility in broilers of amino acids in wheat, 79 (1999) 195

Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247

Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1

Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1

Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199

Research note: a consistent low starch digestibility observed in pelleted broiler chicken diets containing high levels of different wheat varieties, 92 (2001) 45

Influence of processing variables during micronization of wheat on starch structure and subsequent performance and digestibility in weaned piglets fed wheat-based diets, 93 (2001) 93

Dry matter yield and nutritive value of pea/wheat bi-crops differing in maturity at harvest, pea to wheat ratio and pea variety, 94 (2001) 77

Assessment of the nutritive value of whole crop peas and intercropped pea-wheat bi-crop forages harvested at different maturity stages for ruminants, 96 (2002) 43

The effect on voluntary feed intake, in vivo digestibility and nitrogen balance in sheep of feeding grass silage or pea-wheat intercrops differing in pea to wheat ratio and maturity, 96 (2002) 161

Effects of acid and alkali concentration on in vitro measurement of wheat viscosity, 98 (2002) 237

Wheat bran

Evaluation of date-feed ingredients mixes, 81 (1999) 291

Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195

Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239

Addition of rice straw or/and wheat bran on composition, ruminal degradability and voluntary intake of bamboo shoot shells silage fed to sheep, 91 (2001) 129

Wheat diets

Effects of acid and alkali concentration on in vitro measurement of wheat viscosity, 98 (2002) 237

Wheat middlings

Storage of pelleted wheat middlings in farm bins, 88 (2000) 47

Wheat straw

Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117

Effect of different levels of berseem (*Trifolium alexandrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133

Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253

Whole crop wheat

Ensiling of whole crop wheat with cellulase-hemicellulase based enzymes. 3. Comparing effects of urea or enzyme treatment on forage composition and stability, 82 (1999) 51

Whole meal flour

Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199

Whole seed

Nutritional evaluation of cardoon (*Cynara cardunculus*) seed for ruminants, 87 (2000) 203

Whole wheat

Effect of feeding whole wheat on performance of broiler chickens, 96 (2002) 229

Effects of wheat structure and viscosity on coccidiosis in broiler chickens, 98 (2002) 37

Whole-crop wheat

Effect of stage of growth at harvest and level of urea application on chemical changes during storage of whole-crop wheat, 77 (1999) 281

Energy and protein supplementation of lactating dairy cows offered urea treated whole-crop wheat as the sole forage, 82 (1999) 177

Wilting

The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213

Wool growth

Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213

The effect of condensed tannins in *Lotus corniculatus* upon reproductive efficiency and wool production in ewes during autumn, 92 (2001) 185

Work bulls

Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137

Work output

Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137

X

Xylanase

Enzymatic assays for xylanase and β -glucanase feed enzymes, 77 (1999) 345

Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279

Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

Effects of fungal enzyme preparations on hydrolysis and subsequent degradation of alfalfa hay fiber by mixed rumen microorganisms in vitro, 88 (2000) 153

Y

Yeast culture

Effects of yeast culture (*Saccharomyces cerevisiae*) on ruminal digestion in non-lactating dairy cows, 76 (1999) 195

Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25

Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49

Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165

The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121

Yellow maize

Evaluation of date-feed ingredients mixes, 81 (1999) 291

Yellow-seeded canola

Nutritive value for broilers of meals derived from newly developed varieties of yellow-seeded canola, 78 (1999) 249

Yolk colour

Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89

Young pigs

Processing of barley and enzyme supplementation in diets for young pigs, 95 (2002) 113

Ytterbium precipitation

Proanthocyanidins and other phenolics in *Acacia* leaves of Southern Africa, 91 (2001) 59

Z

Zearalenone

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Zebu cattle

Urinary excretion of duodenal purine derivatives in Kedah-Kelantan cattle, 92 (2001) 203

Zinc


Changes in zinc and manganese availability in broiler chicks induced by vegetal and microbial phytases, 77 (1999) 241

Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255


Interaction of dietary zinc and growth implants on weight gain, carcass traits and zinc in tissues of growing beef steers and heifers, 95 (2002) 15

Zinc methionine


Dietary zinc and manganese sources administered from the fetal stage onwards affect immune response of transit stressed and virus infected offspring steer calves, 93 (2001) 217




1.0




1.1




1.25



1.4



1.6



4.5

5.0

5.6


6.3

7.1


8.0

9.0


10.0



2.8



3.2



3.6



4.0



2.5



2.2



2.0



1.8